

WASTE STREAM	9A318	Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW
---------------------	--------------	---

SITE Berkeley

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	0 m ³
Future arisings -	1.4.2074 - 31.3.2077.....	166.0 m ³
Total future arisings:		166.0 m ³
Total waste volume:		166.0 m ³

Comment on volumes: For inventory purposes waste arisings are assumed to occur at a uniform rate over 3 years. Final Dismantling & Site Clearance is assumed to commence in 2070 with reactor dismantling commencing in 2074 and lasting for 3 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2074.

Uncertainty factors on volumes:

Stock (upper):	x	Arisings (upper)	x 1.2
Stock (lower):	x	Arisings (lower)	x 0.8

WASTE SOURCE A variety of materials from active plant dismantling.

PHYSICAL CHARACTERISTICS

General description: A variety of materials including metals.

Physical components (%vol): Temporary active drains (~69.5% vol), vacuum clean and washdown items (~29.5% vol), Magnox and magnesium oxide from reactor components (<1% vol).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1

Comment on density: The density is of the waste as prepared for packaging.

CHEMICAL COMPOSITION

General description and components (%wt): A variety of materials including metals.

Chemical state: Neutral

Chemical form of radionuclides: H-3: The chemical form of tritium has not been assessed.
C-14: The chemical form of carbon 14 has not been assessed but may be graphite.
Cl-36: The chemical form of chlorine 36 has not been assessed.

Metals and alloys (%wt): Items will have been cut for packaging but an assessment of the item dimensions has not been made.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	0		
Iron.....			
Aluminium.....	NE		
Beryllium.....	0		
Cobalt.....			
Copper.....	NE		
Lead.....	NE		
Magnox/Magnesium.....	<1.0		
Nickel.....			

WASTE STREAM	9A318	Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW
---------------------	--------------	---

Titanium.....
 Uranium.....
 Zinc..... NE
 Zircaloy/Zirconium..... NE
 Other metals..... NE "Other" metals have not been assessed.

Organics (%wt): Not fully assessed. Halogenated rubbers are not expected. Halogenated plastics have not been assessed.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	NE		
Total non-halogenated plastics.....	NE		
Condensation polymers.....	NE		
Others.....	NE		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	0		

Other materials (%wt): There might be traces of graphite

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	29.5	vacuum clean and washdown items	
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	69.5	temporary active drains	
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	TR		
Desiccants/Catalysts.....			
Asbestos.....	NE		
Non/low friable.....			
Moderately friable.....			

WASTE STREAM	9A318	Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW
---------------------	--------------	---

Highly friable.....
 Free aqueous liquids..... 0
 Free non-aqueous liquids..... 0
 Powder/Ash..... 0

Inorganic anions (%wt): Not fully assessed.

	(%wt)	Type(s) and comment
Fluoride.....	NE	
Chloride.....	NE	
Iodide.....	NE	
Cyanide.....	0	
Carbonate.....	NE	
Nitrate.....	NE	
Nitrite.....	NE	
Phosphate.....	NE	
Sulphate.....	NE	
Sulphide.....	NE	

Materials of interest for waste acceptance criteria: No materials likely to pose a fire or other non-radiological hazard have been identified. The presence or absence of asbestos has yet to be confirmed.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....		
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants: -

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		

WASTE STREAM**9A318****Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW**

- Organometallics.....
- Phenol.....
- Styrene.....
- Tri-butyl phosphate.....
- Other organophosphates.....
- Vinyl chloride.....
- Arsenic.....
- Barium.....
- Boron.....
 - Boron (in Boral).....
 - Boron (non-Boral).....
- Cadmium.....
- Caesium.....
- Selenium.....
- Chromium.....
- Molybdenum.....
- Thallium.....
- Tin.....
- Vanadium.....
- Mercury compounds.....
- Others.....
- Electronic Electrical Equipment (EEE)
 - EEE Type 1.....
 - EEE Type 2.....
 - EEE Type 3.....
 - EEE Type 4.....
 - EEE Type 5.....

Complexing agents (%wt): Yes

(%wt) Type(s) and comment

- EDTA.....
- DPTA.....
- NTA.....
- Polycarboxylic acids.....
- Other organic complexants.....
- Total complexing agents..... TR

Potential for the waste to contain discrete items: Yes. Large Metal Items (LMIs)/"substantial" thickness items considered "durable" assumed DIs. NB If recycled then DI Limits n/a

TREATMENT, PACKAGING AND DISPOSAL

WASTE STREAM

9A318

Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None		100.0

Comment on planned treatments:

-

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	

Classification codes for waste expected to be consigned to a landfill facility: 17 01 01, 16 10 01*/16 10 02

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Opportunities for alternative disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal: (Not applicable to this waste stream)

WASTE STREAM**9A318****Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW**

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Activation of the materials and impurities. There may be some contamination.

Uncertainty: Estimates have been made of the specific activities.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Some specific activities have been estimated using a neutron activation calculation using available material specifications. The major source of uncertainty is the impurity levels.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2074. There may be some contamination by Cs137.

WASTE STREAM

9A318

Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			4E-05	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			7.71E-05	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26			2E-06	CC 2	Tm 171				8
Cl 36			1.28E-06	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			1.62E-05	CC 2	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			4.24E-08	CC 2	Bi 208				8
Ni 59			5.67E-09	CC 2	Bi 210m				8
Ni 63			2.98E-05	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				6	Th 232				8
Nb 94			3.87E-09	CC 2	Th 234				8
Mo 93			1.34E-08	CC 2	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133			2.9E-08	CC 2	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			2.04E-06	CC 2	Other a				
Eu 152			8.14E-06	CC 2	Other b/g				
Eu 154			1.3E-07	CC 2	Total a	0		0	
Eu 155				8	Total b/g	0		1.77E-04	CC 2

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity