SITE Berkeley

SITE OWNER Nuclear Decommissioning Authority

No

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

WASTE VOLUMES

Reported

Stocks: At 1.4.2022...... 10.9 m³

Total future arisings: 0 m³

Total waste volume: 10.9 m³

Comment on volumes: Station operation ceased in March 1989. The last accumulation of waste in this stream was

in 1992. There will be no further arisings of this waste stream.

Uncertainty factors on volumes:

Stock (lower): x 1.1

Arisings (upper)

Stock (lower): x 0.9 Arisings (lower) x

WASTE SOURCE Redundant contaminated and activated materials and equipment from reactor and pond

areas.

PHYSICAL CHARACTERISTICS

General description: The waste consists of miscellaneous contaminated items from the operation of the

Berkeley Power Station. The waste is predominantly items of redundant or scrap equipment made of mild steel, including trailing lead thermocouples, actuator wires, defective gags and Syntox blocks. There are also 13 steel baskets from Bradwell Power Station which, although they are classed as Berkeley Technology Centre MCI, will be processed as Berkeley Power Station MCI. The smaller items of waste are in a variety of steel drum and cans, whilst the larger items are loose in the vault and may have been wrapped in polythene or coated with 'Detex' to contain contamination. The waste containers are included in this waste stream. Some of the loose items will be large and

may need to be size reduced.

Physical components (%wt): Items made of mild steel (~95% wt), polythene (<1% wt) and other miscellaneous materials

(~4% wt).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.34

Comment on density: Calculated from total mass and volume of this waste.

CHEMICAL COMPOSITION

General description and components (%wt):

The waste is expected to be principally mild steel (\sim 95% wt). There will be polythene (<1%

wt) and miscellaneous materials (~4% wt).

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Tritium may be present as water, in the form of other inorganic compounds or organic

compounds, or as tritium gas incorporated in metal.

C-14: Chemical form of carbon 14 has not been determined but may be graphite.

CI-36: The chemical form of chlorine 36 in these wastes is not known. Se-79: The chemical form of selenium-79 has not been determined. Tc-99: The chemical form of technetium-99 has not been determined. Ra: .The chemical form of radium isotopes have not been determined. Th: The chemical form of thorium isotopes have not been determined.

U: Chemical form of uranium isotopes has not been determined but may be uranium

oxides.

Np: The chemical form of neptunium isotopes have not been determined.

Pu: Chemical form of plutonium isotopes has not been determined but may be plutonium

oxides.

Metals and alloys (%wt): The metal will be of varying thickness (~1mm to 50mm thick). There is no further

information on the metals in the waste.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14
Stainless steel	NE		activity
Other ferrous metals			
Iron	00.0		
Aluminium	0		
Beryllium	-		
Cobalt			
Copper			
Lead			
Magnox/Magnesium	. 0		
Nickel			
Titanium			
Uranium			
Zinc	0		
Zircaloy/Zirconium	0		
Other metals	NE	"Other" metals will include unidentified thermocouple materials.	
	naterials a	will be present and there may be trace quarter expected only in trace quantities, if any	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	TR		activity
Paper, cotton	TR		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	<1.0		
Condensation polymers	0		
Others	<1.0		
Organic ion exchange materials	0		
Total rubber	TR		
Halogenated rubber	TR		
Non-halogenated rubber	NE		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	TR		

Other materials (%wt): Traces of graphite may be present.

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	TR		
Desiccants/Catalysts			
Asbestos	0		
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	TR		
Powder/Ash	0		
Fluoride	0 TR 0 TR TR TR TR		
Sulphate	TR		
Sulphide	0		
Materials of interest for There are no identi waste acceptance criteria:	fied materia	als likely to represent a fire or other	non-radiological hazard.
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials	0		
Putrescible wastes	0		
Non-putrescible wastes			

Co	prrosive materials	0	
Ру	rophoric materials	0	
Ge	enerating toxic gases	0	
Re	eacting with water	0	
Hiç	gher activity particles		
	luble solids as bulk chemical mpounds		
Hazardous subst	The state of the s		
		(%wt)	Type(s) and comment
Ac	rylamide	, ,	,
Ве	nzene		
Ch	lorinated solvents		
Fo	rmaldehyde		
	ganometallics		
Ph	enol		
Sty	yrene		
	-butyl phosphate		
	her organophosphates		
Vir	nyl chloride		
Ars	senic		
Ва	rium		
Во	ron	0	
[Boron (in Boral)		
[Boron (non-Boral)		
Ca	ıdmium		
Ca	esium		
Se	lenium		
Ch	romium		
Mo	olybdenum		
Th	allium		
Tir	1		
Va	nadium		
Me	ercury compounds		
Ot	hers		
Ele	ectronic Electrical Equipment (EEE)		
I	EEE Type 1		
I	EEE Type 2		
i	EEE Type 3		
i	EEE Type 4		
I	EEE Type 5		

Complexing a	agents (%wt):	Yes						
			(%wt)	Type(s)	and comment			
	EDTA							
	DPTA							
	NTA							
	Polycarboxylic a	cids						
Other organic complexants T		TR Organic complexing agents may be present in trace quantities.						
	Total complexing	g agents	TR					
Potential for the contain discre		Not yet determined. (notably any stainles	In & of itself not a DI; waste stream may include DIs steel components)					
PACKAGINO	3 AND CONDIT	TIONING						
Conditioning method: This stream is to be co-packaged with 9A36, 9A37, 9A57, 9A58, 9A59, 9A65, 9A68, 9A69, 9A70, 9A71, 9A72, 9A75, 9A77, 9A78, 9A82. Packages are assigned to 9A68, 9A71 & 9A75.								
Plant Name:		-						
Location:		Berkeley Site						
Plant startup of	date:	-						
Total capacity - (m³/y incoming waste):								
Target start da packaging this		-						
Throughput for this stream - (m³/y incoming waste):								
Other informa	tion:	-						
Likely contain type:	er Container	r	pacl	aste kaged %vol)	Waste loading (m³)	Payload (m³)	Number of packages	
Likely contain comment:	Likely container type -							
Range in cont volume:	Range in container waste - volume:							
Other informa containers:	tion on	-						
Likely condition	Likely conditioning matrix:							

disposal routing:

Opportunities for alternative

Other information:

Other information on conditioning:

comment:

Conditioned density (t/m³): Conditioned density

Baseline Opportunity Stream Date that Opportunity
Management Route Management Route volume (%)

Baseline Opportunity Opportunity Confidence will be realised

RADIOACTIVITY

Source: The radioactivity may have arisen both from activation and contamination while the

material was used in the reactor area or pond area.

Uncertainty: The values quoted are indicative of the activities that may be expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities were derived by estimation based upon available information.

Other information: Specific activity is a function of Station operating history. Specific activities were derived by

estimation based upon available information. The caesium 137 activity will probably

determine when this waste becomes LLW.

	Mean radioactivity, TBq/m³		Mean radioactivity, TBq/m³						
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.29E-03	CC 2			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	9.99E-06	CC 2			Ho 166m		8		
Na 22		8			Tm 170		8		
AI 26		8			Tm 171		8		
CI 36	7E-07	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			TI 204		8		
Mn 54		8			Pb 205		8		
Fe 55	1.97E-05	CC 2			Pb 210		8		
Co 60	6.95E-05	CC 2			Bi 208		8		
Ni 59	1E-06	CC 2			Bi 210m		8		
Ni 63	8.10E-05	CC 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79	1.21E-08	CC 2			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	4.89E-03	CC 2			Th 227		8		
Zr 93	6E-07	CC 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	3.85E-07	CC 2			Th 232		8		
Nb 94	0.000	8			Th 234	3E-07	CC 2		
Mo 93		8			Pa 231	02 0.	8		
Tc 97		8			Pa 233	4.16E-08	CC 2		
Tc 99	3E-06	CC 2			U 232	02 00	8		
Ru 106	02 00	8			U 233		8		
Pd 107		8			U 234	3.09E-07	CC 2		
Ag 108m	<2.94E-06	C 3			U 235	7E-09	CC 2		
Ag 110m		8			U 236	4.00E-08	CC 2		
Cd 109		8			U 238	3E-07	CC 2		
Cd 113m		8			Np 237	4.16E-08	CC 2		
Sn 119m		8			Pu 236	02 00	8		
Sn 121m		8			Pu 238	1.78E-04	CC 2		
Sn 123		8			Pu 239	1.00E-04	CC 2		
Sn 126	4.35E-08	CC 2			Pu 240	2.00E-04	CC 2		
Sb 125		8			Pu 241	1.46E-03	CC 2		
Sb 126	6.09E-09	CC 2			Pu 242	1E-07	CC 2		
Te 125m	1.502 00	8			Am 241	3.44E-04	CC 2		
Te 127m		8			Am 242m	8.36E-07	CC 2		
I 129	6E-09	CC 2			Am 243	3.00E-07	CC 2		
Cs 134	2.60E-08	CC 2			Cm 242	6.90E-07	CC 2		
Cs 135	1E-07	CC 2			Cm 243	2.13E-07	CC 2		
Cs 137	4.95E-03	CC 2			Cm 244	1.69E-06	CC 2		
Ba 133	1.002 00	8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cff 249		8		
Pm 145		8			Cf 250		8		
Pm 147	9.46E-07	CC 2			Cf 250		8		
Sm 147	5.40L-07	8			Cf 251		8		
Sm 151	2.66E-05	CC 2			Other a		U		
Eu 152	1.39E-07	CC 2			Other b/g				
Eu 152 Eu 154	1.50E-05	CC 2			Total a	8.25E-04	CC 2	0	
Eu 154 Eu 155	8.35E-07	CC 2			Total b/g	1.28E-02	CC 2	0	
Lu 133	0.33L-07	00 2			i otai b/g	1.20E-UZ	00 2	!	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity