

WASTE STREAM	9A52	FED Zirconium
---------------------	-------------	----------------------

SITE Berkeley

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

	Reported
Stocks: At 1.4.2022.....	2.2m ³
Total future arisings:	0 m ³
Total waste volume:	2.2m ³

Comment on volumes: Station operation ceased in March 1989. This waste stream was accumulated between May 1964 and December 1967. The volume quoted is the estimated bulk volume of the waste if separated from other wastes with which it is mixed. The range in the volume of zirconium debris is estimated to be between 2.12m³ and 2.30m³.

Uncertainty factors on volumes:

Stock (upper):	x 1.1	Arisings (upper)	x
Stock (lower):	x 0.9	Arisings (lower)	x

WASTE SOURCE The source of the waste is the removal of graphite struts and associated zirconium and stainless steel bridge pieces from fuel elements prior to the dispatch of the elements to Sellafield.

PHYSICAL CHARACTERISTICS

General description: The waste comprises zirconium support bridges of about 127mm in length. The bridge pieces may still be connected to the graphite struts. Approximately 62% of fuel elements used zirconium top support bridges. All of the fuel elements had bottom support bridges made from zirconium. A zirconium top support bridge weighs approximately 30g and a bottom support bridge weighs approximately 41g. It is unlikely that there will be any large items which will require special handling. The waste is loose in the vaults.

Physical components (%vol): Zirconium bridge pieces (>99 vol%). No other constituents identified.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 2.2

Comment on density: The average bulk density of 2.2 t/m³ assumes a packing factor to give an overall volume of about three times the displacement volume of the waste. The density can be up to 6.5 t/m³.

CHEMICAL COMPOSITION

General description and components (%wt): Zirconium (>98.3%) and impurities (<1.7%). There may be fission product, actinide and graphite contamination.

Chemical state: Neutral

Chemical form of radionuclides:

- H-3: Tritium may be incorporated in the zirconium or be present as surface contamination in the form of water, other inorganic or organic compounds.
- C-14: Carbon 14 will probably be present as graphite and also, to a minor degree, as impurity within the zirconium.
- Cl-36: The chemical form of chlorine 36 has not been determined.
- Se-79: The selenium content is insignificant.
- Tc-99: The technetium content is insignificant.
- Ra: Radium isotope content is insignificant.
- Th: The thorium isotope content is insignificant.
- U: Chemical form of U isotopes has not been determined but may be oxides.
- Np: The neptunium content is insignificant.
- Pu: Chemical form of plutonium isotopes has not been determined but may be plutonium oxides.

Metals and alloys (%wt): Items are approximately 127 mm x 25 mm x 17 mm.

WASTE STREAM	9A52	FED Zirconium
---------------------	-------------	----------------------

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	0		
Iron.....			
Aluminium.....	0		
Beryllium.....	0		
Cobalt.....			
Copper.....	0		
Lead.....	0		
Magnox/Magnesium.....	TR		
Nickel.....			
Titanium.....			
Uranium.....			
Zinc.....	0		
Zircaloy/Zirconium.....	~100.0		
Other metals.....	0	The waste is zirconium with impurities incorporated in the zirconium.	

Organics (%wt): The loose Zirconium is currently stored under the drums of ion exchange material in the vaults, which will have corroded to an extent. Therefore, it is likely to be contaminated with spilt Lewatit DN, the organic ion exchange material.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics.....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	TR		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	TR		

Other materials (%wt): Graphite contamination.

WASTE STREAM	9A52	FED Zirconium
---------------------	-------------	----------------------

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	TR		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	TR		
Desiccants/Catalysts.....			
Asbestos.....	0		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	TR		
Free non-aqueous liquids.....	0		
Powder/Ash.....	P		

Inorganic anions (%wt): Inorganic anions are not expected to be present at greater than trace concentrations.

	(%wt)	Type(s) and comment
Fluoride.....	TR	
Chloride.....	TR	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	TR	
Nitrate.....	TR	
Nitrite.....	TR	
Phosphate.....	TR	
Sulphate.....	TR	
Sulphide.....	0	

Materials of interest for waste acceptance criteria: There are no identified materials likely to represent a fire or other non-radiological hazard.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		

WASTE STREAM	9A52	FED Zirconium
---------------------	-------------	----------------------

Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	0
Higher activity particles.....	
Soluble solids as bulk chemical compounds.....	

Hazardous substances / None expected.
non hazardous pollutants:

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		
Phenol.....		
Styrene.....		
Tri-butyl phosphate.....		
Other organophosphates.....		
Vinyl chloride.....		
Arsenic.....		
Barium.....		
Boron.....	0	
Boron (in Boral).....		
Boron (non-Boral).....		
Cadmium.....		
Caesium.....		
Selenium.....		
Chromium.....		
Molybdenum.....		
Thallium.....		
Tin.....		
Vanadium.....		
Mercury compounds.....		
Others.....		
Electronic Electrical Equipment (EEE)		
EEE Type 1.....		
EEE Type 2.....		
EEE Type 3.....		
EEE Type 4.....		
EEE Type 5.....		

WASTE STREAM 9A52 FED Zirconium

Complexing agents (%wt): Yes

(%wt) Type(s) and comment

EDTA.....

DPTA.....

NTA.....

Polycarboxylic acids.....

Other organic complexants.....

Total complexing agents..... TR

Potential for the waste to contain discrete items: Not yet determined. Other HDRIs incl T/C pieces etc (typ. stainless) are DIs by definition

PACKAGING AND CONDITIONING

Conditioning method: This stream will be co-packaged with 9A25, 9A31, 9A39, 9A47, 9A60 and 9A66 in Type VI DCIC containers. Remainder of vault 1 waste streams will be co-packaged together in Concrete boxes (9A61, 9A62, 9A67, 9A32, 9A40, 9A48, 9A53, 9A73) Packages for vault 1 are assigned to 9A25, 9A32 & 9A73.

Plant Name: -

Location: Berkeley Site

Plant startup date: -

Total capacity (m³/y incoming waste): -

Target start date for packaging this stream: -

Throughput for this stream (m³/y incoming waste): -

Other information: -

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages

Likely container type comment: -

Range in container waste volume: -

Other information on containers: -

Likely conditioning matrix: -

Other information: -

Conditioned density (t/m³): -

Conditioned density comment: -

Other information on conditioning: -

Opportunities for alternative disposal routing: -

WASTE STREAM**9A52****FED Zirconium**

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
---------------------------	------------------------------	-------------------	--	------------------------	---------

RADIOACTIVITY

Source: Activation when the associated fuel elements were irradiated, of nuclides incorporated in the zirconium. Contamination by fission products and actinides when the fuel elements were in the fuel pond.

Uncertainty: The values quoted are indicative of the activities that might be expected.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Specific activity is a function of Station operating history. Values were derived from calculations of induced activity and estimates of likely contamination.

Other information: -

WASTE STREAM

9A52

FED Zirconium

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	<2.58E-01	D 3			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	3.00E-02	DD 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26	<6E-07	D 3			Tm 171		8		
Cl 36	<2E-03	D 3			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41	<3E-05	D 3			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55	<4.39E-06	D 3			Pb 210		8		
Co 60	<1.39E-02	D 3			Bi 208		8		
Ni 59	<6E-04	D 3			Bi 210m		8		
Ni 63	1.80E-01	DD 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	3.50E-04	CC 2			Th 227		8		
Zr 93	4E-03	CC 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92	8E-08	CC 2			Th 230		8		
Nb 93m	3.65E-03	CC 2			Th 232		8		
Nb 94	6.00E-08	CC 2			Th 234	7E-07	CC 2		
Mo 93	<4.99E-03	D 3			Pa 231		8		
Tc 97		8			Pa 233	4.20E-08	CC 2		
Tc 99	<1E-03	D 3			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	6.04E-07	CC 2		
Ag 108m	9.76E-08	CC 2			U 235	2E-08	CC 2		
Ag 110m		8			U 236	5.00E-08	CC 2		
Cd 109		8			U 238	7E-07	CC 2		
Cd 113m	<1.42E-04	D 3			Np 237	4.21E-08	CC 2		
Sn 119m		8			Pu 236		8		
Sn 121m	<1.64E-02	D 3			Pu 238	7.11E-05	CC 2		
Sn 123		8			Pu 239	2E-04	CC 2		
Sn 126	3.04E-09	DD 2			Pu 240	2.00E-04	CC 2		
Sb 125		8			Pu 241	1.46E-03	CC 2		
Sb 126		8			Pu 242	6E-08	CC 2		
Te 125m		8			Am 241	4.41E-04	CC 2		
Te 127m		8			Am 242m	3.71E-07	CC 2		
I 129		8			Am 243	8.00E-08	CC 2		
Cs 134	5.99E-08	CC 2			Cm 242	3.06E-07	CC 2		
Cs 135	6E-09	CC 2			Cm 243	3.54E-08	CC 2		
Cs 137	4.25E-04	CC 2			Cm 244	2.25E-07	CC 2		
Ba 133	7.83E-08	CC 2			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145	2.78E-04	CC 2			Cf 250		8		
Pm 147	1.71E-09	CC 2			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151	<1.78E-02	D 3			Other a				
Eu 152	<1.39E+00	D 3			Other b/g				
Eu 154	<5.95E-01	D 3			Total a	9.14E-04	CC 2	0	
Eu 155	1.19E-03	CC 2			Total b/g	2.52E+00	CC 2	0	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity