Examination

SITE Berkeley

SITE OWNER Nuclear Decommissioning Authority

No

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

WASTE VOLUMES

Scottish Policy:

Stocks: At 1.4.2022...... 30.8 m³

Total future arisings: 0 m³

Total waste volume: 30.8 m³

Comment on volumes: There will be no further arisings of this waste stream. The last arising of this waste was in

1993.

Uncertainty factors on Stock (upper): x 1.

volumes: Stock (lower): x 0.9 Arisings (lower) x

WASTE SOURCE The waste is miscellaneous contaminated items arising at Berkeley Nuclear Laboratories

(now Berkeley Technology Centre), principally from the examination of irradiated fuel, steel

Arisings (upper)

Reported

and graphite.

PHYSICAL CHARACTERISTICS

General description: The waste consists principally of non-fuel element debris from the post irradiation

examination work carried out on fuel, steel and graphite in the BC caves and cells. This waste will also comprise combustible and non-combustible wastes, metals, glass and cave refurbishment wastes. There will be a small amount of fire suppressant powders and vermiculite. The waste is contained within mild steel black can liners and paint tin liners. Current plans are that the mild steel waste containers described in former stream 9A926 will not be separated from the waste in this stream. Originally, this waste stream included part of the 3m³ of dried ion exchange material that was used as an infill for approximately 175 of the MCI black cans between 1975 and 1987. This mobile waste has now a separate identifier (9A82) and therefore, the volumes for 9A69 and 9A70 have been reduced by 1.5m³ each. As the waste is containerised, it is unlikely that there will be any large items

that will require special handling.

Physical components (%vol): The waste will include steel items such as tools, plastic items, tissues and swabs used for

cleaning, fire suppressant powders and the absorber vermiculite. There may be small quantities of ion exchange material, although this will be treated with stream 9A25. % Breakdown, ~25% ferrous metals, ~ 25% glass, ~20% plastics, ~15% paper, ~5% each of

organic and inorganic ion exchange resins and ~ 5% of ternary eutectic choride.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.5

Comment on density: Density calculated using masses and external volumes of containers.

CHEMICAL COMPOSITION

General description and components (%wt):

The waste will include steel, plastics, paper and graphite. There may be small amounts of ternary eutectic chloride (sodium chloride, barium chloride and potassium chloride) which was used as fire extinguishant, and incinerator ash. Fission products, actinides and other activation products will be present as contaminants.

Chemical state: Alkali

Chemical form of radionuclides:

H-3: Most tritium is expected to be present as water but some may be in the form of other inorganic compounds or as organic compounds.

C-14: Chemical form of carbon 14 has not been determined but may be graphite.

CI-36: The chemical form of chlorine 36 in these wastes is not known.

U: Chemical form of uranium isotopes has not been determined but may be uranium

oxides.

Pu: Chemical form of plutonium isotopes has not been determined but may be plutonium

oxides.

Metals and alloys (%wt): Much of the metal will be of only 1-2 mm thickness but there will be items of greater

thickness.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	NE		,
Other ferrous metals	~25.0		
Iron			
Aluminium	NE		
Beryllium	NE		
Cobalt			
Copper	NE		
Lead	NE		
Magnox/Magnesium	NE		
Nickel			
Titanium			
Uranium			
Zinc	NE		
Zircaloy/Zirconium	NE		
Other metals	NE	"Other" metals have not been identified.	

Organics (%wt):

There will be a number of organic materials present in the waste, including plastics, Perspex, polythene, PVC and paper. Specific organic chemical compounds identified as possibly present are: hexamine, methanol, Perklone D, acetone and epoxy resin. These compounds may adversely affect radionuclide mobility. No quantitative estimates of the various types or quantities of organics have been assessed. There may also be small quantities of liquid organic oils, e.g. oil on swabs and in hydraulic equipment.

	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	~15.0		activity
Paper, cotton	~15.0		
Wood	NE		
Halogenated plastics	NE		
Total non-halogenated plastics	NE		
Condensation polymers	NE		
Others	NE		
Organic ion exchange materials	~5.0		
Total rubber	NE		
Halogenated rubber	NE		
Non-halogenated rubber	NE		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	NE		

Other materials (%wt):

Graphite is expected in at least trace quantities.

WASTE STREAM

9A70

Miscellaneous Contaminated Items from Post Irradiation Examination

			(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion ex	change materials	~5.0		
	Inorganic sludge	es and flocs	0		
	Soil		0		
	Brick/Stone/Rub	oble	0		
	Cementitious m	aterial	0		
	Sand				
	Glass/Ceramics	S	~25.0		
	Graphite		NE		
	Desiccants/Cata	alysts			
	Asbestos		0		
	Non/low frial	ble			
	Moderately f	friable			
	Highly friable	e			
	Free aqueous li	quids	0		
	Free non-aqueo	ous liquids	NE		
	Powder/Ash		NE		
Inorganic anic	ons (%wt):	The inorganic anior	content of	f the waste has not been quantified.	
			(%wt)	Type(s) and comment	
	Fluoride		0		
	Chloride		~5.0		
	lodide		0		
	Cyanide		0		
	Carbonate		NE		
	Nitrate		NE		
	Nitrite		NE		
	Phosphate		NE		
	Sulphate		NE		
	Sulphide		0		
Materials of ir waste accept		corrosive effect of s	odium chlo	c) fire extinguishant is of potential coorde (one third of total contents of T chromium trioxide has been identified	EC) on the waste
			(%wt)	Type(s) and comment	
	Combustible me	etals	TR		
	Low flash point	liquids	0		
	Explosive mater	rials	0		
	Phosphorus		0		
	Hydrides		TR		
	Biological etc. n	naterials	0		
	Biodegradable r	materials	0		
	Putrescible w	astes	0		

Non-putrescible wastes.....

Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	TR	
Higher activity particles		
Soluble solids as bulk chemical compounds		
Hazardous substances / - non hazardous pollutants:		
	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron	0	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		

Complexing a	gents (%wt):	Yes					
			(%wt)	Type(s)	and comment		
E	EDTA						
[DPTA						
1	NTA						
F	Polycarboxylic ac	cids					
(Other organic co	mplexants	TR	Organic small qu	complexing ag antities.	ents may be p	present in
-	Total complexing	agents	~1.0				
Potential for the contain discret		Yes. In & of itself no steel components)	ot a DI; wa	ste strear	m may include	DIs (notably a	ny stainless
PACKAGING	AND CONDIT	IONING					
Conditioning m	ethod:	This stream is to be c 9A69, 9A71, 9A72, 9A 9A71 & 9A75.					
Plant Name:		-					
Location:		Berkeley Site					
Plant startup d	ate:	-					
Total capacity (m³/y incoming	waste):	-					
Target start da packaging this		-					
Throughput for this stream (m³/y incoming waste):		-					
Other informati	on:	-					
Likely containe type:	Container		pacl	aste kaged 6vol)	Waste loading (m³)	Payload (m³)	Number of packages
Likely containe comment:	r type	-					
Range in conta volume:	niner waste	-					
Other informati containers:	on on	-					
Likely condition Other informati	-	-					
Conditioned de	ensity (t/m³):	-					
Conditioned de	neity						

2022 Inventory

comment:

Other information on conditioning:

disposal routing:

Opportunities for alternative

Estimated

Baseline Opportunity Stream
Management Route Management Route volume (%)

Date that Opportunity will be realised

Opportunity Confidence

Comment

RADIOACTIVITY

Source: The waste has become contaminated from the processes concerned with the examination

of irradiated fuel, steel and graphite at Berkeley Nuclear Laboratories (now Berkeley

Technology Centre).

Uncertainty: The values quoted are indicative of the activities that might be expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Specific activities were derived by estimation based upon available information.

Other information: Specific activity is a function of operating history.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.29E-03	CC 2			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	9.99E-06	CC 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
CI 36	7E-07	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			TI 204		8		
Mn 54		8			Pb 205		8		
Fe 55	4.39E-05	CC 2			Pb 210		8		
Co 60	1.39E-04	CC 2			Bi 208		8		
Ni 59	1E-06	CC 2			Bi 210m		8		
Ni 63	8.10E-05	CC 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79	1.21E-08	CC 2			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	4.89E-03	CC 2			Th 227		8		
Zr 93	6E-07	CC 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	3.85E-07	CC 2			Th 232		8		
Nb 94		8			Th 234	3E-07	CC 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233	4.11E-08	CC 2		
Tc 99	3E-06	CC 2			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	3.09E-07	CC 2		
Ag 108m	<2.94E-06	C 3			U 235	7E-09	CC 2		
Ag 110m		8			U 236	4.00E-08	CC 2		
Cd 109		8			U 238	3E-07	CC 2		
Cd 113m		8			Np 237	4.11E-08	CC 2		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	1.78E-04	CC 2		
Sn 123		8			Pu 239	1.00E-04	CC 2		
Sn 126	4.35E-08	CC 2			Pu 240	2.00E-04	CC 2		
Sb 125	0.00= 00	8			Pu 241	1.46E-03	CC 2		
Sb 126	6.09E-09	CC 2			Pu 242	1E-07	CC 2		
Te 125m		8			Am 241	2.46E-04	CC 2		
Te 127m	65.00	8			Am 242m	8.36E-07	CC 2		
I 129	6E-09	CC 2			Am 243	3.00E-07	CC 2		
Cs 134	2.60E-08	CC 2			Cm 242	6.90E-07	CC 2		
Cs 135	1E-07	CC 2			Cm 243	2.13E-07	CC 2		
Cs 137	4.95E-03	CC 2			Cm 244	2.25E-06	CC 2		
Ba 133		8			Cm 245		8		
La 137		8 8			Cm 246		8 8		
La 138 Ce 144					Cm 248 Cf 249				
		8					8		
Pm 145	1 715 06	8			Cf 250		8		
Pm 147	1.71E-06	CC 2			Cf 251		8		
Sm 147	2 665 05	8			Cf 252		8		
Sm 151	2.66E-05	CC 2 CC 2			Other a Other b/g				
Eu 152	1.39E-07				_	7 205 04	CC 2	_	
Eu 154	1.50E-05	CC 2 CC 2			Total a	7.28E-04	CC 2	0	
Eu 155	2.38E-06	00 2			Total b/g	1.29E-02	CC 2	0	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity