SITE Berkelev

SITE OWNER **Nuclear Decommissioning Authority**

No

WASTE CUSTODIAN Magnox Limited

ILW WASTE TYPE

Is the waste subject to

Scottish Policy:

WASTE VOLUMES

Reported

Stocks: At 1.4.2022..... $7.9 \, \text{m}^3$

 $0 \, \text{m}^3$ Total future arisings:

Total waste volume: $7.9 \, \text{m}^{3}$

Comment on volumes: Station operation ceased in March 1989. This waste was accumulated between 1965 and

1978. There have been no arisings of these wastes since 1983. The volume split between this stream and stream 9A77 was revised prior to the 2004 Inventory in accordance with a

Project Team judgement that some waste formerly in stream 9A77 may be ILW.

Uncertainty factors on

volumes:

Stock (upper): x 1.2 Arisings (upper)

Stock (lower): x 0.9 Arisings (lower) Х

WASTE SOURCE

The sludge originated from filtration of pond and AETP water and absorption of caesium

from pond water.

PHYSICAL CHARACTERISTICS

General description: This waste arose from the filtration of pond water and absorption of caesium from pond

> water. The waste consists of corrosion products such as magnesium hydroxide and carbonate detached from fuel elements, asbestos fibre and other materials used as a precoat material, and ammonium molybdenum phosphate which was used as a caesium absorber. Some of the sludge drums will contain cotton socks, used for filtration purposes and PVC bags. The sludge drums form part of the waste stream 9A916, and will be processed as MCI. There are no large items that may require special handling. The sludge

cans have approximate dimensions 890 mm long x 305 mm diameter.

Physical components (%vol): The waste consists of 100% sludge, some of it with high caesium activity.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3): ~1.1

Comment on density:

CHEMICAL COMPOSITION

General description and components (%wt):

The waste contains magnesium hydroxide, magnesium carbonate, water and a range of other materials, including ammonium molybdenum phosphate and potentially asbestos, which was used as a pre-coat. The solids content of the sludge is unknown as it varies from container to container. The slurry may vary from 'toothpaste' to water in constituency. Asbestos, cellulose and other precoat materials will probably account for <2wt%. The cotton socks and PVC bags will be removed and will form part of the BPS MCI waste stream (9A36-38). The waste can is included in waste stream 9A916.

Chemical state: Alkali

Chemical form of radionuclides:

H-3: Most tritium is expected to be present as water but some may be present in the form

of other inorganic compounds or as organic compounds. C-14: Carbon 14 will probably be present as graphite. CI-36: Chlorine 36 will probably be present as chloride.

Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium isotope content is insignificant. Th: The thorium isotope content is insignificant.

U: Chemical form of U isotopes has not been determined but may be oxides.

Np: The neptunium content is insignificant.

Pu: Chemical form of Pu isotopes has not been determined but may be oxides.

Any metal present will be as finely divided material. There is no sheet or bulk metal. Metals and alloys (%wt):

	('	%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	N	1E		activity
Other ferrous metals.	N	1E		
Iron				
Aluminium	C)		
Beryllium	Т	R		
Cobalt				
Copper	C)		
Lead	C)		
Magnox/Magnesium	C)		
Nickel				
Titanium				
Uranium				
Zinc	C)		
Zircaloy/Zirconium	N	١E		
Other metals	N	ΙE	The waste is contained within thick steel drums which when removed will form part of the 9A916 waste stream.	
not	known which drums sent in the sludge.		ags before being placed in the steel drulere disposed of in. There may also be so Type(s) and comment	
Total cellulosics	·	-	Typo(c) and common	activity
Paper, cotton Wood		_		
	•			
Halogenated plastics				
Total non-halogenate Condensation polyi	•			
Others				
	•			
Organic ion exchange Total rubber				
Halogenated rubbe				
•				
Non-halogenated ru				
Hydrocarbons Oil or grease				
Fuel				
Asphalt/Tarmac (co	nii.coai iai j			

Other materials (%wt):

Asphalt/Tarmac (no coal tar)....

Bitumen.....

Others....

Other organics...

Graphite is expected in at least trace quantities.

NE

		(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exc	change materials	0		,
Inorganic sludge	s and flocs	~98.0		
Soil		0		
Brick/Stone/Rubl	ble	0		
Cementitious ma	nterial	0		
Sand				
Glass/Ceramics.		0		
Graphite		TR		
Desiccants/Cata	lysts			
Asbestos		<0		
Non/low friab	le			
Moderately fr	iable			
Highly friable				
Free aqueous liq	juids	Р		
Free non-aqueou	us liquids	NE		
Powder/Ash		0		
Inorganic anions (%wt):	The presence of in	organic ani	ons shown in the table has not be	en fully assessed.
		(%wt)	Type(s) and comment	
Fluoride		NE		
Chloride		NE		
lodide		NE		
Cyanide		0		
Carbonate		NE		
Nitrate		NE		
Nitrite		NE		
Phosphate		NE		
Sulphate		NE		
Sulphide		NE		
Materials of interest for waste acceptance criteria:	hydrogen, due eith the sodium hydroxi	er to radioly de was not	nt a fire hazard. A number of the objects or to accelerated corrosion up added. This may pressurise the dout from the water phase and control Type(s) and comment	nder acidic conditions, whe containers. It is anticipated
Combustible me	tals	TR		
Low flash point li	quids	0		
•	· als	NE		
		0		
		0		
•	aterials	TR		
-	naterials	0		
-	stes	0		

	Non-putrescible wastes		
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	NE	
	Reacting with water	TR	
	Higher activity particles		
	Soluble solids as bulk chemical		
	compounds		
Hazardous su			
		(0/ 144)	Tuna(a) and comment
	Acrylamida	(%wt)	Type(s) and comment
	Acrylamide Benzene		
	Chlorinated solvents		
	Formaldehyde		
	Organometallics		
	Phenol		
	Styrene		
	Tri-butyl phosphate		
	Other organophosphates		
	Vinyl chloride		
	Arsenic		
	Barium		
	Boron	0	
	Boron (in Boral)		
	Boron (non-Boral)		
	Cadmium		
	Caesium		
	Selenium		
	Chromium		
	Molybdenum		
	Thallium		
	Tin		
	Vanadium		
	Mercury compounds		
	Others		
	Electronic Electrical Equipment (EEE)		
	EEE Type 1		
	EEE Type 2		
	EEE Type 3		
	EEE Type 4		
	EEE Type 5		

Yes

(%wt) Type(s) and comment EDTA..... DPTA..... NTA..... Polycarboxylic acids.....

Other organic complexants......

TR Total complexing agents.....

Potential for the waste to contain discrete items:

Complexing agents (%wt):

No. In & of itself not a DI; assumed not likely to contain any "rogue" items that

could be.

PACKAGING AND CONDITIONING

This stream is to be co-packaged with 9A37, 9A38, 9A57, 9A58, 9A59, 9A65, 9A68, Conditioning method:

9A69, 9A70, 9A75, 9A77, 9A78, 9A82. Packages are assigned to 9A68, 9A71 &

9A75.

Plant Name:

Location: Berkeley Site

Plant startup date:

Total capacity

(m³/y incoming waste):

Target start date for packaging this stream:

Throughput for this stream (m³/y incoming waste):

Other information:

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
3m³ RS box	100.0	~1.58	2.5	5

Likely container type

comment:

Range in container waste

volume:

Other information on

containers:

Likely conditioning matrix:

Other information:

Conditioned density (t/m³): Conditioned density

comment:

Other information on conditioning:

Opportunities for alternative

disposal routing:

2022 Inventory

Baseline Opportunity Stream Date that Opportunity
Management Route Management Route volume (%)
Will be realised

Comment

RADIOACTIVITY

Source: Sludge resulting from the treatment of pond and AETP waters and contaminated by fission

products and activation products including actinides.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative

of the activities that might be expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Values were derived by extrapolation from available data. M/EF/BKA/REP/0006/18 Issue 1

Other information: -

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	9.29E-05	CD 3			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	4.60E-06	CD 3			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
CI 36	1.8E-07	CD 3			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41	2.7E-04	CD 3			Pt 193		8		
Mn 53		8			TI 204		8		
Mn 54		8			Pb 205		8		
Fe 55	1.96E-07	CD 3			Pb 210		8		
Co 60	2.29E-05	CD 3			Bi 208		8		
Ni 59	5.5E-06	CD 3			Bi 210m		8		
Ni 63	4.90E-04	CD 3			Po 210		8		
Zn 65		8			Ra 223	1	8		
Se 79	6.6E-08	CD 3			Ra 225		8		
Kr 81		8			Ra 226	1	8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	2.14E-02	CD 3			Th 227		8		
Zr 93	3.8E-06	CD 3			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230	3.15E-09	CD 3		
Nb 93m	5.02E-06	CD 3			Th 232		8		
Nb 94	3.6E-09	CD 3			Th 234	3.9E-05	CD 3		
Mo 93		8			Pa 231	0.02	8		
Tc 97		8			Pa 233	2.30E-05	CD 3		
Tc 99	2E-05	CD 3			U 232		8		
Ru 106		8			U 233	5.4E-09	CD 3		
Pd 107		8			U 234	3.8E-05	CD 3		
Ag 108m	8.86E-07	CD 3			U 235	1.2E-06	CD 3		
Ag 110m		8			U 236	4.4E-06	CD 3		
Cd 109		8			U 238	3.9E-05	CD 3		
Cd 113m		8			Np 237	2.30E-05	CD 3		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	1.76E-04	CD 3		
Sn 123		8			Pu 239	1.8E-03	CD 3		
Sn 126	3.3E-07	CD 3			Pu 240	1.90E-03	CD 3		
Sb 125		8			Pu 241	1.73E-02	CD 3		
Sb 126	4.62E-08	CD 3			Pu 242	3E-05	CD 3		
Te 125m		8			Am 241	6.66E-03	CD 3		
Te 127m		8			Am 242m	1.38E-05	CD 3		
l 129	3.8E-08	CD 3			Am 243	4.00E-05	CD 3		
Cs 134		8			Cm 242	1.14E-05	CD 3		
Cs 135	2.3E-06	CD 3			Cm 243	1.87E-07	CD 3		
Cs 137	1.87E-01	CD 2			Cm 244	1.52E-06	CD 3		
Ba 133		8			Cm 245	3.80E-07	CD 3		
La 137		8			Cm 246	3.80E-07	CD 3		
La 138		8			Cm 248	1	8		
Ce 144		8			Cf 249	1	8		
Pm 145		8			Cf 250		8		
Pm 147	7.24E-05	CD 3			Cf 251	1	8		
Sm 147		8			Cf 252		8		
Sm 151	1.66E-04	CD 3			Other a		•		
Eu 152	3.52E-03	CD 3			Other b/g				
Eu 154	5.73E-06	CD 3			Total a	1.07E-02	CD 3	0	
Eu 155	2.28E-07	CD 3			Total b/g	2.30E-01	CD 3	0	
	1					1 ======	•	<u> </u>	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity