WASTE STREAM 9A77 **BPS Sludge in Drums**

SITE Berkelev

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Magnox Limited

ILW WASTE TYPE

Is the waste subject to Scottish Policy:

Nο

WASTE VOLUMES

Reported

Stocks: At 1.4.2022..... 44.0 m³

Total future arisings: $0 \, \text{m}^3$

Total waste volume: 44.0 m³

Comment on volumes: Station operation ceased in March 1989. This waste was accumulated between 1965 and

> 1978. There will be no further arisings of this waste stream. The volume split between this stream and stream 9A71 was revised prior to the 2004 Inventory in accord with a Project

Team judgement that some waste formerly in stream 9A77 may be ILW.

Uncertainty factors on

WASTE SOURCE

Stock (upper): x 1.2 Arisings (upper)

volumes:

Stock (lower): x 0.9

Arisings (lower) Х

The sludge originates from routine filtration of liquid effluents and cooling pond water.

PHYSICAL CHARACTERISTICS

General description: This waste arose from the routine filtration of liquid effluent and cooling pond water. The

waste consists of corrosion products such as magnesium hydroxide and carbonate detached from fuel elements and extraneous materials such as flakes of paint. There will also be drain debris, asbestos fibre and other materials used as a precoat material. Some of the sludge drums will contain cotton socks, used for filtration purposes and PVC bags.

This waste stream was originally classified as LLW, however it is not possible to distinguish between the caesium sludge (9A71 and 72) and this waste and so it will all be processed as ILW. The waste drums form part of 9A916 and will be processed as MCI waste. There are no large items that may require special handling. The sludge cans have

approximate dimensions 890 mm long x 305 mm diameter.

The waste consists of 100% sludge from the Active Effluent Treatment Plant. Physical components (%vol):

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3): ~1 1

Comment on density:

CHEMICAL COMPOSITION

General description and

components (%wt):

The waste contains magnesium hydroxide, magnesium carbonate, water and a range of other materials, including ammonium molybdenum phosphate and potentially asbestos, which was used as a pre-coat. The solids content of the sludge is unknown as it varies from container to container. The slurry may vary from 'toothpaste' to water in constituency. Asbestos, cellulose and other precoat materials will probably account for <0.25wt%. The cotton socks and PVC bags will be removed and will form part of the BPS MCI waste

stream (9A36-38). The waste can is included in waste stream 9A916.

Chemical state: Alkali

Chemical form of radionuclides:

H-3: Most tritium is expected to be present as water, but some may be present in the form

of other inorganic compounds or as organic compounds. C-14: Carbon 14 will probably be present as graphite. CI-36: Chlorine 36 will probably be present as chloride.

Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium isotope content is insignificant. Th: The thorium isotope content is insignificant.

U: Chemical form of U isotopes has not been determined but may be oxides.

Np: The neptunium content is insignificant.

Pu: Chemical form of Pu isotopes has not been determined but may be oxides.

Metals and alloys (%wt): Any metal present will be as finely divided material. There is no sheet or bulk metal.

WASTE STREAM 9A77 BPS Sludge in Drums

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	NE		
Other ferrous metals	NE		
Iron			
Aluminium	0		
Beryllium	TR		
Cobalt			
Copper	0		
Lead	0		
Magnox/Magnesium	TR	Magnox will not be present except possibly in trace quantities.	
Nickel	TR	Nimonic	
Titanium			
Uranium			
Zinc	0		
Zircaloy/Zirconium	NE		
Other metals	NE	The waste is contained within thick steel drums which when removed will form part of the 9A916 waste stream.	
were originally place	d in PVC b ms they w	contain cotton socks, which were used as ags before being placed in the steel drun ere disposed of in. There may also be so	ns, however it is
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	NE		activity
Paper, cotton	NE		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	NE		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			

Other materials (%wt):

Oil or grease

Fuel......
Asphalt/Tarmac (cont.coal tar)....
Asphalt/Tarmac (no coal tar).....
Bitumen.....
Others.....
Other organics....

Graphite is expected in at least trace quantities.

NE

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	NE		activity
Inorganic sludges and flocs	~98.0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	TR		
Desiccants/Catalysts			
Asbestos	<0		
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	Р		
Free non-aqueous liquids	NE		
Powder/Ash	0		
Inorganic anions (%wt): The presence of inc	organic ani	ons shown in the table has not been fully	assessed.
	(%wt)	Type(s) and comment	
Fluoride	NE		
Chloride	NE		
lodide	NE		
Cyanide	0		
Carbonate	NE		
Nitrate	NE		
Nitrite	NE		
Phosphate	NE		
Sulphate	NE		
Sulphide	NE		
waste acceptance criteria: water or corrosion of	of the steel	ontain hydrogen, due either to radiolytic o drum. This may pressurise the container d out from the water phase and compacte	s. It is anticipated
	(%wt)	Type(s) and comment	
Combustible metals	TR		
Low flash point liquids	0		
Explosive materials	NE		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	TR		
Biodegradable materials	0		
Putrescible wastes	0		

Non-putrescible wastes.....

WASTE STREAM 9A77 BPS Sludge in Drums

	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	NE	
	Reacting with water	TR	
	Higher activity particles		
	Soluble solids as bulk chemical compounds		
Hazardous su			
		(%wt)	Type(s) and comment
	Acrylamide		
	Benzene		
	Chlorinated solvents		
	Formaldehyde		
	Organometallics		
	Phenol		
	Styrene		
	Tri-butyl phosphate		
	Other organophosphates		
	Vinyl chloride		
	Arsenic		
	Barium		
	Boron	0	
	Boron (in Boral)		
	Boron (non-Boral)		
	Cadmium		
	Caesium		
	Selenium		
	Chromium		
	Molybdenum		
	Thallium		
	Tin		
	Vanadium		
	Mercury compounds		
	Others		
	Electronic Electrical Equipment (EEE)		
	EEE Type 1		
	EEE Type 2		
	EEE Type 3		
	EEE Type 4		
	EEE Type 5		

WASTE STREAM 9A77 BPS Sludge in Drums

Complexing age	ents (%wt):	Yes				
		(%	wt) Type(s)	and comment		
EI	OTA					
DI	PTA					
N	TA					
Po	olycarboxylic ad	cids				
O	ther organic co	mplexants				
To	otal complexing	agents TR	l.			
Potential for the contain discrete		No. In & of itself not a could be.	DI; assumed no	t likely to conta	in any "rogue"	items that
PACKAGING A	AND CONDIT	IONING				
Conditioning me	thod:	This stream is to be co-p 9A69, 9A70, 9A71, 9A75 9A75.				
Plant Name:		-				
Location:		Berkeley Site				
Plant startup da	te:	-				
Total capacity (m³/y incoming v	vaste):	-				
Target start date packaging this s		-				
Throughput for t (m³/y incoming v		-				
Other informatio	n:	-				
Likely container			Waste	Waste	Payload	Number of
type:	Container		packaged (%vol)	loading (m³)	(m³)	packages
Likely container comment:	type	-				
Range in contain volume:	ner waste	-				
Other informatio containers:	n on	-				
Likely conditioni Other informatio		_				
Conditioned den		_				
Conditioned den		-				

comment:

Other information on conditioning:

Opportunities for alternative disposal routing:

WASTE STREAM 9A77 **BPS Sludge in Drums**

Estimated Date that Opportunity Opportunity Baseline Stream Comment Opportunity Management Route Management Route Confidence volume (%) will be realised

RADIOACTIVITY

Sludge resulting from the treatment of pond and effluent waters and contaminated by Source:

fission products and activation products including actinides.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative

of the activities that might be expected.

Definition of total alpha Where totals are shown on the table of radionuclide activities they are the sums of the

listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

and total beta/gamma:

Measurement of radioactivities:

Values were derived by extrapolation from available data. M/EF/BKA/REP/0006/18 Issue 1

Other information:

WASTE STREAM 9A77 **BPS Sludge in Drums**

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³				
Nuclide	Waste at 1.4.2022	Bands and Code	Future Bands and arisings Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	9.29E-05	CD 3		Gd 153		8		
Be 10		8		Ho 163		8		
C 14	4.60E-06	CD 3		Ho 166m		8		
Na 22		8		Tm 170		8		
AI 26		8		Tm 171		8		
CI 36	1.8E-08	CD 3		Lu 174		8		
Ar 39		8		Lu 176		8		
Ar 42		8		Hf 178n		8		
K 40		8		Hf 182		8		
Ca 41	2.7E-05	CD 3		Pt 193		8		
Mn 53		8		TI 204		8		
Mn 54		8		Pb 205		8		
Fe 55	1.96E-07	CD 3		Pb 210		8		
Co 60	2.29E-05	CD 3		Bi 208		8		
Ni 59	5.5E-07	CD 3		Bi 210m		8		
Ni 63	4.90E-05	CD 3		Po 210		8		
Zn 65		8		Ra 223		8		
Se 79	1.6E-06	CD 3		Ra 225		8		
Kr 81		8		Ra 226		8		
Kr 85		8		Ra 228		8		
Rb 87		8		Ac 227		8		
Sr 90	2.23E-02	CD 3		Th 227		8		
Zr 93	1.6E-05	CD 3		Th 228		8		
Nb 91		8		Th 229		8		
Nb 92		8		Th 230	1.31E-09	CD 3		
Nb 93m	2.34E-06	CD 3		Th 232		8		
Nb 94		8		Th 234	1.6E-05	CD 3		
Mo 93		8		Pa 231		8		
Tc 97		8		Pa 233	9.50E-05	CD 3		
Tc 99	8E-05	CD 3		U 232	-	8		
Ru 106		8		U 233	2.44E-09	CD 3		
Pd 107		8		U 234	1.60E-05	CD 3		
Ag 108m	8.86E-08	CD 3		U 235	5E-07	CD 3		
Ag 110m		8		U 236	3.2E-06	CD 3		
Cd 109		8		U 238	1.6E-05	CD 3		
Cd 113m		8		Np 237	9.50E-05	CD 3		
Sn 119m Sn 121m		8		Pu 236 Pu 238	7.14E-04	8 CD 3		
Sn 121111		8 8		Pu 239		CD 3		
Sn 126	3.2E-06	CD 3		Pu 239 Pu 240	1.1E-03 1.6E-03	CD 3		
Sb 125	3.62E-08	CD 3		Pu 241	1.56E-02	CD 3		
Sb 125	4.48E-07	CD 3		Pu 241	1.36L-02	CD 3		
Te 125m	9.08E-09	CD 3		Am 241	6.75E-03	CD 3		
Te 127m	3.002 03	8		Am 242m	5.91E-05	CD 3		
I 129	1.6E-07	CD 3		Am 243	1.6E-05	CD 3		
Cs 134		8		Cm 242	4.88E-05	CD 3		
Cs 135	9.5E-07	CD 3		Cm 243	7.84E-07	CD 3		
Cs 137	7.84E-02	CD 2		Cm 244	6.24E-06	CD 3		
Ba 133]	8		Cm 245	1.6E-06	CD 3		
La 137		8		Cm 246	1.60E-06	CD 3		
La 138		8		Cm 248		8		
Ce 144		8		Cf 249		8		
Pm 145		8		Cf 250		8		
Pm 147	3.03E-05	CD 3		Cf 251		8		
Sm 147		8		Cf 252		8		
Sm 151	7.04E-04	CD 3		Other a				
Eu 152	1.46E-02	CD 3		Other b/g				
Eu 154	9.42E-05	CD 3		Total a	1.04E-02	CD 3	0	
Eu 155	1.30E-06	CD 3		Total b/g	1.32E-01	CD 3	0	
	I						i	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity