

WASTE STREAM	9A88	Fuel Fragments/High Dose Rate Items
---------------------	-------------	--------------------------------------------

SITE Berkeley
SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	<< 0.1 m ³
Total future arisings:		0 m ³
Total waste volume:		<< 0.1 m ³

Comment on volumes: Estimate based on experience from retrievals from Vault 2 to date.

Uncertainty factors on volumes:	Stock (upper):	x 1.2	Arisings (upper)	x
	Stock (lower):	x 0.8	Arisings (lower)	x

WASTE SOURCE Waste has arisen due to historic errors in de-splitting process carrying over to FED vaults.

PHYSICAL CHARACTERISTICS

General description: Uranium fuel fragments.
 Physical components (%wt): Uranium 100%
 Sealed sources: The waste does not contain sealed sources.
 Bulk density (t/m³): ~18.95
 Comment on density: Density of uranium

CHEMICAL COMPOSITION

General description and components (%wt): -
 Chemical state: Neutral
 Chemical form of radionuclides: -
 Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....			
Other ferrous metals.....			
Iron.....			
Aluminium.....			
Beryllium.....			
Cobalt.....			
Copper.....			
Lead.....			
Magnox/Magnesium.....			
Nickel.....			
Titanium.....			
Uranium.....	100.0	Fuel rod fragments.	
Zinc.....			
Zircaloy/Zirconium.....			

WASTE STREAM

9A88

Fuel Fragments/High Dose Rate Items

Other metals.....			
Organics (%wt):	-		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	0		
Paper, cotton.....			
Wood.....			
Halogenated plastics			
Total non-halogenated plastics.....	0		
Condensation polymers.....			
Others.....			
Organic ion exchange materials....			
Total rubber.....	0		
Halogenated rubber			
Non-halogenated rubber.....			
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....			
Other materials (%wt):	-		
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..			
Inorganic sludges and flocs.....			
Soil.....			
Brick/Stone/Rubble.....			
Cementitious material.....			
Sand.....			
Glass/Ceramics.....			
Graphite.....			
Desiccants/Catalysts.....			
Asbestos.....	0		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....			
Free non-aqueous liquids.....			
Powder/Ash.....			
Inorganic anions (%wt):	-		

WASTE STREAM**9A88****Fuel Fragments/High Dose Rate Items**

(%wt) Type(s) and comment

Fluoride.....
 Chloride.....
 Iodide.....
 Cyanide.....
 Carbonate.....
 Nitrate.....
 Nitrite.....
 Phosphate.....
 Sulphate.....
 Sulphide.....

Materials of interest for waste acceptance criteria: -

(%wt) Type(s) and comment

Combustible metals.....
 Low flash point liquids.....
 Explosive materials.....
 Phosphorus.....
 Hydrides.....
 Biological etc. materials.....
 Biodegradable materials..... 0
 Putrescible wastes.....
 Non-putrescible wastes.....
 Corrosive materials.....
 Pyrophoric materials.....
 Generating toxic gases.....
 Reacting with water.....
 Higher activity particles.....
 Soluble solids as bulk chemical compounds.....

Hazardous substances / non hazardous pollutants: -

(%wt) Type(s) and comment

Acrylamide.....
 Benzene.....
 Chlorinated solvents.....
 Formaldehyde.....
 Organometallics.....
 Phenol.....
 Styrene.....
 Tri-butyl phosphate.....
 Other organophosphates.....

WASTE STREAM**9A88****Fuel Fragments/High Dose Rate Items**

Vinyl chloride.....
 Arsenic.....
 Barium.....
 Boron..... 0
 Boron (in Boral).....
 Boron (non-Boral).....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt):

(%wt) Type(s) and comment

EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants.....
 Total complexing agents.....

Potential for the waste to contain discrete items:

No. Magnox fuel is likely to dissolve in a saline environment so not deemed to be durable or a DI. Any "substantial" thickness items considered "durable" are assumed to be DIs.

PACKAGING AND CONDITIONING

Conditioning method: -
 Plant Name: -
 Location: -
 Plant startup date: -
 Total capacity
 (m³/y incoming waste): -
 Target start date for
 packaging this stream: -
 Throughput for this stream
 (m³/y incoming waste): -

WASTE STREAM**9A88****Fuel Fragments/High Dose Rate Items**

Other information: -

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages
	500 l RS drum (0mm Pb)	100.0	0.000	0.49	4

Likely container type comment: -

Range in container waste volume: -

Other information on containers: -

Likely conditioning matrix:

Other information: -

Conditioned density (t/m³): -

Conditioned density comment: -

Other information on conditioning: -

Opportunities for alternative disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

RADIOACTIVITY

Source: Waste has arisen due to historic errors in de-splitting process carrying over to FED vaults.

Uncertainty: -

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: -

Other information: -

WASTE STREAM

9A88

Fuel Fragments/High Dose Rate Items

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3		8			Gd 153		8		
Be 10		8			Ho 163		8		
C 14		8			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36		8			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55		8			Pb 210		8		
Co 60		8			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63		8			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90		8			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94		8			Th 234		8		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234		8		
Ag 108m		8			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238		8		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238		8		
Sn 123		8			Pu 239		8		
Sn 126		8			Pu 240		8		
Sb 125		8			Pu 241		8		
Sb 126		8			Pu 242		8		
Te 125m		8			Am 241		8		
Te 127m		8			Am 242m		8		
I 129		8			Am 243		8		
Cs 134		8			Cm 242		8		
Cs 135		8			Cm 243		8		
Cs 137		8			Cm 244		8		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147		8			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		8			Other a	NE			
Eu 152		8			Other b/g	NE			
Eu 154		8			Total a	NE		0	
Eu 155		8			Total b/g	NE		0	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity