

WASTE STREAM	9B29	Miscellaneous Activated Components - R2
---------------------	-------------	--

SITE Bradwell
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Magnox Limited
WASTE TYPE ILW; SPD3

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	81.0 m ³
Total future arisings:		0 m ³
Total waste volume:		81.0 m ³
Comment on volumes:	The contents of some of the accumulation facilities have been estimated from photographs and the volumes represent upper limits.	
Uncertainty factors on volumes:	Stock (upper): x 1.2	Arisings (upper) x
	Stock (lower): x 0.8	Arisings (lower) x

WASTE SOURCE Redundant or defective components and equipment that have been removed from reactor core and fuelling machines.

PHYSICAL CHARACTERISTICS

General description: Components such as control rods, absorber bars, thermocouples, fuelling machine grabs, and hoist cables. The possibility of large items which may need special handling has not been assessed.

Physical components (%vol): Control rods, absorber bars and thermocouples. The % volume/weight contribution of the individual components has not been estimated.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1

Comment on density: The assumption of 1 t/m³ as the average bulk density may be subject to revision.

CHEMICAL COMPOSITION

General description and components (%wt): The waste is predominantly steel and boron steel.

Chemical state: Neutral

Chemical form of radionuclides: H-3: Chemical form of tritium has not been determined but is probably present as surface contamination.
 C-14: The chemical form of carbon 14 has not been determined but is probably present as graphite.
 Cl-36: The chemical form of chlorine 36 has not been determined.
 U: The chemical form of uranium isotopes has not been determined but may be present as uranium oxides.
 Pu: The chemical form of plutonium isotopes has not been determined but may be present as plutonium oxides.

Metals and alloys (%wt): Predominantly bulk metal items on average between 5 and 30 mm in thickness.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	P	BS970 EN58 stainless steel.	
Other ferrous metals.....	~90.0	Control rods are boron steel, absorber components are 0.1% Mn mild steel, other metals possibly present.	
Iron.....			
Aluminium.....	NE		
Beryllium.....	NE		

WASTE STREAM

9B29

Miscellaneous Activated Components - R2

Cobalt.....	<0.02	Greatest measured value from the various components.
Copper.....	<0.02	
Lead.....	NE	
Magnox/Magnesium.....	NE	
Nickel.....	~0.07	Greatest measured value from the various components.
Titanium.....		
Uranium.....		
Zinc.....	NE	
Zircaloy/Zirconium.....	NE	
Other metals.....	TR	Silver and niobium.

Organics (%wt): The organic content has not been fully assessed.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	NE		

Other materials (%wt): Traces of graphite may be present.

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	0		

WASTE STREAM

9B29

Miscellaneous Activated Components - R2

Graphite.....	TR
Desiccants/Catalysts.....	
Asbestos.....	0
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	0
Free non-aqueous liquids.....	TR
Powder/Ash.....	TR

Inorganic anions (%wt): -

	(%wt)	Type(s) and comment
Fluoride.....	0	
Chloride.....	0	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	0	
Nitrate.....	0	
Nitrite.....	0	
Phosphate.....	0	
Sulphate.....	0	
Sulphide.....	0	

Materials of interest for waste acceptance criteria: There are no materials identified in the waste likely to represent a fire or other non-radiological hazard.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....		
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

WASTE STREAM**9B29****Miscellaneous Activated Components - R2**

Hazardous substances /
non hazardous pollutants: Not assessed.

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		
Phenol.....		
Styrene.....		
Tri-butyl phosphate.....		
Other organophosphates.....		
Vinyl chloride.....		
Arsenic.....		
Barium.....		
Boron.....		
Boron (in Boral).....		
Boron (non-Boral).....		
Cadmium.....		
Caesium.....		
Selenium.....		
Chromium.....		
Molybdenum.....	<0.30	Greatest measured value from the various components.
Thallium.....		
Tin.....		
Vanadium.....		
Mercury compounds.....		
Others.....		
Electronic Electrical Equipment (EEE)		
EEE Type 1.....		
EEE Type 2.....		
EEE Type 3.....		
EEE Type 4.....		
EEE Type 5.....		

Complexing agents (%wt): No

	(%wt)	Type(s) and comment
EDTA.....		
DPTA.....		
NTA.....		
Polycarboxylic acids.....		
Other organic complexants.....		
Total complexing agents.....	0	

WASTE STREAM**9B29****Miscellaneous Activated Components - R2**

Potential for the waste to contain discrete items: Yes. Large Metal Items (LMIs)/"substantial" thickness items considered "durable" assumed DIs; Stainless items assumed DIs.

PACKAGING AND CONDITIONING

Conditioning method: The waste is not expected to be supercompacted. The treatment envisaged is the placement of the waste in baskets followed by encapsulation. Container choice may be influenced by Transport Regulations at the time of Final Site Clearance.

Plant Name: None

Location: Bradwell Site

Plant startup date: 2087

Total capacity (m³/y incoming waste): ~5000.0

Target start date for packaging this stream: 2087

Throughput for this stream (m³/y incoming waste): ~19.0

Other information: The current proposal is to store the waste until reactor dismantling commencing in 2087. All waste is expected to be retrieved and conditioned when the conditioning campaign is undertaken.

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages
	4m box (100mm concrete shielding)	100.0	12.25	14.3	7

Likely container type comment: The waste is assumed to be in baskets in the waste package so the occupied volume in the package is greater than the original waste volume.

Range in container waste volume: No significant variability is expected.

Other information on containers: The container material is expected to be stainless steel.

Likely conditioning matrix: Blast Furnace Slag / Ordinary Portland Cement

Other information: The waste is assumed to be encapsulated.

Conditioned density (t/m³): ~3.0

Conditioned density comment: The conditioned waste density assumes that the waste will be encapsulated.

Other information on conditioning: The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling ILW wastes may be in the same waste packages. The encapsulation matrix would be likely to be BFS/OPC. The density of the encapsulated waste would probably be about 3 t/m³.

Opportunities for alternative disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

RADIOACTIVITY

Source: Irradiated components removed from the reactor. Absorber bars and control rods are likely to be components of high activity, the majority of the activity coming from their activation.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative

WASTE STREAM**9B29****Miscellaneous Activated Components - R2**

Definition of total alpha and total beta/gamma:	of the activities that might be expected. Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.
Measurement of radioactivities:	Estimates are based upon theoretical assessments.
Other information:	-

WASTE STREAM

9B29

Miscellaneous Activated Components - R2

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	<1.29E+00	D 3			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	2.00E-02	CD 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36	3E-05	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54	1.57E-07	CD 2			Pb 205		8		
Fe 55	1.97E+00	CD 2			Pb 210		8		
Co 60	1.39E+00	CD 2			Bi 208		8		
Ni 59	4E-02	CD 2			Bi 210m		8		
Ni 63	3.61E+00	CD 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	<3.50E-05	D 3			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94	4E-05	CD 2			Th 234	7E-09	CC 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99	<1E-08	D 3			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	<6.12E-09	D 3		
Ag 108m	3.90E-05	CD 2			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238	<7E-09	D 3		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238	<2.66E-06	D 3		
Sn 123		8			Pu 239	<3E-06	D 3		
Sn 126		8			Pu 240	<4.00E-06	D 3		
Sb 125		8			Pu 241	<4.37E-05	D 3		
Sb 126		8			Pu 242	<2E-09	D 3		
Te 125m		8			Am 241	<8.35E-06	D 3		
Te 127m		8			Am 242m	<1.85E-08	D 3		
I 129		8			Am 243	<6.00E-09	D 3		
Cs 134	<1.30E-08	D 3			Cm 242	<1.53E-08	D 3		
Cs 135		8			Cm 243	<3.54E-09	D 3		
Cs 137	<1.41E-04	D 3			Cm 244	<5.06E-08	D 3		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	<7.60E-08	D 3			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151	<8.01E-07	D 3			Other a				
Eu 152	9.19E-06	CD 2			Other b/g				
Eu 154	5.95E-06	CD 2			Total a	1.81E-05	CD 3	0	
Eu 155		8			Total b/g	8.32E+00	CD 3	0	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity