SITE Bradwell

SITE OWNER **Nuclear Decommissioning Authority** 

**WASTE CUSTODIAN** Magnox Limited

LLW **WASTE TYPE** 

Is the waste subject to

Scottish Policy:

No

**WASTE VOLUMES** 

Reported At 1.4.2022..... Stocks:  $0 \, \text{m}^3$ 1.4.2087 - 31.3.2090...... Future arisings -2602.0 m<sup>3</sup> 2602.0 m<sup>3</sup> Total future arisings: Total waste volume: 2602.0 m<sup>3</sup>

Comment on volumes: Final Dismantling & Site Clearance is assumed to commence in 2083 with reactor

dismantling commencing in 2087 and lasting for three years. Volumes and radioactivity

have been calculated for 85 years after reactor shutdown, i.e. 2087.

Uncertainty factors on

volumes:

Stock (upper): Stock (lower):

Arisings (upper) x 1.2 Arisings (lower)

x 0.8

**WASTE SOURCE** Mild steel items from the reactor structure.

#### PHYSICAL CHARACTERISTICS

General description: A variety of mild steel items. Physical components (%wt): Mild steel items (100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3): ~1.4

Comment on density: The density is of the waste as cut for packaging.

#### CHEMICAL COMPOSITION

General description and components (%wt):

Mild steel (100%) of which >98% is iron.

Chemical state: Neutral

Chemical form of H-3: The tritium is incorporated in the steel.

radionuclides: C-14: The carbon 14 is incorporated in the steel. There also may be some contamination

as graphite.

Tc-99: The chemical form of technetium has not been determined.

Metals and alloys (%wt): All of the waste will be bulk metal items which have been cut for packaging. Metal

thicknesses will probably range from a few mm to about 100 mm.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel.....

Other ferrous metals..... 100.0 Mild steel types are BS1503/1950, 100.0

BS150E-171, RPV STEEL, BS1501,

BS15 and BS 970 EN2/3.

Iron.....

Aluminium...... 0

Beryllium.....

Greatest measured value from the Cobalt..... ~0.01

various components.

Copper...... 0 Lead...... 0

Magnox/Magnesium..... 0

	Nickel	~0.07	Greatest measured value from the various components.	
	Titanium		vallede componente.	
	Uranium			
	Zinc	0		
	Zircaloy/Zirconium	. 0		
	Other metals	TR	Silver and niobium	
Organic	es (%wt):			
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other m	naterials (%wt): Some graphite dus	st may be a	ssociated with reactor materials.	
		(0/144)	Type(a) and comment	0/ of total C14
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Sand			
	Glass/Ceramics	0		
	Graphite	TR		
	Desiccants/Catalysts			
	Asbestos	0		
	Non/low friable			
	Moderately friable			

Highly friable				
Free aqueous liqu	ıids	0		
Free non-aqueous	s liquids	0		
Powder/Ash		0		
Inorganic anions (%wt):	-			
		(%wt)	Type(s) and comment	
			7, 100, 200	
Fluoride		0		
Chloride		TR		
lodide		0		
Cyanide		0		
Carbonate		0		
Nitrate		0		
Nitrite		0		
Phosphate		0		
Sulphate		0		
Sulphide		0		
Materials of interest for waste acceptance criteria:	No materials likely to	o pose a fii	re or other non-radiological hazard have been identifie	d.
·		(%wt)	Type(s) and comment	
Combustible meta	ale.		Typo(o) and common	
		0		
Low flash point lic		0		
Explosive materia		0		
Phosphorus		0		
Hydrides		0		
Biological etc. ma		0		
Biodegradable ma		0		
	stes	0		
Corrosive materia	wastes	0		
Pyrophoric materia		0		
Generating toxic (		0		
Reacting with wat		U		
Higher activity par Soluble solids as compounds	bulk chemical			
•	None expected			
•		(%wt)	Type(s) and comment	
Acrylamide		()		
Benzene				
Chlorinated solve				
Formaldehyde				

	Organometallics			
	Phenol			
	Styrene			
	Tri-butyl phosphate			
	Other organophosphates			
	Vinyl chloride			
	Arsenic			
	Barium			
	Boron			
	Boron (in Boral)			
	Boron (non-Boral)			
	Cadmium			
	Caesium			
	Selenium			
	Chromium			
	Molybdenum	TR		
	Thallium			
	Tin			
	Vanadium			
	Mercury compounds			
	Others			
	Electronic Electrical Equipment (EEE)			
	EEE Type 1			
	EEE Type 2			
	EEE Type 3			
	EEE Type 4			
	EEE Type 5			
Complexing	agents (%wt): Yes			
		(%wt)	Type(s) and comment	
	EDTA			
	DPTA			
	NTA			
	Polycarboxylic acids			
	Other organic complexants			
	Total complexing agents	TR		
D-44:-1	ha wasta ta	(I NAI-	\/	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered "durable" assumed DIs. NB If recycled then DI Limits  $\rm n/a$ 

# TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		100.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		

Comment on planned treatments:

This waste stream is expected to be sent for Metal Recycle.

#### **Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.4

Classification codes for waste expected to be consigned to a landfill facility:

# Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

## Opportunities for alternative disposal routing:

			Estimated		
Baseline Management Route	Opportunity Management Route	Stream volume (%)	Date that Opportunity will be realised	Opportunity Confidence	Comment

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

-

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

**RADIOACTIVITY** 

Source: Activation of the mild steel and its impurities.

Uncertainty: The values quoted were derived by calculation from available material specifications and

are indicative of the activities that are to be expected. The major source of uncertainty is

the impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of

radioactivities:

The specific activities were estimated from neutron activation calculations of the material

and its impurities.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2087. There may

be some contamination by Cs137.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at	Bands and	Future	Bands and	Nuclide	Waste at	Bands and	Future arisings	Bands and
H 3	1.4.2022	Code	arisings 1.44E-05	Code CC 2		1.4.2022	Code	ansings	Code
Be 10			1.44E-05	8	Gd 153 Ho 163				8 8
C 14			1.63E-04	CC 2	Ho 166m				8
Na 22			1.002 04	8	Tm 170				8
Al 26				8	Tm 171				8
CI 36			2.8E-08	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			1.37E-06	CC 2	Bi 208				8
Ni 59			1.69E-05	CC 2	Bi 210m				8
Ni 63			9.64E-04	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227 Th 227				8 8
Sr 90				8	Th 228				8
Zr 93				8	Th 229				8
Nb 91 Nb 92				8	Th 230				8
Nb 92 Nb 93m				8 6	Th 232				8
Nb 94			1.66E-08	CC 2	Th 234				8
Mo 93			3.08E-06	CC 2	Pa 231				8
Tc 97			3.00L-00	8	Pa 233				8
Tc 99			6.96E-07	CC 2	U 232				8
Ru 106			0.002 0.	8	U 233				8
Pd 107				8	U 234				8
Ag 108m			1.09E-07	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242 Am 241				8 8
Te 125m				8	Am 241 Am 242m				8
Te 127m				8	Am 242111 Am 243				8
I 129				8	Cm 242				8
Cs 134 Cs 135				8 8	Cm 243				8
Cs 135 Cs 137				6	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152			4.35E-08	CC 2	Other b/g				
Eu 154				8	Total a	0		0	
Eu 155				8	Total b/g	0		1.16E-03	CC 2
						•	l		

### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Bands quantify uncertainty in Note: mean radioactivity.

### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
  3 Derived activity (upper limit)
- 4 Not present

- Foresent but not significant
   Likely to be present but not assessed
   Present in significant quantities but not determined
   Not expected to be present in significant quantity