SITE Dungeness A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Total waste volume:

Reported

120.0 m³

Comment on volumes: Arisings are assumed to be approximately 2m³ per year for each of the years of Care &

Maintenance.

Uncertainty factors on Stock (upper): x Arisings (upper) x 1.2 volumes: Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE Wastes from the general reactor area during the Care and Maintenance period.

PHYSICAL CHARACTERISTICS

General description: Principally mixed plastic sheeting and protective clothing all in mild steel drums. Any items

will be cut to fit standard packages.

Physical components (%wt): The waste comprises principally various plastics and cloth (~75%wt), all in mild steel

drums. Steel drum approximately 25%wt, percentage breakdown of other components not

fully assessed.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.4

Comment on density: The density estimate may be subject to revision.

CHEMICAL COMPOSITION

General description and components (%wt):

The waste comprises various plastics and cloth in mild steel drums. Steel drum approximately 25%wt, percentage breakdown of other components not fully assessed.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Tritium may be present as surface contamination of waste by tritiated liquor.

C-14: Carbon 14 may be in the form of graphite dust.

CI-36: Chlorine 36 may be present as a contaminant of graphite dust.

Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium isotope content is insignificant. Th: The thorium content is insignificant. U: The uranium isotope content is insignificant. Np: The neptunium content is insignificant.

Pu: The chemical form of plutonium isotopes has not been determined but may be

plutonium oxides.

Metals and alloys (%wt): Bulk and sheet metal are not expected to be present in significant quantities and have not

been assessed. Mild steel drums containing the waste will arise at about 10 per year.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Other ferrous metals..... ~25.0

Iron.....

| | Cobalt | | | |
|----------|----------------------------------|--------|--|-------------------------|
| | Copper | 0 | | |
| | Lead | 0 | | |
| | Magnox/Magnesium | 0 | | |
| | Nickel | | | |
| | Titanium | | | |
| | Uranium | 0 | | |
| | Zinc | 0 | | |
| | Zircaloy/Zirconium | 0 | | |
| | Other metals | 0 | "Other" metals have not been identified. | |
| Organics | (%wt): - | | | |
| | | (%wt) | Type(s) and comment | % of total C14 activity |
| | Total cellulosics | ~55.0 | | activity |
| | Paper, cotton | ~55.0 | | |
| | Wood | 0 | | |
| | Halogenated plastics | ~10.0 | | |
| | Total non-halogenated plastics | 0 | | |
| | Condensation polymers | 0 | | |
| | Others | 0 | | |
| | Organic ion exchange materials | 0 | | |
| | Total rubber | NE | | |
| | Halogenated rubber | NE | | |
| | Non-halogenated rubber | NE | | |
| | Hydrocarbons | | | |
| | Oil or grease | | | |
| | Fuel | | | |
| | Asphalt/Tarmac (cont.coal tar) | | | |
| | Asphalt/Tarmac (no coal tar) | | | |
| | Bitumen | | | |
| | Others | | | |
| | Other organics | 0 | | |
| Other ma | aterials (%wt): | | | |
| | , , | (%wt) | Type(a) and comment | % of total C14 |
| | | (70Wl) | Type(s) and comment | activity |
| | Inorganic ion exchange materials | 0 | | |
| | Inorganic sludges and flocs | 0 | | |
| | Soil | 0 | | |
| | Brick/Stone/Rubble | 0 | | |
| | Cementitious material | 0 | | |
| | Sand | | | |
| | Glass/Ceramics | 0 | | |
| | Graphite | 0 | | |

| Desiccants/Catalysts | | |
|--|--------------|--|
| Asbestos | 0 | |
| Non/low friable | | |
| Moderately friable | | |
| Highly friable | | |
| Free aqueous liquids | 0 | |
| Free non-aqueous liquids | 0 | |
| Powder/Ash | 0 | |
| Asbestos | t possibly p | resent in trace quantities. |
| | (%wt) | Type(s) and comment |
| Fluoride | 0 | |
| Chloride | 0 | |
| lodide | 0 | |
| Cyanide | 0 | |
| Carbonate | 0 | |
| Nitrate | 0 | |
| Nitrite | 0 | |
| Phosphate | 0 | |
| Sulphate | 0 | |
| Sulphide | 0 | |
| Materials of interest for No materials likely waste acceptance criteria: Asbestos is not exp | | re or other non-radiological hazard have been identified. e present. |
| | (%wt) | Type(s) and comment |
| Combustible metals | 0 | |
| Low flash point liquids | 0 | |
| Explosive materials | 0 | |
| Phosphorus | 0 | |
| Hydrides | 0 | |
| Biological etc. materials | 0 | |
| Biodegradable materials | | |
| Putrescible wastes | 0 | |
| Non-putrescible wastes | | |
| Corrosive materials | 0 | |
| Pyrophoric materials | 0 | |
| Generating toxic gases | 0 | |
| Reacting with water | 0 | |
| Higher activity particles | | |
| Soluble solids as bulk chemical compounds | | |

Hazardous substances / non hazardous pollutants:

Complexing

Not expected, but if any, present in trace quantities only. None expected.

| | (%wt) | Type(s) and comment |
|---------------------------------------|-------|---------------------|
| Acrylamide | | |
| Benzene | | |
| Chlorinated solvents | | |
| Formaldehyde | | |
| Organometallics | | |
| Phenol | | |
| Styrene | | |
| Tri-butyl phosphate | | |
| Other organophosphates | | |
| Vinyl chloride | | |
| Arsenic | | |
| Barium | | |
| Boron | | |
| Boron (in Boral) | | |
| Boron (non-Boral) | | |
| Cadmium | | |
| Caesium | | |
| Selenium | | |
| Chromium | | |
| Molybdenum | | |
| Thallium | | |
| Tin | | |
| Vanadium | | |
| Mercury compounds | | |
| Others | | |
| Electronic Electrical Equipment (EEE) | | |
| EEE Type 1 | | |
| EEE Type 2 | | |
| EEE Type 3 | | |
| EEE Type 4 | | |
| EEE Type 5 | | |
| agents (%wt): Yes | | |
| | (%wt) | Type(s) and comment |
| EDTA | | |
| DPTA | | |
| NTA | | |
| Polycarboxylic acids | | |
| Other organic complexants | | |
| Total complexing agents | TR | |

Potential for the waste to contain discrete items:

No.

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

| Treatment | On-site / Off site | Stream volume % |
|-----------------------|-----------------------|-----------------|
| Low force compaction | | |
| Supercompaction (HFC) | | |
| Incineration | Off-site | 100.0 |
| Solidification | | |
| Decontamination | | |
| Metal treatment | | |
| Size reduction | | |
| Decay storage | | |
| Recyling / reuse | | |
| Other / various | | |
| None | | |

Comment on planned treatments:

Disposal Routes:

| Disposal Route | Stream volume % | Disposal density t/m3 |
|--|-----------------|--------------------------|
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | 100.0 | 0.40 |

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

| Disposal Route | Stream volume % | | | |
|--|-----------------|---------|---------|--|
| Disposal Noute | 2022/23 | 2023/24 | 2024/25 | |
| Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known | | | | |

Opportunities for alternative disposal routing:

| Baseline Opportunity Stream Date that Opportunity Confidence Comment | -11 | ne (%) Opportunity Confidence | Comment |
|--|-----|-------------------------------|---------|
|--|-----|-------------------------------|---------|

Waste Packaging for Disposal: (Not applicable to this waste stream)

| Container | Stream volume % | Waste loading m³ | Number of packages |
|--|-----------------|------------------|--------------------|
| 1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other | | | |

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Activation and contamination of materials.

Uncertainty: Activity values are current best estimates. Specific activity is a function of operating history.

The values are indicative of the activities that would be expected.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of The specific activities have been estimated from the Operational Reactor and Boiler

radioactivities: systems LLW waste stream (9C11) using a suitable decay period.

Other information: Activity estimates are shown in the table.

| 1 | | Mean radioac | tivity, TBq/m³ | | | | Mean radioa | ctivity, TBq/m³ | |
|-------------------|-------------------|-------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Nuclide | Waste at 1.4.2022 | Bands and Code | Future arisings | Bands and Code | Nuclide | Waste at 1.4.2022 | Bands and Code | Future arisings | Bands and Code |
| H 3 | 1.4.2022 | | 7.55E-05 | CC 2 | Gd 153 | 1.4.2022 | 0000 | | 8 |
| Be 10 | | | 11002 00 | 8 | Ho 163 | | | | 8 |
| C 14 | | | 2E-05 | CC 2 | Ho 166m | | | | 8 |
| Na 22 | | | | 8 | Tm 170 | | | | 8 |
| AI 26 | | | | 8 | Tm 171 | | | | 8 |
| CI 36 | | | 1E-06 | CC 2 | Lu 174 | | | | 8 |
| Ar 39 | | | | 8 | Lu 176 | | | | 8 |
| Ar 42 | | | | 8 | Hf 178n | | | | 8 |
| K 40 | | | | 8 | Hf 182 | | | | 8 |
| Ca 41 | | | | 8 | Pt 193 | | | | 8 |
| Mn 53 | | | | 8 | TI 204 | | | | 8 |
| Mn 54 | | | | 8 | Pb 205 | | | | 8 |
| Fe 55 | | | 1.97E-05 | CC 2 | Pb 210 | | | | 8 |
| Co 60 | | | 1.56E-05 | CC 2 | Bi 208 | | | | 8 |
| Ni 59 | | | 0.005.00 | 8 | Bi 210m Po 210 | | | | 8 8 |
| Ni 63 | | | 8.69E-06 | CC 2 | Ra 223 | | | | 8 |
| Zn 65 Se 79 | | | | 8 | Ra 225 | | | | 8 |
| Se 79 Kr 81 | | | | 8 8 | Ra 226 | | | | 8 |
| Kr 85 | | | | 8 | Ra 228 | | | | 8 |
| Rb 87 | | | | 8 | Ac 227 | | | | 8 |
| Sr 90 | | | 6.21E-08 | CC 2 | Th 227 | | | | 8 |
| Zr 93 | | | 0.212 00 | 8 | Th 228 | | | | 8 |
| Nb 91 | | | | 8 | Th 229 | | | | 8 |
| Nb 92 | | | | 8 | Th 230 | | | | 8 |
| Nb 93m | | | | 8 | Th 232 | | | | 8 |
| Nb 94 | | | | 8 | Th 234 | | | | 8 |
| Mo 93 | | | | 8 | Pa 231 | | | | 8 |
| Tc 97 | | | | 8 | Pa 233 | | | | 8 |
| Tc 99 | | | | 8 | U 232 | | | | 8 |
| Ru 106 | | | | 8 | U 233 | | | | 8 |
| Pd 107 | | | | 8 | U 234 | | | | 8 |
| Ag 108m | | | 1.98E-07 | CC 2 | U 235 | | | | 8 |
| Ag 110m | | | | 8 | U 236 | | | | 8 |
| Cd 109 | | | | 8 | U 238 | | | | 8 |
| Cd 113m | | | | 8 | Np 237 | | | | 8 |
| Sn 119m | | | | 8 | Pu 236 Pu 238 | | | 3.85E-09 | 8 CC 2 |
| Sn 121m | | | | 8 | Pu 239 | | | 3.63E-09 3E-09 | CC 2 |
| Sn 123 | | | | 8 | Pu 239 Pu 240 | | | 3E-09 | CC 2 |
| Sn 126 Sb 125 | | | 1.99E-09 | 8 CC 2 | Pu 240 | | | 2.36E-07 | CC 2 |
| | | | 1.33E-09 | 8 | Pu 241 | | | 2.00L-01 | 8 |
| Sb 126 Te 125m | | | | 8 | Am 241 | | | 2.2E-08 | CC 2 |
| Te 125m | | | | 8 | Am 242m | | | | 8 |
| I 129 | 1 | | | 8 | Am 243 | | | | 8 |
| Cs 134 | | | | 8 | Cm 242 | | | | 8 |
| Cs 135 | | | | 8 | Cm 243 | | | | 8 |
| Cs 137 | 1 | | 2.67E-07 | CC 2 | Cm 244 | | | | 8 |
| Ba 133 | | | 2.88E-08 | CC 2 | Cm 245 | | | | 8 |
| La 137 | Ī | | | 8 | Cm 246 | | | | 8 |
| La 138 | | | | 8 | Cm 248 | | | | 8 |
| Ce 144 | | | | 8 | Cf 249 | | | | 8 |
| Pm 145 | | | | 8 | Cf 250 | | | | 8 |
| Pm 147 | 1 | | | 8 | Cf 251 | | | | 8 |
| Sm 147 | | | | 8 | Cf 252 | | | | 8 |
| Sm 151 | | | | 8 | Other a | | | | |
| Eu 152 | 1 | | 2.32E-07 | CC 2 | Other b/g | | | | |
| Eu 154 | | | 6.68E-08 | CC 2 | Total a | 0 | | 3.19E-08 | CC 2 |
| Eu 155 | | | 1.47E-08 | CC 2 | Total b/g | 0 | | 1.42E-04 | CC 2 |

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not asset

- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity