SITE Dungeness A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW; SPD3

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Reported

Stocks: At 1.4.2022...... 52.0 m³

Total future arisings: 0 m³

Total waste volume: 52.0 m³

Comment on volumes: The station ceased generation on 31/12/2006.

Uncertainty factors on Stock (upper): x 1.2 Arisings (upper) x volumes: Stock (lower): x 0.8 Arisings (lower) x

WASTE SOURCE Redundant or defective reactor components.

PHYSICAL CHARACTERISTICS

General description: Redundant or defective components such as absorber bars; stand pipe assemblies and

charge chute assemblies. The possibility of large items which may need special handling has not been fully assessed. Items may weigh up to about $1.5 \ t$; sizes may be up to $5 \ m$

long and approximately 250 mm diameter.

Physical components (%vol): Absorber bars, standpipe assemblies and charge chute assemblies. Volume breakdown

has been estimated.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1

Comment on density: The assumption of 1 t/m3 as the average bulk density may be subject to revision.

CHEMICAL COMPOSITION

General description and components (%wt):

Irradiated components removed from the reactor. The material is principally steel (mild steel and stainless steel) and there is also graphite and concrete (graphite in absorber bars, concrete in standpipe assemblies). Presence of other minor components is not

assessed.

Chemical state: Neutral

Chemical form of H-3: The tritium is likely to be incorporated into the steel.

radionuclides: C-14: Carbon 14 is incorporated in steel. There is also carbon 14 in graphite.

CI-36: The chemical form of chlorine 36 has not been determined.

U: The chemical form of uranium isotopes has not been determined but may be uranium

oxides.

Pu: The chemical form of plutonium isotopes has not been determined but may be

plutonium oxides.

Metals and alloys (%wt): Metal thicknesses have not been fully assessed but bulk metal items may be present.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

in the stainless steel.

Other ferrous metals.....~36.0

Iron.....

Cobalt.....

Copper...... 0

2022 Inventory

	Lead	0		
	Magnox/Magnesium	0		
	Nickel			
	Titanium			
	Uranium			
	Zinc	0		
	Zircaloy/Zirconium	. 0		
	Other metals	. 0	"Other" metals have not been	
Organica (0/	No organia mataria	l avecatad	identified.	
Organics (%	wt): No organic materia			0/
		(%wt)	Type(s) and comment	% of total C14 activity
	Total cellulosics	0		
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0	Halogenated plastics are not expected but may possibly be present in small quantities.	
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0	Halogenated rubbers are not expected but may possibly be present in small quantities.	
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other materi	als (%wt):			
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		,
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	NE	maybe some concrete in SPAs - percentage not estimated	
	Sand			
	Glass/Ceramics	0		

Graphite	~5.0	in absorber bars
Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	TR	
Inorganic anions (%wt): Not fully assessed, p	oossibly tra	ace quantities.
	(%wt)	Type(s) and comment
Fluoride	NE	
Chloride	NE	
lodide	NE	
Cyanide	0	
Carbonate	NE	
Nitrate	NE	
Nitrite	NE	
Phosphate	NE	
Sulphate	NE	
Sulphide	NE	
Materials of interest for waste acceptance criteria: There are no material radiological hazard.	ed in the waste likely to represent a fire or other non-	
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

	(%Wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	0	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered

"durable" assumed DIs; Stainless items assumed DIs.

PACKAGING AND CONDITIONING

Conditioning method: The waste will be packaged into 4m boxes (with no shielding) and grouted in.

Plant Name: None

Location: Dungeness A Site

Plant startup date: 2092
Total capacity ~5000.0

(m³/y incoming waste):

Target start date for packaging this stream:

2092

Throughput for this stream (m³/y incoming waste):

~10.0

Other information:

The waste will be placed in baskets and then placed in the 4m box and grouted.

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages	
4m box (no shielding)	100.0	16.2	18.9	4	

Likely container type

comment:

Not yet determined.

Range in container waste

Other information on

volume:

containers:

The container material is expected to be stainless steel. Container choice may be

influenced by Transport Regulations at the time of Final Site Clearance

Likely conditioning matrix:

ikely conditioning matrix.

BFS/OPC and PFA/OPC

Other information: It is not yet known which grouting mix will be used when this waste is processed.

Conditioned density (t/m³):

Conditioned density

comment:

The density assumes conditioning with a cement based grout.

Other information on

conditioning:

The waste will be placed in baskets which are placed in the 4m box and grouted.Baskets

of other SPD3 ILW waste may be in the same package.

Opportunities for alternative

disposal routing:

-

~3.0

Estimated Baseline Opportunity Stream Date that Opportunity Management Route Management Route volume (%) Will be realised	Baseline Opportunity Stream Date that Management Route Management Route volume (%) Opportunity	Opportunity Confidence Comment
--	---	--------------------------------

RADIOACTIVITY

Source: Irradiated components removed from the reactor. Absorber bars are likely to be

components of high activity.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative

of the activities expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Estimates are based upon theoretical assumptions.

Other information:

	Mean radioactivity, TBg/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code		Bands and Code
H 3	<1.30E+00	D 3			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	2.00E-02	CD 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
CI 36	3E-05	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40 Ca 41		8			Hf 182		8		
Mn 53		8 8			Pt 193 Tl 204		8 8		
Mn 54	3.75E-07	CD 2			Pb 205		8		
Fe 55	2.11E+00	CD 2			Pb 210		8		
Co 60	1.43E+00	CD 2			Bi 208		8		
Ni 59	4E-02	CD 2			Bi 210m		8		
Ni 63	3.61E+00	CD 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	<4.19E-05	D 3			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92 Nb 93m		8			Th 230		8		
Nb 93111	4E-05	8 CD 2			Th 232 Th 234	7E-09	8 CC 2		
Mo 93	4E-03	8			Pa 231	76-09	8		
Tc 97		8			Pa 233		8		
Tc 99	<1E-08	D 3			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	<6.12E-09	D 3		
Ag 108m	3.90E-05	CD 2			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238	<7E-09	D 3		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236	0.005.00	8		
Sn 121m Sn 123		8 8			Pu 238 Pu 239	<2.66E-06 <3E-06	D 3		
Sn 126		8			Pu 239	<4.00E-06	D 3		
Sb 125		8			Pu 241	<9.74E-05	D 3		
Sb 126		8			Pu 242	<2E-09	D 3		
Te 125m		8			Am 241	<1.12E-05	D 3		
Te 127m		8			Am 242m	<1.85E-08	D 3		
I 129		8			Am 243	<6.00E-09	D 3		
Cs 134	<1.42E-08	D 3			Cm 242	<1.53E-08	D 3		
Cs 135	,	8			Cm 243	<4.25E-09	D 3		
Cs 137	<1.41E-04	D 3			Cm 244	<5.09E-08	D 3		
Ba 133		8			Cm 245		8		
La 137		8 8			Cm 246		8 8		
La 138 Ce 144		8 8			Cm 248 Cf 249		8		
Pm 145		8			Cf 249 Cf 250		8		
Pm 147	<1.01E-07	D 3			Cf 250		8		
Sm 147		8			Cf 252		8		
Sm 151	<8.01E-07	D 3			Other a				
Eu 152	9.26E-06	CD 2			Other b/g				
Eu 154	6.00E-06	CD 2			Total a	2.09E-05	CD 2	0	
Eu 155		8			Total b/g	8.50E+00	CD 2	0	
	•				Codo			ı	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity