SITE Dungeness A

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Magnox Limited

LLW **WASTE TYPE**

Is the waste subject to

Scottish Policy:

Nο

WASTE VOLUMES

Reported At 1.4.2022..... Stocks: $0 \, \text{m}^3$ Future arisings -1.4.2092 - 31.3.2095...... 2310.0 m³ 2310.0 m³ Total future arisings:

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over three years.

> Final Dismantling & Site Clearance is assumed to commence in 2088 with reactor dismantling commencing in 2092 and lasting for 3 years. The volumes and radioactivity

2310.0 m³

have been calculated for 85 years after reactor shutdown, i.e. 2091.

Uncertainty factors on

Total waste volume:

Stock (upper): volumes: Stock (lower):

Arisings (upper)

Arisings (lower) x 0.8

WASTE SOURCE

Mild steel items from the reactor structure.

PHYSICAL CHARACTERISTICS

General description: A variety of mild steel items including the pressure vessel. Waste can be packaged in

standard LLW containers.

Physical components (%wt): Mild steel items (100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3): ~1.4

Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and components (%wt):

Mild steel (100%).

Chemical state: Neutral

Chemical form of H-3: The tritium content is insignificant.

radionuclides: C-14: The carbon 14 is incorporated in the steel. There also may be some contamination

as graphite.

Se-79: The selenium content is insignificant.

Tc-99: The chemical form of technetium has not been determined.

Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant.

All of the waste will be bulk metal items which have been cut for packaging. Metal Metals and alloys (%wt):

thicknesses will probably range from a few mm to about 100 mm.

% of total C14 (%wt) Type(s) / Grade(s) with proportions activity

Stainless steel.....

Other ferrous metals..... 100.0 Mild steel types are BS150E-171, 100.0

BS1501, BS15 and PV Steel (Coltuf

28)

Iron..... Aluminium...... 0 Beryllium.....

	Cobalt	. ~0.01	Greatest measured value from the various components.	
	Copper	. 0	·	
	Lead	0		
	Magnox/Magnesium	0		
	Nickel		Greatest measured value from the various components.	
	Titanium		various components.	
	Uranium			
	Zinc			
	Zircaloy/Zirconium			
	Other metals		Silver and niobium	
Organics (%			halogenated plastics and rubbers present.	
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons	· ·		
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other materi	-		ssociated with reactor materials.	
		(%wt)	Type(s) and comment	% of total C14
			Typo(o) and common	activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Sand			
	Glass/Ceramics	0		

Graphite	TR	
Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): There may be a trac	ce of chlor	ide present.
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for No materials likely t waste acceptance criteria:	o pose a f	ire or other non-radiological hazard have been identified.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered

"durable" assumed DIs. NB If recycled then DI Limits n/a

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		100.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		
		1

Comment on planned treatments:

This waste stream is expected to be sent for Metal Recycling.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.4

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Noute	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Opportunity Confidence Comment	-11	ne (%) Opportunity Confidence	Comment
--	-----	-------------------------------	---------

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

VCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Activation of the mild steel and its impurities.

Uncertainty: The values quoted were derived by calculation from available material specifications and

are indicative of the activities that are to be expected. The major source of uncertainty is

the impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of

radioactivities:

The specific activities were estimated from neutron activation calculations of the material

and its impurities.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2091. There may

be some contamination by Cs137.

		Mean radioac	tivity, TBq/m³				Mean radioa	ctivity, TBq/m³	
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14			1.99E-04	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
CI 36			2.41E-08	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			1.77E-06	CC 2	Bi 208				8
Ni 59			2.27E-05	CC 2	Bi 210m				8
Ni 63			1.28E-03	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				6	Th 232				8
Nb 94			4.32E-08	CC 2	Th 234				8
Mo 93			3.65E-06	CC 2	Pa 231				8
Tc 97			0.002 00	8	Pa 233				8
Tc 99			8.58E-07	CC 2	U 232				8
Ru 106	<u> </u> 		0.502 07	8	U 233				8
Pd 107				8	U 234				8
Ag 108m			1.09E-07	CC 2	U 235				8
Ag 110m			1.032-07	8	U 236				8
Cd 109				8	U 238				8
Cd 109 Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 12111				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
				8	Pu 242				8
Sb 126 Te 125m				8	Am 241				8
Te 125m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 134 Cs 135					Cm 243				8
Cs 135 Cs 137				8	Cm 244				8
				6	Cm 245				8
Ba 133				8	Cm 246				8
La 137				8	Cm 248				8
La 138				8	Cff 249				8
Ce 144				8	Cf 250				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Other a				U
Sm 151				8	Other b/g				
Eu 152				8	Total a	_		_	
Eu 154				8		0		0 4 545 03	CC 2
Eu 155				8	Total b/g	0		1.51E-03	UU 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity