

WASTE STREAM	9C55	Doulton Filters
---------------------	-------------	------------------------

SITE Dungeness A
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Magnox Limited
WASTE TYPE LLW
 Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	6.4 m ³
Total future arisings:		0 m ³
Total waste volume:		6.4 m ³
Comment on volumes:	-	
Uncertainty factors on volumes:	Stock (upper): x 1.2	Arisings (upper) x
	Stock (lower): x 0.8	Arisings (lower) x

WASTE SOURCE Filtration of aqueous effluent from the Active Effluent Treatment Plant prior to transfer to the Final Monitoring Delay Tank.

PHYSICAL CHARACTERISTICS

General description: Water filter cartridge. Cartridge ~510mm in length by ~70mm diameter. Cartridge contains particulate from the active effluent treatment plant.
 Physical components (%vol): Filter cartridge + particulate, total 100%
 Sealed sources: The waste does not contain sealed sources.
 Bulk density (t/m³): >1.2
 Comment on density: -

CHEMICAL COMPOSITION

General description and components (%wt): The cartridge has a cloth type filter media supported on a pleated card structure. Around the media are plastic hoops to keep the structure rigid with the housing believed to be polypropylene. The sludge is mainly made up of magnesium hydroxide and oxide. Some residual water may be present inside the filter cartridge.
 Chemical state: Neutral
 Chemical form of radionuclides: -
 Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	40.0		
Iron.....			
Aluminium.....	0		
Beryllium.....			
Cobalt.....			
Copper.....	0		
Lead.....	0		
Magnox/Magnesium.....	NE		
Nickel.....			
Titanium.....			
Uranium.....			

WASTE STREAM	9C55	Doulton Filters
---------------------	-------------	------------------------

Zinc..... 0
 Zircaloy/Zirconium..... 0
 Other metals..... 0

Organics (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	NE		
Paper, cotton.....	NE		
Wood.....	0		
Halogenated plastics	~60.0	Composition of the plastics in the filter is polypropylene.	
Total non-halogenated plastics.....	NE		
Condensation polymers.....	NE		
Others.....	NE		
Organic ion exchange materials....	0		
Total rubber.....	NE	The gaskets and O-rings are made of ethylene propylene rubber, PTFE encapsulated, silicone, vitron, nitrile or polypropylene felt.	
Halogenated rubber	NE		
Non-halogenated rubber.....	NE		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	NE		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	TR		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	0		
Desiccants/Catalysts.....			
Asbestos.....	0		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			

WASTE STREAM	9C55	Doulton Filters
---------------------	-------------	------------------------

Free aqueous liquids.....	NE
Free non-aqueous liquids.....	0
Powder/Ash.....	TR

Inorganic anions (%wt): -

	(%wt)	Type(s) and comment
Fluoride.....	NE	
Chloride.....	NE	
Iodide.....	NE	
Cyanide.....	NE	
Carbonate.....	NE	
Nitrate.....	NE	
Nitrite.....	NE	
Phosphate.....	NE	
Sulphate.....	NE	
Sulphide.....	NE	

Materials of interest for waste acceptance criteria: -

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants: none expected

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		

WASTE STREAM**9C55****Doulton Filters**

Phenol.....
 Styrene.....
 Tri-butyl phosphate.....
 Other organophosphates.....
 Vinyl chloride.....
 Arsenic.....
 Barium.....
 Boron..... 0
 Boron (in Boral).....
 Boron (non-Boral).....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt):

	(%wt)	Type(s) and comment
EDTA.....		
DPTA.....		
NTA.....		
Polycarboxylic acids.....		
Other organic complexants.....		
Total complexing agents.....	NE	

Potential for the waste to contain discrete items: Not yet determined. Possible DI (assuming a long lasting corrosion resistant polypropylene construction)

TREATMENT, PACKAGING AND DISPOSAL

WASTE STREAM 9C55 Doulton Filters

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None		100.0

Comment on planned treatments:

Drying.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.2

Classification codes for waste expected to be consigned to a landfill facility: -

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Opportunities for alternative disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal:

WASTE STREAM 9C55 Doulton Filters

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	10	< 1

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste Characterisation Form (WCH): The waste meets the LLWR's Waste Acceptance Criteria (WAC).
The waste does not have a current WCH.

Waste consigned for disposal to LLWR in year of generation: No. it is unknown at this time when waste will be consigned

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Activity from particulate retained by the filter on final filtration of active effluent prior to transfer to the delay tank.

Uncertainty: The activity on the filter media originates from the active effluent treatment plant, AETP, probably particulate.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: No data available at this time

Other information: -

WASTE STREAM

9C55

Doulton Filters

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3		6			Gd 153		8		
Be 10		6			Ho 163		8		
C 14		6			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36		6			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		6			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		6			Pb 205		8		
Fe 55		6			Pb 210		8		
Co 60		6			Bi 208		8		
Ni 59		6			Bi 210m		8		
Ni 63		6			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		6			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90		6			Th 227		8		
Zr 93		6			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		6			Th 232		8		
Nb 94		8			Th 234		8		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99		6			U 232		8		
Ru 106		6			U 233		8		
Pd 107		6			U 234		6		
Ag 108m		6			U 235		6		
Ag 110m		6			U 236		6		
Cd 109		8			U 238		6		
Cd 113m		8			Np 237		6		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238		6		
Sn 123		8			Pu 239		6		
Sn 126		8			Pu 240		6		
Sb 125		8			Pu 241		6		
Sb 126		8			Pu 242		6		
Te 125m		8			Am 241		6		
Te 127m		8			Am 242m		6		
I 129		6			Am 243		6		
Cs 134		6			Cm 242		6		
Cs 135		6			Cm 243		6		
Cs 137		6			Cm 244		6		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		6			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147		6			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		6			Other a	NE			
Eu 152		6			Other b/g	NE			
Eu 154		6			Total a	NE		0	
Eu 155		6			Total b/g	NE		0	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity