SITE Hinkley Point A

SITE OWNER **Nuclear Decommissioning Authority**

No

WASTE CUSTODIAN Magnox Limited

ILW WASTE TYPE

Is the waste subject to

WASTE VOLUMES

Scottish Policy:

Reported Stocks: At 1.4.2022..... 29.4 m³

Total future arisings: $0 \, \text{m}^3$

Total waste volume: 29.4 m³

Comment on volumes: Residual amount of resin (~0.25m3) found in secondary containment & sump in 2016

containment inspection. This is believed to have been caused due to an event in 1999 when the tank overfilled whilst emptying Caesium Removal Unit's. Alternative method required to retrieve waste from secondary containment than that used for bulk ion

exchange retrieval.

Uncertainty factors on Stock (upper): x 1.1 Arisings (upper) Х volumes: Stock (lower): x 0.9 Arisings (lower) Х

Spent ion exchange materials arising from the treatment of pond waters. **WASTE SOURCE**

PHYSICAL CHARACTERISTICS

General description: The ion exchange material is stored under water in tanks. The dominant component was a

dark black resin comprised of small dark resin beads consistent with Lewatit resin. The ion exchange material flooded with water would be expected to have a voidage of about 0.3, i.e. about 0.3 of the volume of a bed of settled flooded ion exchange material would be interstitial water. Due to the breakdown of IX material, there is a high probability of the activity being transferred into the interstitial water. There are no large items which may

require special handling.

Physical components (%wt): Dry resin (33% wt) and water (67% wt). Other organics were less than 0.1%wt.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3): ~1.15

Comment on density: The bulk density of the waste is expected to range from about 1.1 to 1.2 t/m3.

CHEMICAL COMPOSITION

General description and

components (%wt):

Dry resin (~33% wt), water (~67% wt) and some other organic material (0.1% wt). The accumulated ion exchange material is predominantly Lewatit DN (~85% by volume) with

some Duolite, all stored in water.

Chemical state: Alkali

Chemical form of radionuclides:

H-3: The chemical from of tritium has not been determined but may be present as water or

as other inorganic compounds or as organic compounds.

C-14: The chemical form of carbon 14 has not been determined. CI-36: The chemical form of chlorine 36 has not been determined. Tc-99: The chemical form of technetium has not been determined.

U: The chemical form of uranium isotopes has not been determined but may be uranium

oxides.

Pu: The chemical form of plutonium isotopes has not been determined but may be

plutonium oxides.

No sheet or bulk metal items are present. Metals and alloys (%wt):

> % of total C14 (%wt) Type(s) / Grade(s) with proportions activity

Stainless steel..... Other ferrous metals..... Iron.....

Aluminium...... 0

	Dondlium	0		
	Beryllium			
	Copper			
	Copper			
	Lead			
	Magnox/Magnesium			
	Nickel			
	Titanium			
	Uranium			
	Zinc	. 0		
	Zircaloy/Zirconium	0		
	Other metals	0		
Organics (%v			n Lewatit DN and Duolite and traces of othe plastics or rubbers present.	er organic material
		(%wt)	Type(s) and comment	% of total C14 activity
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	~33.0	Lewatit DN (~85% by volume) with some Duolite	
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	<0.10		
Other materia	-		scent	
Other materia	als (76wt).	nay be pre	Sent	
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Sand			

Glass/Ceramics	0
Graphite	TR
Desiccants/Catalysts	
Asbestos	0
Non/low friable	
Moderately friable	
Highly friable	
Free aqueous liquids	~67.0
Free non-aqueous liquids	0
Powder/Ash	0

Inorganic anions (%wt):

Concentrations in supernate similar to demineralised water except basic magnesium carbonate may be present where ion exchange beds operate without upstream filters.

	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	<0.10	
lodide	0	
Cyanide	0	
Carbonate	<0.10	
Nitrate	NE	
Nitrite	NE	
Phosphate	<0.10	
Sulphate	<0.30	
Sulphide	0	

Materials of interest for waste acceptance criteria:

 $\label{eq:magnox} \mbox{Magnox is present, but is in such low concentrations so as not to pose a hazard.}$

	(%wt)	Type(s) and comment
Combustible metals	0.20	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials	0	
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron	0	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	0	

Potential for the waste to contain discrete items:

No. In & of itself not a DI; assumed not likely to contain any "rogue" items that

could be

PACKAGING AND CONDITIONING

Conditioning method: This stream is to be co-packaged with 9D25, 9D26, 9D27 & 9D29.

Plant Name: -

Location: Hinkley Point A Site

Plant startup date: Total capacity -

(m³/y incoming waste):

Target start date for packaging this stream:

-

Throughput for this stream (m³/y incoming waste):

-

Other information:

Likely container

type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
6m³ concrete box (HD)	100.0	2.45	5.8	12

Likely container type

comment:

Range in container waste

volume:

-

Other information on

containers:

-

Likely conditioning matrix:

Other information:

Conditioned density (t/m³): Conditioned density

comment:

-

Other information on

conditioning:

-

Opportunity

Opportunities for alternative

Management Route Management Route

disposal routing:

Baseline

Estimated
Stream Date that Opportunity
volume (%) will be realised

Comment

RADIOACTIVITY

Source: Spent ion exchange resins arising from the treatment of pond water. Contamination by

fission products, actinides and activation products.

Uncertainty: Specific activity is a function of Station operating history. The values quoted are indicative

of the activities that might be expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The values quoted were derived by extrapolation from available measurements.

Other information:

	Mean radioactivity, TBq/m³								
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.30E-06	CC 2			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	9.99E-07	CC 2			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26	2E-07	CC 2			Tm 171		8		
CI 36	<5E-07	C 3			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40 Ca 41		8 8			Hf 182 Pt 193		8 8		
Mn 53		8			TI 204		8		
Mn 54		8			Pb 205		8		
Fe 55	4.39E-07	CC 2			Pb 210		8		
Co 60	1.25E-07	CC 2			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63	4.51E-05	CC 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79	1.38E-07	CC 2			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	2.80E-02	CC 2			Th 227		8		
Zr 93	6E-06	CC 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	2.95E-06	CC 2			Th 232		8		
Nb 94		8			Th 234	4E-08	CC 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233	5.08E-09	CC 2		
Tc 99	<7E-04	C 3			U 232		8		
Ru 106	<1.01E-08	C 3 CC 2			U 233	1.005.07	8		
Pd 107 Ag 108m	3E-07	8			U 234 U 235	1.00E-07 2E-09	CC 2 CC 2		
Ag 100m		8			U 236	1E-08	CC 2		
Cd 109		8			U 238	4E-08	CC 2		
Cd 113m	1.89E-06	CC 2			Np 237	5.08E-09	CC 2		
Sn 119m	1.002 00	8			Pu 236	0.002 00	8		
Sn 121m	4.93E-02	CC 2			Pu 238	1.78E-05	CC 2		
Sn 123		8			Pu 239	1.00E-05	CC 2		
Sn 126	1.3E-07	CC 2			Pu 240	2.00E-05	CC 2		
Sb 125	<1.83E-08	C 3			Pu 241	3.41E-04	CC 2		
Sb 126	1.82E-08	CC 2			Pu 242	7E-09	CC 2		
Te 125m	4.58E-09	CC 2			Am 241	2.16E-05	CC 2		
Te 127m		8			Am 242m	4.65E-08	CC 2		
I 129	<1E-06	C 3			Am 243	2.00E-08	CC 2		
Cs 134	1.30E-03	CC 2			Cm 242	3.84E-08	CC 2		
Cs 135	7E-06	CC 2			Cm 243	2.12E-09	CC 2		
Cs 137	2.82E+00	CC 2			Cm 244	4.51E-08	CC 2		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138	-2 22E 00	8			Cm 248		8		
Ce 144 Pm 145	<3.32E-09	C 3			Cf 249		8		
Pm 145 Pm 147	9.54E-08	8 CC 2			Cf 250 Cf 251		8 8		
Sm 147	3.54⊑-00	8			Cf 251		8		
Sm 151	5.34E-07	CC 2			Other a		O		
Eu 152	<1.39E-07	C 3			Other b/g				
Eu 154	1.80E-06	CC 2			Total a	6.96E-05	CC 2	0	
Eu 155	3.59E-07	CC 2			Total b/g	2.90E+00	CC 2	0	
Eu 100	0.092-07	00 2			i otai b/g	2.30ET00	00 Z	!	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000 Note: Bands quantify uncertainty in

mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity