SITE Hinkley Point A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Reported

Stocks: At 1.4.2022...... 0 m³

Future arisings - 1.4.2085 - 31.3.2088....... 4578.0 m³

Total future arisings: 4578.0 m³

Total waste volume: 4578.0 m³

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over three years.

Final Dismantling & Site Clearance is assumed to commence in 2081 and end in 2090. Reactor dismantling will commence in 2085 and last for three years. Volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2085.

Uncertainty factors on

Stock (upper): x

Arisings (upper) x

x 1.2

volumes:

Stock (lower): x

Arisings (lower)

x 0.8

WASTE SOURCE Mild steel items from the boilers and the reactor ancillary plant.

PHYSICAL CHARACTERISTICS

General description: A variety of mild steel items. Waste can be packaged in standard LLW packages.

Physical components (%vol): Mild steel items (100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.4

Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and

components (%wt):

Mild steel (100%).

Chemical state: Neutral

Chemical form of

H-3: The tritium is incorporated in the steel.

radionuclides:

C-14: The carbon 14 is incorporated in the steel. There also may be some contamination

as graphite.

CI-36: The chlorine 36 will be incorporated in the steel.

Se-79: The chemical form of selenium has not been determined. Tc-99: The chemical form of technetium has not been determined.

Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant.

Np: The chemical form of neptunium has not been determined.

Pu: The chemical form of the plutonium isotopes has not been determined, but may be

present as oxides.

Metals and alloys (%wt):

All of the waste will be bulk metal items which have been cut for packaging. Metal

thicknesses will probably range from a few mm to about 100 mm.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel...... 0

waste stream is mild steel.

Iron.....

	Cobalt			
	Copper	0		
	Lead	0		
	Magnox/Magnesium	0		
	Nickel			
	Titanium			
	Uranium			
	Zinc	0		
	Zircaloy/Zirconium	. 0		
	Other metals	. 0	There are no "other" metals.	
Organics (%	wt): None expected. Th	ere are no	halogenated plastics and rubbers present.	
		(%wt)	Type(s) and comment	% of total C14 activity
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other mater	ials (%wt): Some graphite dus	t may be p	resent.	
		(%wt)	Type(s) and comment	% of total C14
	Inorganic ion exchange materials	0		activity
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Sand	-		
	Glass/Ceramics	0		
	Graphite	TR		

Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): There may be a tra		
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for No materials likely waste acceptance criteria:	to pose a fi	re or other non-radiological hazard have been identified.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous subs	stances /
non hazardous	pollutants:

Complexing

none expected

	(%Wt)	rype(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered

"durable" assumed DIs. NB If recycled then DI Limits n/a

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.4

Classification codes for waste expected to be consigned to a landfill facility:

17 04 05

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Noute	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Opportunity Confidence Management Route Management Route volume (%) Baseline Opportunity Opportunity Confidence will be realised	
---	--

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding)			. 5
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

-

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Contamination and activation of the mild steel and its impurities.

Uncertainty: The values quoted were derived by calculation from available data and are indicative of the

activities that are to be expected.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of

radioactivities:

The specific activities were estimated from gamma spectrometry measurements made at

relevant plants at other Magnox stations.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2085. There may

be some contamination by Cs137.

WASTE STREAM Mild Steel (Non-Reactor) LLW 9D315

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³				
Nuclido	Waste at Bands and	Future	Bands and	Nuclida	Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022 Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3		7.9E-07	CC 2	Gd 153				8
Be 10			8	Ho 163			7.05.00	8
C 14		2.6E-06	CC 2	Ho 166m			<7.9E-08	C 3
Na 22			8	Tm 170				8
Al 26			8	Tm 171				8
CI 36		1E-06	CC 2	Lu 174				8
Ar 39			8	Lu 176				8
Ar 42			8	Hf 178n				8
K 40		7.05.00	8	Hf 182				8
Ca 41		7.9E-09	CC 2	Pt 193				8
Mn 53			8	TI 204				8
Mn 54			8	Pb 205 Pb 210				8 8
Fe 55		2.45.00	8	Bi 208				8
Co 60		2.4E-09	CC 2	Bi 200 Bi 210m				8
Ni 59		5.2E-07	CC 2	Po 210				8
Ni 63		7.9E-06	CC 2	Ra 223				8
Zn 65 Se 79			8	Ra 225	i			8
Se 79 Kr 81			8 8	Ra 226				8
Kr 85			8	Ra 228				8
Rb 87			8	Ac 227				8
Sr 90		1E-08	CC 2	Th 227				8
Zr 93		12-00	8	Th 228				8
Nb 91			8	Th 229				8
Nb 92			8	Th 230				8
Nb 93m			8	Th 232				8
Nb 94		<2.6E-09	C 3	Th 234				8
Mo 93		32.02 00	8	Pa 231				8
Tc 97			8	Pa 233				8
Tc 99			8	U 232				8
Ru 106			8	U 233				8
Pd 107			8	U 234				8
Ag 108m		5.2E-08	CC 2	U 235				8
Ag 110m			8	U 236				8
Cd 109			8	U 238				8
Cd 113m			8	Np 237				8
Sn 119m			8	Pu 236				8
Sn 121m			8	Pu 238				8
Sn 123			8	Pu 239			2.1E-09	CC 2
Sn 126			8	Pu 240				8
Sb 125			8	Pu 241			2.4E-09	CC 2
Sb 126			8	Pu 242			5.05.00	8
Te 125m			8	Am 241			5.2E-09	CC 2
Te 127m			8	Am 242m				8
I 129		<5.2E-09	C 3	Am 243				8
Cs 134			8	Cm 242				8
Cs 135		5 0 5 0 5	8	Cm 243				8
Cs 137		5.2E-08	CC 2	Cm 244 Cm 245				8 8
Ba 133			8	Cm 245 Cm 246				8
La 137			8	Cm 248				8
La 138			8	Cff 249				8
Ce 144			8	Cf 250				8
Pm 145			8	Cf 250				8
Pm 147 Sm 147			8 8	Cf 251				8
Sm 147 Sm 151			8	Other a				Ŭ
Sm 151 Eu 152			8	Other b/g				
Eu 152 Eu 154			8 8	Total a	0		7.3E-09	CC 2
Eu 154 Eu 155			8	Total b/g	o o		1.30E-05	CC 2
Lu 155	<u> </u>		U		<u> </u>		1	-

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity

- 1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not assessed
 7 Present in significant quantities but not determined
 8 Not expected to be present in significant quantity