SITE Hinkley Point A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

**WASTE VOLUMES** 

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over three years.

Some graphite previously identified as LLW is now ILW. Final Dismantling & Site Clearance is assumed to commence in 2081 with reactor dismantling commencing in 2085 and lasting for three years. Volumes and radioactivity have been calculated for 85 years after reactor

shutdown, i.e. 2085.

Uncertainty factors on volumes:

Stock (upper): x Stock (lower): x Arisings (upper) x 1.2

Arisings (lower) x 0.8

**WASTE SOURCE** 

Thermal column graphite from reactor dismantling.

### PHYSICAL CHARACTERISTICS

General description: Graphite blocks and other graphite components. Waste can be packaged in standard LLW

packages.

Physical components (%wt): Graphite (~100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.25

Comment on density: Density estimate based upon assumed packing efficiency of the waste assuming 90% of

the graphite is in blocks and 10% is rubble.

#### **CHEMICAL COMPOSITION**

General description and components (%wt):

Graphite and possibly traces of ferrous metals.

Chemical state: Neutral

Chemical form of H-3: Tritium may be chemically bound with the graphite.

radionuclides: C-14: Carbon 14 will be present as graphite.

CI-36: Chlorine 36 will probably be chemically bound to the graphite. Some may be linked

chemically with impurities in the graphite. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant.

Ra: Radium content is insignificant.
Th: The thorium content is insignificant.

U: There may be traces of uranium as metal or oxide.

Np: The neptunium content is insignificant.

Pu: There may be traces of plutonium as metal or oxide.

Metals and alloys (%wt): There are no metallic items present.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

by ferrous metals.

by ferrous metals.

	Beryllium	TR		
	Cobalt			
	Copper	0		
	Lead	0		
	Magnox/Magnesium	0		
	Nickel			
	Titanium			
	Uranium			
	Zinc	0		
	Zircaloy/Zirconium	0		
	Other metals	0		
Organic	s (%wt): None expected. Ha	alogenated	plastics and rubbers will not be present	
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other m	naterials (%wt): Expect only graphi	te.		
		(0/ set)	Tune(a) and comment	0/ of total C1.4
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Sand			
	Glass/Ceramics	0		

Graphite	100.0	100.0
Desiccants/Catalysts		.55.10
Asbestos	0	
Non/low friable	·	
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt):  None of the inorgan trace concentration		listed in the table is expected to be present at greater than
	(%wt)	Type(s) and comment
Fluoride	TR	Detected at trace levels in inactive graphite material.
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	TR	
Nitrate	TR	
Nitrite	TR	
Phosphate	TR	Detected at trace levels in inactive graphite material.
Sulphate	TR	Detected at trace levels in inactive graphite material.
Sulphide	0	
		ire or other non-radiological hazard have been identified. sk; it is difficult but not impossible to ignite.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	TR	Detected at trace levels in inactive graphite material.
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		

Soluble solids as bulk chemical compounds		
Hazardous substances / None expected non hazardous pollutants:		
	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic	TR	Detected at trace levels in inactive graphite material.
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium	TR	Detected at trace levels in inactive graphite material.
Tin		
Vanadium		
Mercury compounds		
Others	TR	Gallium, germanium and thallium detected at trace levels in inactive graphite material.
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
Complexing agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NITA		

Polycarboxylic acids
Other organic complexants

Total complexing agents..... TR

Potential for the waste to contain discrete items:

Yes. Graphite Bricks/Tiles assumed to be Dls. Bricks assumed drummed (ungrouted) so assumed Bricks are Dls; If grouted, Drum is also a Dl. "Rubble" pieces assumed drummed (ungrouted) assumed NOT Dls; If grouted, Drum is a Dl.

#### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		100.0
None		

Comment on planned treatments:

**Disposal Routes:** 

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.3

Classification codes for waste expected to be consigned to a landfill facility:

17 09 04

### Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Notice	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

### Opportunities for alternative disposal routing:

wallagement reads wallagement reads volume (70) will be realised	Baseline (Management Route Man	Opportunity nagement Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
--	--------------------------------	----------------------------	-------------------	--	---------------------------	---------

**Waste Packaging for Disposal:** (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding)			
4m box (no shielding)			
Other			

Other information:

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage:

Other information:

**RADIOACTIVITY** 

Source: Activation of the graphite and impurities.

Uncertainty: The values quoted were derived by calculation from available material specification and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of

The specific activities were estimated from neutron activation calculations of the material radioactivities:

and its impurities. Additional data from newly calculated inventories including 100 ppb U

precursor as per M/EF/GEN/EAN/0008/20

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2085. There may

be some contamination by Cs137.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			2.05E-05	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			3.11E-05	CC 2	Ho 166m			2.38E-09	CC 2
Na 22				8	Tm 170				8
AI 26				8	Tm 171				8
CI 36			9.63E-08	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			8.09E-08	CC 2	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60				8	Bi 208				8
Ni 59			1.4E-08	CC 2	Bi 210m				8
Ni 63			8.19E-07	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85			8.74E-07	CC 2	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			2.74E-04	CC 2	Th 227				8
Zr 93			7.89E-08	CC 2	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m			7.6E-08	CC 2	Th 232				8
Nb 94				8	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233			1.05E-09	CC 2
Tc 99			4.94E-07	CC 2	U 232				8
Ru 106				8	U 233				8
Pd 107			7.4E-09	CC 2	U 234			6.3E-09	CC 2
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237			1.05E-09	CC 2
Sn 119m				8	Pu 236				8
Sn 121m			3.08E-07	CC 2	Pu 238			1.59E-05	CC 2
Sn 123				8	Pu 239			1.73E-06	CC 2
Sn 126			2.98E-08	CC 2	Pu 240			1.52E-05	CC 2
Sb 125				8	Pu 241			1.97E-05	CC 2
Sb 126			4.15E-09	CC 2	Pu 242			2.15E-07	CC 2
Te 125m				8	Am 241			3.66E-05	CC 2
Te 127m				8	Am 242m			4.17E-08	CC 2
I 129				8	Am 243			5.43E-06	CC 2
Cs 134				8	Cm 242			3.45E-08	CC 2
Cs 135			2.23E-08	CC 2	Cm 243			5.3E-08	CC 2
Cs 137			5.43E-04	CC 2	Cm 244			1.58E-04	CC 2
Ba 133				8	Cm 245			3.19E-07	CC 2
La 137				8	Cm 246			2.3E-06	CC 2
La 138				8	Cm 248				8
Ce 144				8	Cf 249			7.55E-09	CC 2
Pm 145	1			8	Cf 250			1.23E-09	CC 2
Pm 147				8	Cf 251				8
Sm 147	1			8	Cf 252				8
Sm 151			2.12E-06	CC 2	Other a				
Eu 152			1E-06	CC 2	Other b/g				
Eu 154			4.46E-07	CC 2	Total a	0		2.36E-04	CC 2
Eu 155				8	Total b/g	0		8.95E-04	CC 2
	I .							-	

## Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Bands quantify uncertainty in mean radioactivity. Note:

# Code

- 1 Measured activity 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity