

WASTE STREAM	9D68	FED Sludge - R2
---------------------	-------------	------------------------

SITE Hinkley Point A
SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	5.0 m ³
Total future arisings:		0 m ³
Total waste volume:		5.0 m ³
Comment on volumes:	Estimate of volume of sludge resulting from degradation of the Magnox FED described by stream 9D34.	
Uncertainty factors on volumes:	Stock (upper): x 1.2	Arisings (upper) x
	Stock (lower): x 0.5	Arisings (lower) x

WASTE SOURCE Degradation of Magnox FED described by stream 9D34.

PHYSICAL CHARACTERISTICS

General description: Sludge resulting from the degradation of Magnox metal and swarf.
 Physical components (%wt): Magnox sludge (100% wt).
 Sealed sources: The waste does not contain sealed sources.
 Bulk density (t/m³): 1.2
 Comment on density: -

CHEMICAL COMPOSITION

General description and components (%wt): Magnesium hydroxide and magnesium carbonate (100% wt).
 Chemical state: Alkali
 Chemical form of radionuclides:
 H-3: Most tritium is expected to be present as surface contamination, possibly as water but perhaps in the form of other inorganic compounds or organic compounds.
 C-14: Carbon 14 will probably be present as graphite.
 Cl-36: Chlorine 36 incorporated in the Magnox may be associated with barium impurity (barium chloride). Other Cl-36 may be associated with surface contamination.
 Se-79: The selenium content is insignificant.
 Tc-99: The chemical form of technetium has not been determined.
 Ra: The radium isotope content is insignificant.
 Th: The thorium isotope content is insignificant.
 U: The chemical form of uranium isotopes may be uranium oxides.
 Np: The chemical form of neptunium has not been determined.
 Pu: The chemical form of plutonium isotopes may be plutonium oxides.
 Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	0		
Iron.....			
Aluminium.....	0		
Beryllium.....	TR		
Cobalt.....			
Copper.....	0		
Lead.....	0		

WASTE STREAM	9D68	FED Sludge - R2
---------------------	-------------	------------------------

Magnox/Magnesium..... NE
 Nickel.....
 Titanium.....
 Uranium.....
 Zinc..... 0
 Zircaloy/Zirconium..... P
 Other metals..... 0

Predominantly from degradation of Magnox alloy ZR55, which contains 0.55 wt% Zr as an alloying constituent.

Organics (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose	0		
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	TR		

Other materials (%wt): Traces of graphite may be present.

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	100.0	Predominantly from degradation of Magnox alloy ZR55, which contains 0.55 wt% Zr as an alloying constituent.	
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	TR		

WASTE STREAM	9D68	FED Sludge - R2
---------------------	-------------	------------------------

Desiccants/Catalysts.....	
Asbestos.....	0
Non/low friable.....	
Moderately friable.....	
Highly friable.....	
Free aqueous liquids.....	NE
Free non-aqueous liquids.....	0
Powder/Ash.....	NE

Inorganic anions (%wt): Carbonate and hydroxide are present.

	(%wt)	Type(s) and comment
Fluoride.....	NE	
Chloride.....	NE	
Iodide.....	NE	
Cyanide.....	0	
Carbonate.....	NE	
Nitrate.....	NE	
Nitrite.....	NE	
Phosphate.....	NE	
Sulphate.....	NE	
Sulphide.....	NE	

Materials of interest for waste acceptance criteria: -

	(%wt)	Type(s) and comment
Combustible metals.....	NE	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	NE	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances /
non hazardous pollutants: None expected

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		
Phenol.....		
Styrene.....		
Tri-butyl phosphate.....		
Other organophosphates.....		
Vinyl chloride.....		
Arsenic.....		
Barium.....		
Boron.....	0	
Boron (in Boral).....		
Boron (non-Boral).....		
Cadmium.....		
Caesium.....		
Selenium.....		
Chromium.....		
Molybdenum.....		
Thallium.....		
Tin.....		
Vanadium.....		
Mercury compounds.....		
Others.....		
Electronic Electrical Equipment (EEE)		
EEE Type 1.....		
EEE Type 2.....		
EEE Type 3.....		
EEE Type 4.....		
EEE Type 5.....		

Complexing agents (%wt):

	(%wt)	Type(s) and comment
EDTA.....		
DPTA.....		
NTA.....		
Polycarboxylic acids.....		
Other organic complexants.....		
Total complexing agents.....		

WASTE STREAM**9D68****FED Sludge - R2**

Potential for the waste to contain discrete items:

No. In & of itself not a DI; assumed not likely to contain any "rogue" items that could be.

PACKAGING AND CONDITIONING

Conditioning method: encapsulation into 3m3 boxes

Plant Name: -

Location: -

Plant startup date: -

Total capacity (m³/y incoming waste): -

Target start date for packaging this stream: -

Throughput for this stream (m³/y incoming waste): -

Other information: -

Likely container type:	Container	Waste packaged (%vol)	Waste loading (m ³)	Payload (m ³)	Number of packages
	3m ³ box (round corners)	100.0	1.5	2.9	4

Likely container type comment: -

Range in container waste volume: -

Other information on containers: -

Likely conditioning matrix: Not specified

Other information: -

Conditioned density (t/m³): -

Conditioned density comment: -

Other information on conditioning: -

Opportunities for alternative disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

RADIOACTIVITY

Source: The source of the waste is the removal of splitters prior to dispatch of the elements to Sellafield. Activation of trace components in the Magnox and contamination by fission products and actinides will be main sources of activity.

Uncertainty: The values quoted are indicative of the activities that might be expected.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

WASTE STREAM

9D68

FED Sludge - R2

Measurement of
radioactivities:

Values were derived from measurements, calculations of induced activity and estimates of likely contamination.

Other information:

-

WASTE STREAM

9D68

FED Sludge - R2

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.29E-02	CC 2			Gd 153			8	
Be 10	2E-07	CC 2			Ho 163			8	
C 14	6.00E-04	CC 2			Ho 166m			8	
Na 22		8			Tm 170			8	
Al 26	<5E-07	C 3			Tm 171			8	
Cl 36	2E-04	CC 2			Lu 174			8	
Ar 39		8			Lu 176			8	
Ar 42		8			Hf 178n			8	
K 40		8			Hf 182			8	
Ca 41	<2E-05	C 3			Pt 193			8	
Mn 53		8			Tl 204			8	
Mn 54		CC 2			Pb 205			8	
Fe 55	<8.74E-05	C 3			Pb 210			8	
Co 60	<5.59E-03	C 3			Bi 208			8	
Ni 59	3E-05	CC 2			Bi 210m			8	
Ni 63	5.41E-03	CC 2			Po 210			8	
Zn 65		8			Ra 223			8	
Se 79		8			Ra 225			8	
Kr 81		8			Ra 226			8	
Kr 85		8			Ra 228			8	
Rb 87		8			Ac 227			8	
Sr 90	3.58E-05	CC 2			Th 227			8	
Zr 93	8E-05	CC 2			Th 228			8	
Nb 91		8			Th 229			8	
Nb 92		8			Th 230			8	
Nb 93m	7.75E-05	CC 2			Th 232			8	
Nb 94		8			Th 234	<3E-08	C 2		
Mo 93	8.97E-05	CC 2			Pa 231			8	
Tc 97		8			Pa 233	<4.13E-09	C 3		
Tc 99	2E-05	CC 2			U 232			8	
Ru 106		8			U 233			8	
Pd 107		8			U 234	3.09E-08	CC 2		
Ag 108m	3.90E-06	CC 2			U 235			8	
Ag 110m		8			U 236	4.00E-09	CC 2		
Cd 109		8			U 238	3E-08	CC 2		
Cd 113m	<9.45E-05	C 3			Np 237	4.13E-09	CC 2		
Sn 119m		8			Pu 236			8	
Sn 121m	<5.75E-04	C 3			Pu 238	1.78E-05	CC 2		
Sn 123		8			Pu 239	1.00E-05	CC 2		
Sn 126		8			Pu 240	2.00E-05	CC 2		
Sb 125	2.28E-06	CC 2			Pu 241	3.41E-04	CC 2		
Sb 126		8			Pu 242	1E-08	CC 2		
Te 125m	5.71E-07	CC 2			Am 241	3.13E-05	CC 2		
Te 127m		8			Am 242m	9.28E-08	CC 2		
I 129		8			Am 243	3.00E-08	CC 2		
Cs 134	1.94E-09	CC 2			Cm 242	7.66E-08	CC 2		
Cs 135		8			Cm 243	2.12E-08	CC 2		
Cs 137	4.26E-05	CC 2			Cm 244	1.69E-07	CC 2		
Ba 133	<7.49E-05	C 3			Cm 245			8	
La 137	<5E-06	C 3			Cm 246			8	
La 138		8			Cm 248			8	
Ce 144		8			Cf 249			8	
Pm 145	1.69E-05	CC 2			Cf 250			8	
Pm 147	<1.33E-04	C 3			Cf 251			8	
Sm 147		8			Cf 252			8	
Sm 151	8.90E-05	CC 2			Other a				
Eu 152	9.19E-04	CC 2			Other b/g	6.16E-09	CC 2		
Eu 154	8.93E-03	CC 2			Total a	7.94E-05	CC 2		0
Eu 155	7.16E-05	CC 2			Total b/g	3.65E-02	CC 2		0

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity