SITE Hinkley Point A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Reported

Stocks: At 1.4.2022...... 4.7 m³

Total future arisings: 0 m³

Total waste volume: 4.7 m³

Comment on volumes: No future arisings are expected.

Uncertainty factors on Stock (upper): x 1.1 Arisings (upper) x volumes: Stock (lower): x 0.9 Arisings (lower) x

WASTE SOURCE The waste is redundant equipment and material usually arising from irradiated fuel

handling and pond operations.

PHYSICAL CHARACTERISTICS

General description: Redundant equipment and material. Metallic MCI, comprising 6 Stainless steel coffins

containing trays, shredder, cutting machine, bottle rack, etc. Total volume = 4.7m³

Physical components (%vol): Metal (~100% wt), free non-aqueous liquids (TR) and complexing agents (TR).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.4

Comment on density: Density provided by site following creation of materials based new streams from the parent

9D30 stream.

CHEMICAL COMPOSITION

General description and components (%wt):

Redundant equipment and material. Metallic MCI, comprising 6 Stainless steel coffins containing trays, shredder, cutting machine, bottle rack, etc. Total volume = 4.7m³. Fission

products, actinides and other activation products will be present as contaminants.

Percentage breakdown by weight not determined.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: The chemical form of tritium has not been assessed. C-14: The chemical form of carbon 14 has not been assessed. Cl-36: The chemical form of chlorine 36 has not been assessed.

Se-79: The chemical form of selenium has not been determined.

Tc-99: The chemical form of technetium has not been determined.

Ra: Radium isotope content is insignificant.
Th: The thorium isotope content is insignificant.

U: The chemical form of uranium isotopes has not been assessed but may be uranium

oxides.

Np: The chemical form of neptunium has not been determined.

Pu: The chemical form of plutonium isotopes has not been assessed but may be plutonium

oxides.

Metals and alloys (%wt): Steel coffins, drums and desplittering machine parts are present as bulk metal items.

Dimensions have not been fully assessed.

Iron.....

Aluminium...... NE

D 111			
Beryllium			
Cobalt			
Copper			
Lead			
Magnox/Magnesium			
Nickel			
Titanium	•••••		
Uranium			
Zinc	NE		
Zircaloy/Zirconium	NE		
Other metals	NE	Not fully assessed.	
	may be traces	cted to be present in very small q of oil and grease.The presence of y assessed.	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	NE		activity
Paper, cotton	NE		
Wood	NE		
Halogenated plastics	NE		
Total non-halogenated plastics	NE		
Condensation polymers	NE		
Others	NE		
Organic ion exchange materials	. NE		
Total rubber	NE		
Halogenated rubber	NE		
Non-halogenated rubber	NE		
Hydrocarbons			
Oil or grease	. NE		
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	NE		
Other materials (%wt):			
(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	. 0		Ţ
Inorganic sludges and flocs	. 0		
Soil	. 0		
Brick/Stone/Rubble	. NE		
Cementitious material	. 0		
Sand			

Glass/Ceramics	0	
Graphite	NE	
Desiccants/Catalysts		
Asbestos	NE	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	TR	
Powder/Ash	Р	
Inorganic anions (%wt): Not fully assessed.		
	(%wt)	Type(s) and comment
Fluoride	NE	
Chloride	NE	
lodide	NE	
Cyanide	0	
Carbonate	NE	
Nitrate	NE	
Nitrite	NE	
Phosphate	NE	
Sulphate	NE	
Sulphide	NE	
Materials of interest for Not fully assessed, waste acceptance criteria:	traces of N	Magnox may be present.
	(%wt)	Type(s) and comment
Combustible metals	NE	
Low flash point liquids	NE	
Explosive materials	NE	
Phosphorus	NE	
Hydrides	NE	
Biological etc. materials	NE	
Biodegradable materials	0	
Putrescible wastes	NE	
Non-putrescible wastes		
Corrosive materials	NE	
Pyrophoric materials	NE	
Generating toxic gases	NE	
Reacting with water	NE	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

Not fully assessed.

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron	0	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Not yet determined. In & of itself not a DI; waste stream may include DIs

(notably any stainless steel components)

PACKAGING AND CONDITIONING

Direct grout encapsulation of solids into 196 litre drums, grout 16 drums into RCB. Conditioning method:

Plant Name:

Location:

Plant startup date:

Total capacity

(m³/y incoming waste):

Target start date for packaging this stream:

Throughput for this stream (m³/y incoming waste):

Other information:

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages	
6m³ concrete box (SD)	100.0	4.7	5.8	1	

Likely container type

comment:

Range in container waste

Likely conditioning matrix:

volume:

Other information on

containers:

Not specified

Other information: Conditioned density (t/m3):

Conditioned density

comment:

Other information on conditioning:

Opportunity

Opportunities for alternative

Management Route Management Route

disposal routing:

Baseline

Estimated Date that Stream

Opportunity will be realised Opportunity Confidence

Comment

RADIOACTIVITY

Source: The radioactivity has arisen both from activation and contamination while the materials

were used in reactor or pond areas.

volume (%)

The values quoted are notional, representing an indicative Total Activity scaled to the Uncertainty:

subzone R1 & R2 Ponds 9D913 LLW fingerprint.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

As per HINA/WASTE/076 (PROG/HPA/SILW/0069) this update was derived by scaling extant notional estimates of Total Activity to the subzone R1 & R2 Ponds 9D913 LLW

extant notional estimates of Total Activity to the subzone R1 & R2 Ponds 9D913 LLW Fingerprint with caveat that split between U-235 & U-236 and Pu-239 & Pu-240 is set so that U-235 and Pu-239 comprise 20% and 50% of the isotope pairs, respectively. Th-234, the short-lived daughter product of U-238 is assumed to be in equilibrium with the parent

nuclide

Other information: Specific activity is a function of Station operating history.

WASTE STREAM

\mathbf{a}	\mathbf{D}
ч	IJXII

	M	lean radioac	tivity, TBq/m³				Mean radioa	ctivity, TBq/m ³	
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	5.9E-06	DD 2	a.i.e.i.ige	0000	Gd 153	1.4.2022	8	anomge	Occo
Be 10	0.52 00	8			Ho 163		8		
C 14	1.28E-05	DD 2			Ho 166m		8		
Na 22		8			Tm 170		8		
AI 26		8			Tm 171		8		
CI 36	4.1E-08	DD 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			TI 204		8		
Mn 54		8			Pb 205		8		
Fe 55	2.39E-06	DD 2			Pb 210		8		
Co 60	3.06E-06	DD 2			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63	1.96E-05	DD 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79 Kr 81		8 8			Ra 225 Ra 226		8 8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	5.34E-03	DD 2			Th 227		8		
Zr 93	0.012 00	8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94	6.93E-07	DD 2			Th 234	1.4E-06	D 3		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233	2.75E-09	DD 2		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	1.28E-06	DD 2		
Ag 108m	8.66E-07	D 3			U 235	3.1E-08	DD 2		
Ag 110m		8			U 236	1.24E-07	DD 2		
Cd 109 Cd 113m		8 8			U 238 Np 237	1.4E-06 2.86E-09	DD 2 DD 2		
Sn 119m		8			Pu 236	2.001-09	8		
Sn 121m		8			Pu 238	3.65E-04	DD 2		
Sn 123		8			Pu 239	7.38E-04	DD 2		
Sn 126		8			Pu 240	7.37E-04	DD 2		
Sb 125	1.03E-07	DD 2			Pu 241	7.5E-03	DD 2		
Sb 126		8			Pu 242		8		
Te 125m	2.58E-08	DD 2			Am 241	2.95E-03	DD 2		
Te 127m		8			Am 242m		8		
I 129		8			Am 243		8		
Cs 134	1.51E-08	DD 2			Cm 242		8		
Cs 135	0.005.04	8			Cm 243	3.89E-07	DD 2		
Cs 137	9.22E-04	DD 2 DD 2			Cm 244	1.35E-05	DD 2		
Ba 133 La 137	4.36E-07	оо 2 8			Cm 245 Cm 246		8 8		
La 137		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147	1.66E-06	DD 2			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		8			Other a				
Eu 152	7.7E-07	DD 2			Other b/g				
Eu 154	2.74E-05	DD 2			Total a	4.81E-03	DD 2	0	
Eu 155	1.83E-06	DD 2			Total b/g	1.38E-02	DD 2	0	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity