SITE Hinkley Point A

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Magnox Limited

LLW **WASTE TYPE**

Is the waste subject to

Scottish Policy:

Nο

WASTE VOLUMES

Reported Stocks: At 1.4.2022..... $<< 0.1 \, \text{m}^3$ Future arisings -1.4.2036 - 31.3.2037...... $< 0.1 \, \text{m}^3$ $< 0.1 \, \text{m}^3$ Total future arisings: Total waste volume: $< 0.1 \, \text{m}^3$

Comment on volumes: A small number of sources accounted for in future arisings maybe disposed of prior to

2036. Common volume assumption of 0.0002m3 per source (10cm x 10cm x 2cm) has been applied. Data from site source register shows 40 sources in stock and 68 forecast

future arisings.

Uncertainty factors on

volumes:

Stock (upper): x 1.1 Stock (lower): x 0.5 Arisings (upper) x 1.1 Arisings (lower)

x 0.5

% of total C14

WASTE SOURCE Redundant sealed sources used for a variety of purposes around the site.

PHYSICAL CHARACTERISTICS

General description: Various sealed sources.

Plastic (60%), Paper (30%), Metal (10%) Physical components (%vol):

Sealed sources: The waste contains sealed sources. 108, 40 in stock and 68 future arisings.

Bulk density (t/m3):

Comment on density: Density refers to sources on bases only, when they have been stripped of all extraneous

materials, which are disposed of as non-active material. Redundant sources will then be

encapsulated for disposal as LLW.

CHEMICAL COMPOSITION

General description and

components (%wt):

Plastic bases for sources are mainly PVC. Metal bases mainly Stainless Steel. Plastic

(60%), Paper (30%), Metal (10%).

Chemical state: Neutral

Chemical form of radionuclides:

H-3: The chemical form of the tritium content has not been determined.

C-14: The chemical form of the carbon content has not been determined.

Se-79: Selenium is not present. Tc-99: Technetium is not present.

Ra: The chemical form of the radium content has not been determined. Th: The chemical form of the thorium content has not been determined.

U: The chemical form of uranium has not been determined.

(%wt)

Np: Neptunium is not present.

Pu: The chemical form of the plutonium content has not been determined.

Metals and alloys (%wt):

Type(s) / Grade(s) with proportions activity Stainless steel..... ~10.0 Other ferrous metals..... Iron..... Aluminium...... 0

Cobalt.....

Beryllium...... NE

	Copper	. 0		
	Lead	. NE		
	Magnox/Magnesium	. 0		
	Nickel			
	Titanium	-		
	Uranium	. NE		
	Zinc	. NE		
	Zircaloy/Zirconium	NE		
	Other metals	. NE		
Organic	s (%wt):			
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	30.0		activity
	Paper, cotton	30.0		
	Wood	0		
	Halogenated plastics	~60.0	PVC	
	Total non-halogenated plastics	~00.0 NE	1 00	
	Condensation polymers	NE		
	Others	NE		
		NE		
	Organic ion exchange materials Total rubber	NE		
	Halogenated rubber	NE		
	Non-halogenated rubber	NE		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	NE		
Other m	aterials (%wt): -			
		(%wt)	Type(s) and comment	% of total C14
		(7011)	. , , , , , , , , , , , , , , , , , , ,	activity
	Inorganic ion exchange materials	NE		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	~0		
	Sand			
	Glass/Ceramics	0		
	Graphite	0		
	Desiccants/Catalysts			

	Asbestos	0	
	Non/low friable		
	Moderately friable		
	Highly friable		
	Free aqueous liquids	0	
	Free non-aqueous liquids	0	
	Powder/Ash	0	
Inorganic ar	nions (%wt):		
J	()	(9/ w/t)	Tuna(a) and comment
		(%wt)	Type(s) and comment
	Fluoride	NE	
	Chloride	NE	
	lodide	NE	
	Cyanide	NE	
	Carbonate	NE	
	Nitrate	NE	
	Nitrite	NE	
	Phosphate	NE	
	Sulphate	NE	
	Sulphide	NE	
waste accep	otance criteria:	(%wt)	Type(s) and comment
	Combustible metals	0	
	Low flash point liquids	0	
	Explosive materials	0	
	Phosphorus	0	
	Hydrides	0	
	Biological etc. materials	0	
	Biodegradable materials	0	
	Putrescible wastes	0	
	Non-putrescible wastes		
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles		
	Soluble solids as bulk chemical compounds		
	substances / Only very small qua	antities of le	ead are expected.
		(%wt)	Type(s) and comment
	Acrylamide	. ,	

Potential for to		Not yet determined. WAC)	Subject t	o DI type assessment (specific clauses within
	Total complexing		0	
	Other organic cor			
	Polycarboxylic ac			
	NTA			
	DPTA			
	EDTA			
			(%wt)	Type(s) and comment
Complexing	agents (%wt):	No		
Complete		No		
	•			
		ical Equipment (EEE)		
	Others			
	Mercury compour			
	Vanadium			
	Tin			
	Molybdenum Thallium			
	Chromium			
	Selenium			
	Caesium			
	Cadmium	•		
		ral)		
)	•	
	Boron		0	
	Barium			
	Arsenic			
	Vinyl chloride			
	Other organophos			
	Tri-butyl phospha			
	Styrene			
	Phenol			
	Organometallics			
	Formaldehyde			
	Chlorinated solve			
	Benzene			

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification	On-site	100.0
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		

Comment on planned treatments:

Sources will be stripped of all extraneous material and encapsulated in grout in "paint-tin" type containers. The majority of sources are LLW but the possibility remains that some may be ILW and have to be treated as such. This is under review.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	2.4

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Route	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Opportunity Management Route Management Route volume (%) will be realised Confidence			Opportunity	- 1 1	Comment
--	--	--	-------------	-------	---------

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	15.5	<1

Other information: Only one paint-tin type container is allowed per disposal container for sealed

sources. It is expected that this stream will be disposed with other LLW streams. Waste will not be drummed and supercompacted but encapsulated

into 100ml grout.

Waste Planned for Disposal at the LLW Repository:

Container voidage: Significant inaccessible voidage is not expected.

Waste Characterisation

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

The waste does not have a current WCH.

Waste consigned for disposal to LLWR in year of generation:

Form (WCH):

No. Only one paint tin sized container of encapsulated sources can be disposed of per HHISO so timings of waste disposal are to be spread over a number of years.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Redundant sealed sources used for a variety of purposes around the power station site.

Uncertainty: Data taken from site source register and decayed to common stock reference date/start

date of first arising

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Data on specific activities is obtained from site records.

Other information:

Nuclide		l	Mean radioact	tivity, TBq/m³			Mean radioactivity, TBq/m³			
Ber 10	Nuclide					Nuclide				Bands and Code
C 14	H 3	5.75E-04	BB 2	1.41E-04	BB 2	Gd 153		8		8
Na 22	Be 10		8		8	Ho 163		8		8
A 126	C 14	1.59E-03	BB 2	1.08E-05	BB 2	Ho 166m		8		8
A 126	Na 22		8		8	Tm 170		8		8
C136						Tm 171		8		8
Ar 39 Ar 42 Ar 42 Ar 40 Ar 42 Ar 40 British		1.38E-05		7.54E-06						8
A+42										8
K40										8
Ca 41										8
Mn 53										8
Mn 64										8
Fe 55										8
Co Co Co Co Co Co Co Co				4 49E 09						8
Ni 59 Ni 63										8
Ni 63				3.59E-05						
Zn E										
Se 79										8
Kr 81										
Kr 85										8
Rb B7										8
Sr 90										8
ZF93										8
Nb 91 Nb 92 Nb 92 Nb 93 Nb 93 Nb 94 Nb 93 Nb 93 Nb 94 Nb 93 Nb 94 Nb 93 Nb 96 Nb 97 Nb 96 Nb 97 Nb 97 Nb 97 Nb 97 Nb 97 Nb 98	Sr 90	6.38E-04	BB 2	2.17E-02	BB 2					8
Nb 92	Zr 93		8		8					8
Nb 93m	Nb 91		8		8					8
Nb 94	Nb 92		8		8					8
No 93	Nb 93m		8		8					8
Tc 97 Tc 99 Ru 106 Ru 106 Ru 107 Ru 107 Ru 108 Ru 108 Ru 109 Ru 1	Nb 94		8		8			8		8
Tc 99 Ru 106 Ru 107 Ru 106 Rd 108 Ru 108 Ru 1033 Ru 1033 Ru 1035 Rd 108 Ru 1035 Rd 109 Ru 106 Rd 109 Ru 106 Rd 109 Ru 106 Rd 109 Rd 108 Rd 1035 Rd 103	Mo 93		8		8	Pa 231		8		8
Ru 106 Pd 107 8 Ry 108m Ag 108m Ag 108m Ag 108m Ag 108m Cd 109 Ry 107 Ry 108m Cd 109 Ry 107 Ry 108m Ry 108m Cd 109 Ry 108m Ry 108m	Tc 97		8		8	Pa 233		8		8
Pd 107 8 8 U 234 8 8 2.84E-03 BB 2 8 8 8 8 2.84E-03 BB 2 8 <td< td=""><td>Tc 99</td><td></td><td>8</td><td></td><td>8</td><td>U 232</td><td></td><td>8</td><td></td><td>8</td></td<>	Tc 99		8		8	U 232		8		8
Ag 108m 8 8 U 235 2.84E-03 BB 2 8	Ru 106		8		8	U 233		8		8
Ag 110m	Pd 107		8		8	U 234		8		8
Cd 109 Cd 113m Sd 119m Sd 119m Sd 18m Sd 119m Sd 12d Sd 12	Ag 108m		8		8	U 235	2.84E-03	BB 2		8
Cd 109 8 8 U 238 8	Ag 110m		8		8	U 236		8		8
Sn 119m 8 8 Pu 236 8 8 Pu 238 8 8 Pu 238 8 8 Pu 238 8 8 Pu 239 8 8 8 Pu 240 8 8 8 Pu 240 8 8 8 8 8 Pu 241 8 8 8 8 8 8 Pu 241 8			8		8	U 238		8		8
Sn 119m 8 8 Pu 236 8 8 8 Pu 238 8	Cd 113m		8		8	Np 237		8		8
Sn 121m 8 8 Pu 238 8 8 Pu 239 8 8 8 Pu 239 8 8 8 8 Pu 240 8 8 8 8 Pu 240 8 8 8 8 8 Pu 241 8						Pu 236		8		8
Sn 123 8 8 Pu 239 8 <td< td=""><td></td><td></td><td></td><td></td><td></td><td>Pu 238</td><td></td><td>8</td><td></td><td>8</td></td<>						Pu 238		8		8
Sn 126 8 8 Pu 240 8 8 Sb 125 8 8 Pu 241 8 8 Sb 126 8 8 Pu 242 8 8 Te 125m 8 8 Am 241 2.34E-06 BB 2 2.78E-06 BB 2 Te 127m 8 8 Am 241 2.34E-06 BB 2 2.78E-06 BB 2 I 129 8 8 Am 243 8 8 Cs 134 8 Cm 242 8 8 Cs 135 8 Cm 243 8 8 Cs 137 7.65E-04 BB 2 3.29E-03 BB 2 Cm 244 8 Ba 133 8 3.07E-04 BB 2 Cm 244 8 Ba 133 8 3.07E-04 BB 2 Cm 245 8 La 138 8 Cm 248 8 8 Ce 144 8 8 Cf 249 8 Pm 145 8 6 6 8 Pm 147 8 8 Cf 250 8 8 Pm 147 8 8 Cf 252 8 8 Sm 151 8 Cm 245 8 Cm 246 8 8								8		8
Sb 125 8 8 Pu 241 8 8 Pu 242 8 8 Ru 242 8 8 Ru 242 8 8 Ru 242 8 8 Ru 241 2.34E-06 BB 2 2.78E-06 BB 2										8
Sb 126 8 8 Pu 242 8 2.34E-06 BB 2 2.78E-06 BB 2 Te 127m 8 8 Am 241 2.34E-06 BB 2 2.78E-06 BB 2 I 129 8 8 Am 243 8 8 Cs 134 8 Cm 242 8 8 Cs 135 8 Cm 244 8 8 Cs 137 7.65E-04 BB 2 3.29E-03 BB 2 Cm 244 8 Ba 133 8 3.07E-04 BB 2 Cm 244 8 La 137 8 Cm 246 8 8 La 138 8 Cm 248 8 8 Ce 144 8 Cm 248 8 8 Ce 144 8 Cm 249 8 8 Pm 145 8 Cf 250 8 8 Pm 147 8 8 Cf 251 8 8 Sm 151 8 0ther a 0ther b/g Eu 152 8 0ther b/g 7 2.84E-03 BB 2 2.78E-06 BB 2										8
Te 125m Te 127m Reference										8
Te 127m			_		-		2.34E-06		2.78E-06	BB 2
129										8
Cs 134 8 8 Cm 242 8										8
Cs 135 8 8 Cm 243 8										8
Cs 137 7.65E-04 BB 2 3.29E-03 BB 2 Cm 244 8										8
Ba 133 8 3.07E-04 BB 2 Cm 245 8		7.655.04		3 20E 03						8
La 137 8 8 Cm 246 8 8 La 138 8 8 Cm 248 8 8 Ce 144 8 8 Cf 249 8 8 Pm 145 8 8 Cf 250 8 8 Pm 147 8 8 Cf 251 8 8 Sm 147 8 8 Cf 252 8 8 Sm 151 8 8 Other a Eu 152 8 8 Other b/g Eu 154 8 Total a 2.84E-03 BB 2 2.78E-06 BB 2		7.03L-04								8
La 138 8 8 Cm 248 8 Ce 144 8 8 Cf 249 8 Pm 145 8 8 Cf 250 8 Pm 147 8 8 Cf 251 8 8 Sm 147 8 8 Cf 252 8 8 Sm 151 8 8 Other a Eu 152 8 8 Other b/g Eu 154 8 Total a 2.84E-03 BB 2 2.78E-06 BB 2				3.07 ⊑-04						8
Ce 144 8 8 Cf 249 8 8 Pm 145 8 8 Cf 250 8 8 Pm 147 8 8 Cf 251 8 8 Sm 147 8 8 Cf 252 8 8 Sm 151 8 8 Other a Eu 152 8 Other b/g Eu 154 8 Total a 2.84E-03 BB 2 2.78E-06 BB 2										8
Pm 145 8 8 Cf 250 8 8 Pm 147 8 8 Cf 251 8 8 Sm 147 8 8 Cf 252 8 8 Sm 151 8 8 Other a Eu 152 8 0ther b/g Eu 154 8 Total a 2.84E-03 BB 2 2.78E-06 BB 2										8
Pm 147 8 8 Cf 251 8 8 Sm 147 8 8 Cf 252 8 8 Sm 151 8 8 Other a 8 0ther b/g Eu 152 8 8 Other b/g 8 0ther b/g										
Sm 147 8 8 Cf 252 8 8 Sm 151 8 8 Other a 9 Eu 152 8 8 Other b/g 8 0 Eu 154 8 8 Total a 2.84E-03 BB 2 2.78E-06 BB 2										8
Sm 151 8 8 Other a Eu 152 8 8 Other b/g Eu 154 8 8 Total a 2.84E-03 BB 2 2.78E-06 BB 2										8
Eu 152 8 8 Other b/g Eu 154 8 8 Total a 2.84E-03 BB 2 2.78E-06 BB 2								8		8
Eu 154 8 Total a 2.84E-03 BB 2 2.78E-06 BB 2										
						_				
I DUAGE I DE O DE O DE O LA TOTAL DE O DE										
EU 100 8 8.93E-00 BB 2 10tal mg 3.50E-03 BB 2 2.53E-02 BB 2	Eu 155		8	8.93E-06	BB 2	Total b/g	3.58E-03	BB 2	2.55E-02	BB 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 7 Present by Spring Symbol 10 Symbol