

WASTE STREAM 9E24 FED Magnox

SITE Oldbury
SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	93.8 m ³
Total future arisings:		0 m ³
Total waste volume:		93.8 m ³

Comment on volumes: Future arisings are zero because the vault is full.

Uncertainty factors on volumes:	Stock (upper):	x 1.2	Arisings (upper)	x
	Stock (lower):	x 0.8	Arisings (lower)	x

WASTE SOURCE The source of the waste is the removal of splitters from polyzonal fuel elements prior to dispatch of the elements to Sellafield.

PHYSICAL CHARACTERISTICS

General description: The waste consists of activated Magnox metal and swarf which is contaminated by fission products and actinides. Individual components may weigh up to about 100 g and be approx. 2 mm x 25 mm x (75-900) mm. Some Nimonic springs will also be present (see waste stream 9E40). There are no large items in the waste which will require special handling.

Physical components (%wt): Magnox (>99.5% wt). The waste volume will include some fuel element top end fittings which will incorporate highly active Nimonic springs together with some zirconium alloy - see waste stream 9E40.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 0.268

Comment on density: The bulk density has been calculated using data from vault filling records (number of splitters) multiplied by the individual mass of splitter divided by volume of vault occupied by waste.

CHEMICAL COMPOSITION

General description and components (%wt): Magnox metal (>99.5% wt including impurities). Activation of trace components within the Magnox. Fission product and actinide contamination. It is anticipated that the waste will include some fuel element top end fittings which will incorporate highly active Nimonic springs (waste stream 9E40) together with some zirconium alloy.

Chemical state: Neutral

Chemical form of radionuclides:

- H-3: Tritium is expected to be present as surface contamination, possibly as water but perhaps in the form of other inorganic compounds or as organic compounds.
- C-14: Carbon 14 will be present as graphite.
- Cl-36: Chlorine 36 incorporated in the Magnox may be associated with barium impurity (barium chloride). Other chlorine 36 may be associated with surface contamination.
- Se-79: The selenium content is insignificant.
- Tc-99: The technetium content is insignificant.
- Ra: Radium isotope content is insignificant.
- Th: Thorium isotope content is insignificant.
- U: Chemical form of U isotopes has not been determined but may be oxides.
- Np: The neptunium content is insignificant.
- Pu: Chemical form of Pu isotopes has not been determined but may be oxides.

Metals and alloys (%wt): No bulk metal items present.

WASTE STREAM 9E24 FED Magnox

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	0		
Iron.....	0		
Aluminium.....	P		
Beryllium.....	TR	Magnox with impurities which may include beryllium.	
Cobalt.....			
Copper.....	0		
Lead.....	0		
Magnox/Magnesium.....	>99.5	Will consist predominantly of Magnox alloy ZR55. includes 0.55% zirconium and 0.5% aluminium	
Nickel.....			
Titanium.....			
Uranium.....			
Zinc.....			
Zircaloy/Zirconium.....	P	some zirconium as alloy in the Magnox and as a "free" metal.	
Other metals.....			
Organics (%wt):	There may be organics present in trace quantities.		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics.....	0	There are no halogenated plastics or rubbers present.	
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0	There are no halogenated plastics or rubbers present.	
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	TR		
Other materials (%wt):	Traces of graphite expected. Magnox with impurities which may include beryllium. Also some zirconium as alloy in the Magnox and as a "free" metal.		

WASTE STREAM	9E24	FED Magnox
---------------------	-------------	-------------------

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	TR		
Desiccants/Catalysts.....			
Asbestos.....	0		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	TR		
Free non-aqueous liquids.....	0		
Powder/Ash.....	NE		

Inorganic anions (%wt): Inorganic anions are not expected to be present at greater than trace concentrations.

	(%wt)	Type(s) and comment
Fluoride.....	TR	
Chloride.....	TR	
Iodide.....	0	
Cyanide.....	0	
Carbonate.....	TR	
Nitrate.....	TR	
Nitrite.....	TR	
Phosphate.....	TR	
Sulphate.....	TR	
Sulphide.....	0	

Materials of interest for waste acceptance criteria: Magnox will ignite under appropriate conditions.

	(%wt)	Type(s) and comment
Combustible metals.....	>99.5	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		

WASTE STREAM	9E24	FED Magnox
---------------------	-------------	-------------------

Corrosive materials.....	0
Pyrophoric materials.....	0
Generating toxic gases.....	0
Reacting with water.....	>99.5
Higher activity particles.....	
Soluble solids as bulk chemical compounds.....	

Hazardous substances /
non hazardous pollutants: -

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		
Phenol.....		
Styrene.....		
Tri-butyl phosphate.....		
Other organophosphates.....		
Vinyl chloride.....		
Arsenic.....		
Barium.....		
Boron.....	0	
Boron (in Boral).....		
Boron (non-Boral).....		
Cadmium.....		
Caesium.....		
Selenium.....		
Chromium.....		
Molybdenum.....		
Thallium.....		
Tin.....		
Vanadium.....		
Mercury compounds.....		
Others.....		
Electronic Electrical Equipment (EEE)		
EEE Type 1.....		
EEE Type 2.....		
EEE Type 3.....		
EEE Type 4.....		
EEE Type 5.....		

WASTE STREAM 9E24 FED Magnox

Complexing agents (%wt): Yes

(%wt) Type(s) and comment

- EDTA.....
- DPTA.....
- NTA.....
- Polycarboxylic acids.....
- Other organic complexants.....
- Total complexing agents..... TR

Potential for the waste to contain discrete items: Yes. In & of itself not a DI; Will likely contain "rogue" items (HDRIs) that will be (see Nimonic/Others)

TREATMENT, PACKAGING AND DISPOSAL

Waste that is currently ILW: -

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	Off-site	100.0

Comment on planned treatments: -

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	0.27

Classification codes for waste expected to be consigned to a landfill facility: -

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

WASTE STREAM	9E24	FED Magnox
---------------------	-------------	-------------------

Opportunities for alternative disposal routing: -

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Disposal at LLWR	Disposal at a Geological Disposal Facility	NE	2023	Medium	Baseline position is LLW disposal but this is under threat - under investigation still

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	14.4	7

Other information: Assessment and further modelling of FED characterisation has resulted in a change and, therefore, a review of the current waste strategy is underway. In addition, FED sort and segregation learning from Bradwell and Hinkley Point A is available and provides empirical data to review the current sort and segregation strategy for FED at Oldbury and Sizewell A.

Waste Planned for Disposal at the LLW Repository:

Container voidage: -

Waste consigned for disposal to LLWR in year of generation: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The source of the waste is the removal of splitters from fuel prior to dispatch of the elements to Sellafield. Activation of trace nuclides in the Magnox and contamination by fission products and actinides will be main sources of activity.

Uncertainty: The values quoted are indicative of the activities that might be expected.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Values were derived from measurements. As documented in M/EF/OLA/EAN/0002/21

Other information: Although the gross beta/gamma activity in the FED material is LLW, this waste stream is not discrete. The FED material is intimately mixed with highly active Nimonic Springs.

WASTE STREAM

9E24 FED Magnox

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	2.14E-03	CC 2			Gd 153		8		
Be 10		8			Ho 163	1.18E-08	CC 2		
C 14	1.21E-04	CC 2			Ho 166m	2.33E-07	CC 2		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36	1.36E-05	CC 2			Lu 174		8		
Ar 39	1.78E-08	CC 2			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41	1.13E-07	CC 2			Pt 193		8		
Mn 53		8			Tl 204	3.28E-07	CC 2		
Mn 54		8			Pb 205		8		
Fe 55	4.70E-07	CC 2			Pb 210		8		
Co 60	2.12E-05	CC 2			Bi 208		8		
Ni 59	8.64E-06	CC 2			Bi 210m		8		
Ni 63	8.20E-04	CC 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	1.04E-04	CC 2			Th 227		8		
Zr 93	8.75E-06	CC 2			Th 228		8		
Nb 91	1.22E-09	CC 2			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	1.15E-05	CC 2			Th 232		8		
Nb 94	9.11E-07	CC 2			Th 234		8		
Mo 93	1.22E-07	CC 2			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99	1.64E-08	CC 2			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234		8		
Ag 108m	1.59E-06	CC 2			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238		8		
Cd 113m	6.62E-05	CC 2			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m	2.11E-07	CC 2			Pu 238	3.70E-06	CC 2		
Sn 123		8			Pu 239	3.26E-06	CC 2		
Sn 126		8			Pu 240	4.10E-06	CC 2		
Sb 125		8			Pu 241	4.54E-05	CC 2		
Sb 126		8			Pu 242		8		
Te 125m		8			Am 241	9.44E-06	CC 2		
Te 127m		8			Am 242m		8		
I 129		8			Am 243		8		
Cs 134		8			Cm 242		8		
Cs 135		8			Cm 243	1.68E-09	CC 2		
Cs 137	1.70E-04	CC 2			Cm 244	4.23E-08	CC 2		
Ba 133	4.45E-07	CC 2			Cm 245		8		
La 137	1.14E-09	CC 2			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145	7.24E-08	CC 2			Cf 250		8		
Pm 147	1.46E-08	CC 2			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151	9.46E-06	CC 2			Other a				
Eu 152	5.63E-08	CC 2			Other b/g				
Eu 154	2.10E-07	CC 2			Total a	2.05E-05	CC 2	0	
Eu 155	3.21E-07	CC 2			Total b/g	3.55E-03	CC 2	0	

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity