**SITE** Oldbury

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

No

**WASTE VOLUMES** 

Reported

Stocks: At 1.4.2022...... 0 m<sup>3</sup>

Future arisings - 1.4.2096 - 31.3.2101....... 3303.0 m<sup>3</sup>

Total future arisings: 3303.0 m³

Total waste volume: 3303.0 m³

Comment on volumes: Waste arisings are assumed to occur at a uniform rate over 5 years Final Dismantling &

Site Clearance is assumed to commence in 2091 with reactor dismantling commencing in 2096 and lasting for 5 years. The volumes and radioactivity have been calculated for 85

x 1.2

years after reactor shutdown, i.e. 2097.

Uncertainty factors on Stock (upper): x Arisings (upper)

volumes: Stock (lower): x Arisings (lower) x 0.8

**WASTE SOURCE** Moderator graphite from reactor dismantling.

#### PHYSICAL CHARACTERISTICS

General description: Graphite blocks and other graphite components.

Physical components (%wt): Graphite (~100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.25

Comment on density: The density is the effective density of the waste as cut for packaging assuming 90% of the

waste is in blocks and 10% is rubble.

### **CHEMICAL COMPOSITION**

General description and components (%wt):

Graphite and possibly traces of ferrous metals.

Chemical state: Neutral

Chemical form of H-3: Tritium may be chemically bound with the graphite.

radionuclides: C-14: Carbon 14 will be present as graphite.

CI-36: The chlorine 36 will probably be chemically bound to the graphite. Some may be

chemically linked with impurities in the graphite. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant.

U: There may be traces of uranium as metal or oxide.

Np: The neptunium content is insignificant.

Pu: There may be traces of plutonium as metal or oxide.

Metals and alloys (%wt): There are no metallic items present.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel...... TR There may be trace contamination

by ferrous metals.

Other ferrous metals...... TR There may be trace contamination

by ferrous metals.

Iron.....

Cobalt			
Copper	0		
Lead	0		
Magnox/Magnesium	0		
Nickel			
Titanium			
Uranium			
Zinc	0		
Zircaloy/Zirconium	0		
Other metals	0	There are no "other" metals.	
Organics (%wt): None expected. No	halogena	ted plastics or rubbers will be present.	
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	0		adavay
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt):			
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		,
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	100.0		100.0

Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt):  None of the inorganit trace concentrations		isted in the table are expected to be present at greater than
	(%wt)	Type(s) and comment
Fluoride	TR	Detected at trace levels in inactive graphite material.
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	TR	
Nitrate	TR	
Nitrite	0	
Phosphate	TR	Detected at trace levels in inactive graphite material.
Sulphate	TR	Detected at trace levels in inactive graphite material.
Sulphide	0	
		re or other non-radiological hazard have been identified. sk; it is difficult but not impossible to ignite.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	TR	Detected at trace levels in inactive graphite material.
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic	TR	Detected at trace levels in inactive graphite material.
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium	TR	Detected at trace levels in inactive graphite material.
Tin		
Vanadium		
Mercury compounds		
Others	TR	Gallium, germanium and rubidium detected at trace levels in inactive graphite material.
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		

> Total complexing agents..... TR

Potential for the waste to contain discrete items:

Yes. Graphite Bricks/Tiles assumed to be Dls. Bricks assumed drummed (ungrouted) so assumed Bricks are DIs; If grouted, Drum is also a DI. "Rubble" pieces assumed drummed (ungrouted) assumed NOT DIs; If grouted, Drum is a

#### **PACKAGING AND CONDITIONING**

Conditioning method: The waste is not expected to be supercompacted. The treatment envisaged is the

placement of the waste in baskets followed by encapsulation.

Plant Name:

Location: **Oldbury Power Station** 

Plant startup date: 2096 Total capacity ~5000.0

(m<sup>3</sup>/y incoming waste):

Target start date for packaging this stream: 2096

Throughput for this stream (m³/y incoming waste):

550.0

Other information: The processing strategy has not yet been determined

Likely container type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
4m box (no shielding)	100.0	16.2	18.9	204

Likely container type

comment:

The container choice may be influenced by the Transport Regulations at the time of Final Site Clearance. The waste is assumed to be in baskets in the waste package so the

occupied volume in the package is greater than the original waste volume.

Range in container waste

volume:

Not yet determined. No significant variability is expected

Other information on

containers:

The container material is expected to be stainless steel.

Likely conditioning matrix: Other information:

Blast Furnace Slag / Ordinary Portland Cement The waste is assumed to be encapsulated.

Conditioned density (t/m³):

Conditioned density

comment:

~1.7

Other information on

conditioning:

The conditioned waste density assumes that the waste will be encapsulated.

The waste will be in baskets placed in the waste packages. Baskets of different Final Site Clearance ILW wastes may be in the same waste package. The encapsulation matrix is likely to be BFS/OPC and the density of the conditioned waste product would be about 1.7

t/m3.

Opportunities for alternative

disposal routing:

Baseline Opportunity Management Route Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
--	----------------------	--	---------------------------	---------

### **RADIOACTIVITY**

Source: Activation of the graphite and impurities.

Uncertainty: The values quoted were derived by calculation from available material specification and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha Where total

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities have been estimated using a neutron activation calculation of the graphite and its impurities. Additional data from newly calculated inventories including 100

ppb U precursor as per M/EF/GEN/EAN/0008/20

Other information: The activities quoted are those at 85 years after reactor shutdown i.e. in 2097. There may

be some contamination by Cs137. Fission of uranium in the graphite may result in some

fission product and actinide activity.

#### **WASTE STREAM Graphite ILW** 9E319

Mean radioactivity, TBq/m <sup>3</sup>			Mean radioactivity, TBq/m³						
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			2.72E-03	CC 2	Gd 153				8
Be 10	Ī			8	Ho 163				8
C 14			1.62E-01	BB 2	Ho 166m			1.51E-06	CC 2
Na 22	İ			8	Tm 170				8
Al 26				8	Tm 171				8
CI 36			3.44E-04	CC 2	Lu 174				8
Ar 39			0.1.12 0.1	8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			4.15E-04	CC 2	Pt 193				8
Mn 53			4.102 04	8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			4.41E-07	CC 2	Bi 208				8
Ni 59					Bi 210m				8
			4.01E-05	CC 2	Po 210				8
Ni 63	1		3.17E-03	CC 2	Ra 223				8
Zn 65				8	Ra 225				8
Se 79				8					8
Kr 81			0 === 0=	8	Ra 226				
Kr 85			8.75E-07	CC 2	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			2.75E-04	CC 2	Th 227				8
Zr 93			7.9E-08	CC 2	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m			7.6E-08	CC 2	Th 232				8
Nb 94			1.2E-07	CC 2	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233			1.05E-09	CC 2
Tc 99			4.93E-07	CC 2	U 232				8
Ru 106				8	U 233				8
Pd 107			7.42E-09	CC 2	U 234			6.3E-09	CC 2
Ag 108m			5.49E-06	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237			1.05E-09	CC 2
Sn 119m				8	Pu 236				8
Sn 121m			2.59E-04	CC 2	Pu 238			1.59E-05	CC 2
Sn 123				8	Pu 239			1.73E-06	CC 2
Sn 126			2.97E-08	CC 2	Pu 240			1.52E-05	CC 2
Sb 125				8	Pu 241			1.97E-05	CC 2
Sb 126			4.15E-09	CC 2	Pu 242			2.14E-07	CC 2
Te 125m				8	Am 241			3.66E-05	CC 2
Te 127m				8	Am 242m			4.18E-08	CC 2
l 129				8	Am 243			5.42E-06	CC 2
Cs 134				8	Cm 242			3.45E-08	CC 2
Cs 135			2.24E-08	CC 2	Cm 243	[		5.3E-08	CC 2
Cs 137			5.42E-04	CC 2	Cm 244			1.58E-04	CC 2
Ba 133	Ī		7.38E-07	CC 2	Cm 245			3.21E-07	CC 2
La 137				8	Cm 246			2.3E-06	CC 2
La 138				8	Cm 248				8
Ce 144				8	Cf 249			7.57E-09	CC 2
Pm 145			6.16E-08	CC 2	Cf 250			1.23E-09	CC 2
Pm 147			352 00	8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			2.29E-06	CC 2	Other a				J
Eu 152			2.98E-09	CC 2	Other b/g				
Eu 154			5.46E-07	CC 2	Total a	0		2.36E-04	CC 2
Eu 154 Eu 155	1		JUL-U/	8	Total b/g	0		1.70E-01	CC 2
Lu 133	<u> </u>		<u> </u>	0	10.0.15/9	<u>.                                    </u>		52 01	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

- Measured activity
   Derived activity (best estimate)
   Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity