SITE Oldbury

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Reported

Stocks: At 1.4.2022...... 4.0 m³

Total future arisings: 0 m³

Total waste volume: 4.0 m³

Comment on volumes: Gravel will be removed from the vaults when the wastes accumulated in the vault are

retrieved.

Uncertainty factors on

Stock (upper): x 1.2

Arisings (upper)

(apper)

volumes:

Stock (lower): x 0.8

Arisings (lower) x

WASTE SOURCE Contaminated gravel (stone chippings) on the floor of a vault. The gravel was applied

before any waste was discharged to the facility.

PHYSICAL CHARACTERISTICS

General description: Contaminated gravel. There are no large items.

Physical components (%vol): 100% contaminated gravel. Likely to be either limestone or silica based.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.5

Comment on density: The gravel is assumed to be either limestone or silica based. The density range has not

been estimated.

CHEMICAL COMPOSITION

General description and components (%wt):

The chemical composition of the chippings is not known. It is likely that either silica or limestone based material has been used. Fission products, actinides and other activation

products will be present as contaminants.

Chemical state: Neutral

Chemical form of

radionuclides:

H-3: Tritium will be present in the form of tritiated water.

C-14: Carbon 14 will be present in the form of graphite dust contamination.

CI-36: Chlorine 36 will be present in graphite dust contamination.

Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium isotope content is insignificant. Th: The thorium isotope content is insignificant.

U: Uranium may be present as natural uranium metal contamination.

Np: The neptunium content is insignificant. Pu: Plutonium may be present as metal or oxide.

Metals and alloys (%wt): No bulk or sheet metal items present.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel..... 0

Other ferrous metals......

Iron.....

Cobalt.....

Copper..... 0

	Lead	. 0		
	Magnox/Magnesium	NE	Only trace metallic content would be expected to be associated with the original gravel, but there may be contamination from the wastes resting on the gravel.	
	Nickel			
	Titanium			
	Uranium			
	Zinc	. 0		
	Zircaloy/Zirconium	. NE		
	Other metals	. 0	No "other" metals are expected.	
Organics (%	wt): Organics may be p present.	resent in tr	race quantities. Halogenated plastics and	rubbers will not be
		(%wt)	Type(s) and comment	% of total C14 activity
	Total cellulosics	0		
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	TR		
Other materi	als (%wt): Some graphite con	tamination		
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	100.0		
	Cementitious material	0		
	Sand			
	Glass/Ceramics	0		
	Granhite	TR		

Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	TR	
Free non-aqueous liquids	0	
Powder/Ash	TR	
Inorganic anions (%wt): The inorganic anion silicates may be pre-		f the gravel has not been fully assessed. Carbonates and
	(%wt)	Type(s) and comment
Fluoride	NE	
Chloride	NE	
lodide	NE	
Cyanide	0	
Carbonate	NE	
Nitrate	NE	
Nitrite	NE	
Phosphate	NE	
Sulphate	NE	
Sulphide	NE	
Materials of interest for waste acceptance criteria: There may be some conditions.	e Magnox r	mixed with the gravel. This could ignite under appropriate
	(%wt)	Type(s) and comment
Combustible metals	NE	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials	0	
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	NE	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

none expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron	0	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

No. In & of itself not a DI; context will define if likely to contain any "rogue" items that could be (i.e. if FED Vault lining then yes, but would be removed if >

DI Limits in conditioned waste see FED; if SPFs then no, see

Sand/Sludge/Resin)

PACKAGING AND CONDITIONING

Conditioning method: The gravel will be retrieved when the rest of the vault contents are retrieved. It might

be washed and any LLW material subsequently separated from ILW but in view of the small volume of this stream all of the waste is expected to be managed as ILW.

Plant Name: None

Location: Oldbury Power Station

Plant startup date: 2023
Total capacity ~500.0

(m³/y incoming waste):

Target start date for packaging this stream:

2023

Throughput for this stream (m³/y incoming waste):

4.0

Other information: The waste will be retrieved and packaged after retrieval of Magnox FED from the

vault has been completed.

Likely container

type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
3m³ RS box	100.0	2	2.5	2

Likely container type

comment:

No volume reduction or increase is anticipated.

Range in container waste

volume:

No significant variability is expected.

Other information on

containers:

The package material is expected to be stainless steel or mild steel if applicable

Likely conditioning matrix:

Other information:

None

Conditioned density (t/m³):

Conditioned density

comment:

~1.5 This density is expected to vary by not more than 10% from the average.

Other information on

conditioning:

Appropriate plant will be provided at the Station in accordance with Company strategy. ILW will be placed in a Type VI DCIC and dried, if applicable, any LLW will be placed in a mild

steel half height ISO container.

Opportunities for alternative disposal routing:

)

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
Disposal at a Geological Disposal Facility	Disposal at LLWR	100.0	2030	Medium	Based on experience at Bradwell and expectation that the FED in the vaults above the gravel could be disposed of as LLW, this waste could be disposed of at LLWR subject to demonstrating it meets the WAC.

RADIOACTIVITY

Source: Contamination may have been transferred to the chippings via direct contact with waste

materials and this may have been enhanced by moisture from the waste. The ability of the chippings to absorb soluble active materials depends on the chemical composition of the

chippings themselves.

Uncertainty: The waste is assumed to be ILW. This can be confirmed only when the waste is retrieved.

The waste may be rendered LLW by washing.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Levels of contamination have been estimated from the activity of the Magnox debris in the

vault.

Other information:

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	1.02E-04	CC 2			Gd 153		8		
Be 10	2E-08	CC 2			Ho 163		8		
C 14	9.99E-06	CC 2			Ho 166m		8		
Na 22		8			Tm 170		8		
AI 26	1E-07	CC 2			Tm 171		8		
CI 36	2E-05	CC 2			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		8
K 40		8			Hf 182		8		
Ca 41	<2E-06	C 3			Pt 193		8		
Mn 53		8			TI 204		8		
Mn 54		8			Pb 205		8		
Fe 55	1.89E-07	CC 2			Pb 210		8		
Co 60	<4.14E-03	C 3			Bi 208		8		
Ni 59	3E-03	CC 2			Bi 210m		8		
Ni 63	3.68E-01	CC 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	2.25E-06	CC 2			Th 227		8		
Zr 93	1E-06	CC 2			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m	6.34E-07	CC 2			Th 232		8		
Nb 94		8			Th 234	3E-09	CC 2		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234	3.07E-09	CC 2		
Ag 108m	3.92E-07	CC 2			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238	3E-09	CC 2		
Cd 113m	<3.29E-06	C 3			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m	<1.72E-05	C 3			Pu 238	1.81E-06	CC 2		
Sn 123		8			Pu 239	1.00E-06	CC 2		
Sn 126	4.055.00	8			Pu 240	2.00E-06	CC 2		
Sb 125	1.95E-09	CC 2			Pu 241	1.69E-05	CC 2		
Sb 126		8			Pu 242	5 0 4 F 0 C	8		
Te 125m		8			Am 241	5.34E-06	CC 2		
Te 127m		8			Am 242m	8.49E-09	CC 2		
l 129		8			Am 243	3.00E-09	CC 2		
Cs 134 Cs 135		8			Cm 242	7.00E-09	CC 2		
Cs 135	3.80E-06	8 CC 3			Cm 243 Cm 244	1.51E-09	CC 2 CC 2		
Ba 133		CC 2 C 3			Cm 244 Cm 245	1.89E-08	8		
La 137	<1.82E-06 <5E-07	C 3			Cm 245 Cm 246		8		
La 137	₹5E-07	8			Cm 248		8		
Ce 144		8			Cff 249		8		
Pm 145		8			Cf 249 Cf 250		8		
Pm 147	<1.68E-07	C 3			Cf 250 Cf 251		8		
Sm 147	₹1.00L-01	8			Cf 251		8		
Sm 151	7.29E-09	CC 2			Other a		U		
Eu 152	7.232-09	8			Other b/g				
Eu 154	7.58E-09	CC 2			Total a	1.02E-05	CC 2	0	
Eu 155	7.302-09	8			Total a	3.76E-01	CC 2	0	
23 100	l	U			rotar bry	5.7 GE-01	JU 2	!	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity