SITE Sizewell A

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Magnox Limited

ILW WASTE TYPE

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Reported

Stocks: At 1.4.2022..... $0 \, \text{m}^3$ 1.4.2092 - 31.3.2095....... 3606.0 m³ Future arisings -

> 3606.0 m³ 3606.0 m³

Total waste volume: Comment on volumes:

Total future arisings:

Waste volumes have been reassessed since publication of the 2007 Inventory. All of the graphite is now expected to be ILW. Final Dismantling & Site Clearance is assumed to commence in 2088 with reactor dismantling commencing in 2092 and lasting for three years. Volumes and radioactivity have been calculated for 85 years after reactor shutdown,

i.e. 2091.

Uncertainty factors on volumes:

Stock (upper): Х Arisings (upper) x 1.2 Arisings (lower)

Stock (lower):

x 0.8

WASTE SOURCE

Moderator and reflector graphite from reactor dismantling.

PHYSICAL CHARACTERISTICS

General description: Graphite blocks and other graphite components. Waste can be packaged in standard ILW

containers.

Physical components (%wt): Graphite (~100%).

The waste does not contain sealed sources. Sealed sources:

Bulk density (t/m3):

Comment on density: The density is the effective density of the waste as cut for packaging assuming 90% of the

waste is in blocks and 10% is rubble.

CHEMICAL COMPOSITION

General description and components (%wt):

Graphite and possibly traces of ferrous metals.

Chemical state: Neutral

Chemical form of H-3: Tritium may be chemically bound with the graphite.

radionuclides: C-14: Carbon 14 will be present as graphite.

Cl-36: Chlorine 36 will probably be chemically bound to the graphite. Some may be linked

chemically with impurities in the graphite. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: Radium isotope content is insignificant. Th: The thorium content is insignificant.

U: There may be traces of uranium as metal or oxide.

Np: The neptunium content is insignificant.

Pu: There may be traces of plutonium as metal or oxide.

Metals and alloys (%wt): There are no metallic items present.

> (%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel..... TR There may be trace contamination

by ferrous metals.

Other ferrous metals..... There may be trace contamination

by ferrous metals.

Iron..... Aluminium...... 0

Beryllium	TR		
Cobalt			
Copper	0		
Lead	0		
Magnox/Magnesium	0		
Nickel			
Titanium			
Uranium			
Zinc	0		
Zircaloy/Zirconium	0		
Other metals	0	There are no "other" metals present.	
Organics (%wt): None expected.	Halogenated	plastics and rubbers will not be present.	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): Only graphite exp	ected.		
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		donvity
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		

Graphite	100.0	100.0
Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): None of the in	organic anions I	isted in the table is expected to be present at greater than
trace concent	ration.	
	(%wt)	Type(s) and comment
Fluoride	TR	Detected at trace levels in inactive graphite material.
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	TR	
Nitrate	TR	
Nitrite	0	
Phosphate	TR	Detected at trace levels in inactive graphite material.
Sulphate	TR	Detected at trace levels in inactive graphite material.
Sulphide	0	
		re or other non-radiological hazard have been identified. sk; it is difficult but not impossible to ignite.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	TR	Detected at trace levels in inactive graphite material.
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		

Soluble solids as bulk chemical compounds		
Hazardous substances / None expected non hazardous pollutants:		
	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic	TR	Detected at trace levels in inactive graphite material.
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium	TR	Detected at trace levels in inactive graphite material.
Tin		
Vanadium		
Mercury compounds		
Others	TR	Gallium, germanium and rubidium detected at trace levels in inactive graphite material.
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
Complexing agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		

Polycarboxylic acids.....

Other organic complexants.....

Total complexing agents..... TR

Potential for the waste to contain discrete items:

Yes. Graphite Bricks/Tiles assumed to be Dls. Bricks assumed drummed (ungrouted) so assumed Bricks are Dls; If grouted, Drum is also a Dl. "Rubble" pieces assumed drummed (ungrouted) assumed NOT Dls; If grouted, Drum is a Dl.

PACKAGING AND CONDITIONING

Conditioning method: The waste is not expected to be supercompacted. It will be placed in baskets in the

waste packages followed by encapsulation.

Plant Name: None

Location: Sizewell A site.

Plant startup date: 2092
Total capacity ~5000.0

(m³/y incoming waste):

Target start date for packaging this stream:

2092

Throughput for this stream (m³/y incoming waste):

~900.0

Other information: It is currently intended that FDSC wastes will be grouted.

Likely container

type:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
4m box (no shielding)	100.0	16.2	18.9	223

Likely container type

comment:

The waste is assumed to be in baskets in the waste package so the occupied volume in the package is greater than the original waste volume. Container choice may be influenced

by Transport Regulations at the time of final site clearance.

Range in container waste

volume:

Not yet determined. No significant variability is expected.

Other information on

containers:

The container material is expected to be stainless steel.

Likely conditioning matrix:

Other information:

The container material is expected to be stainless steer

Blast Furnace Slag / Ordinary Portland Cement

The waste is assumed to be encapsulated.

Conditioned density (t/m³): ~1.7

Conditioned density

comment:

The conditioned weeks density accuracy that the weeks will be appeared between

Other information on

conditioning:

The conditioned waste density assumes that the waste will be encapsulated.

The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling & Site Clearance ILW wastes may be in the same waste package. The encapsulation matrix is likely to be BFS/OPC and the density of the encapsulated waste

will probably be about 1.7 t/m3.

Opportunities for alternative disposal routing:

-

Baseline Opportunity Stream Date that Opportunity Management Route Management Route volume (%) Opportunity Confidence Comment will be realised	
--	--

RADIOACTIVITY

Source: Activation of the graphite and impurities.

Uncertainty: The values quoted were derived by calculation from available material specification and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities were estimated from neutron activation calculations of the material and its impurities. With additional data from newly calculated inventories including 100 ppb

U precursor as per M/EF/GEN/EAN/0008/20

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2091. There may

be some contamination by Cs137. Fission of trace uranium impurity in the graphite may

result in some fission product and actinide activity.

WASTE STREAM Graphite ILW 9F312

	Mean radioactivity, TBg/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			3.4E-03	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			1.26E-01	BB 2	Ho 166m			2.79E-06	CC 2
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
CI 36			2.92E-04	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			3.27E-04	CC 2	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			2.5E-07	CC 2	Bi 208				8
Ni 59			3.54E-05	CC 2	Bi 210m				8
Ni 63	ļ		2.66E-03	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85			8.76E-07	CC 2	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			2.75E-04	CC 2	Th 227				8
Zr 93			7.88E-08	CC 2	Th 228 Th 229				8 8
Nb 91				8	Th 230				8
Nb 92			7.05.00	8	Th 232				8
Nb 93m			7.6E-08	CC 2	Th 234				8
Nb 94			8.2E-07	CC 2	Pa 231				8
Mo 93				8	Pa 233			1.05E-09	CC 2
Tc 97 Tc 99			4 04E 07	8 CC 2	U 232				8
Ru 106			4.94E-07	8	U 233				8
Pd 107			7.4E-09	CC 2	U 234			6.3E-09	CC 2
Ag 108m			2.21E-06	CC 2	U 235				8
Ag 110m			2.212 00	8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237			1.05E-09	CC 2
Sn 119m				8	Pu 236				8
Sn 121m			1.95E-04	CC 2	Pu 238			1.59E-05	CC 2
Sn 123				8	Pu 239			1.72E-06	CC 2
Sn 126			2.97E-08	CC 2	Pu 240			1.52E-05	CC 2
Sb 125				8	Pu 241]		1.97E-05	CC 2
Sb 126			4.16E-09	CC 2	Pu 242			2.14E-07	CC 2
Te 125m	İ			8	Am 241			3.66E-05	CC 2
Te 127m				8	Am 242m			4.16E-08	CC 2
l 129				8	Am 243			5.44E-06	CC 2
Cs 134				8	Cm 242			3.44E-08	CC 2
Cs 135			2.24E-08	CC 2	Cm 243	[5.3E-08	CC 2
Cs 137			5.44E-04	CC 2	Cm 244			1.58E-04	CC 2
Ba 133			6.41E-07	CC 2	Cm 245			3.19E-07	CC 2
La 137				8	Cm 246			2.3E-06	CC 2
La 138				8	Cm 248				8
Ce 144				8	Cf 249			7.57E-09	CC 2
Pm 145			1.35E-07	CC 2	Cf 250			1.23E-09	CC 2
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			2.83E-06	CC 2	Other a				
Eu 152			1.34E-08	CC 2	Other b/g				
Eu 154			7.97E-07	CC 2	Total a	0		2.36E-04	CC 2
Eu 155			2.57E-09	CC 2	Total b/g	0		1.34E-01	CC 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

- Measured activity
 Derived activity (best estimate)
 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity