SITE Sizewell A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Comment on volumes: Waste volumes have been reassessed since publication of the 2010 Inventory. Final

Dismantling & Site Clearance is assumed to commence in 2088 with reactor dismantling commencing in 2092 and lasting for three years. Volumes and radioactivity have been

calculated for 85 years after reactor shutdown, i.e. 2091.

Uncertainty factors on

volumes:

Stock (upper): x Stock (lower): x Arisings (upper) x 1.2

Arisings (lower) x 0.8

WASTE SOURCE Mild steel items from the reactor structure.

PHYSICAL CHARACTERISTICS

General description: A variety of mild steel items. Waste can be packaged in standard LLW packages.

Physical components (%wt): Mild steel items (100%), including the pressure vessel.

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.4

Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and components (%wt):

Mild steel (100%).

Chemical state: Neutral

Chemical form of

H-3: The tritium content is insignificant.

radionuclides: C-14: The carbon 14 is incorporated in

C-14: The carbon 14 is incorporated in the steel. There also may be some contamination

as graphite.

CI-36: The chlorine 36 is incorporated in the steel. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant.

Metals and alloys (%wt): All of the waste will be bulk metal items which have been cut for packaging. Metal

thicknesses will probably range from a few mm to about 100 mm.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel...... 0

waste stream is mild steel. Mild steel types are BS15 and RPV Steel.

Beryllium...... 0

Cobalt	<0.03	Data based on test specimens of a general Magnox reactor pressure vessel.	
Copper	0		
Lead	0		
Magnox/Magnesium	0		
Nickel	<0.15	Data based on test specimens of a general Magnox reactor pressure vessel.	
Titanium			
Uranium			
Zinc	0		
Zircaloy/Zirconium	0		
Other metals	TR	Silver and niobium.	
Organics (%wt): None expected. The	re are no h	alogenated plastics and rubbers present.	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): Some graphite dust	may be ass	sociated with reactor materials.	
	(%wt)	Type(s) and comment	% of total C14
Inorganic ion exchange materials	0		activity
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			

Glass/Ceramics	0	
Graphite	TR	
Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): There may be a tra	ce of chlori	ide present.
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for No materials likely waste acceptance criteria:	to pose a fi	ire or other non-radiological hazard have been identified.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as hulk chemical		

compounds.....

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum	<0.03	Data based on test specimens of a general Magnox reactor pressure vessel.
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered

"durable" assumed DIs. NB If recycled then DI Limits n/a

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	100.0	1.4
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Noute	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Opportunity Management Route Management Route volume (%) will be realised	Comment
---	---------

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	10	57

Other information: Data have been presented as though the waste will be in dedicated containers.

It is likely that this waste will be placed in containers with other LLW.

Waste Planned for Disposal at the LLW Repository:

Container voidage: Inaccessible voidage is not expected.

Waste Characterisation

Form (WCH):

-

Waste consigned for disposal to LLWR in year of generation:

The timing of consignment of the waste for disposal cannot be determined at

present.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Activation of the mild steel and its impurities.

Uncertainty: The values quoted were derived by calculation from available material specifications and

are indicative of the activities that are to be expected. The major source of uncertainty is

the impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of

radioactivities:

The specific activities were estimated from neutron activation calculations of the material

and its impurities.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2091. There may

be some contamination by Cs137.

WASTE STREAM Mild Steel (Reactor) LLW 9F315

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
	Waste at	Bands and	Future	Bands and			Bands and	Future	Bands and
Nuclide	1.4.2022	Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14			1.98E-03	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
AI 26				8	Tm 171				8
CI 36			2.61E-07	DC 2	Lu 174				8
Ar 39	İ			8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	TI 204			5.3E-09	CC 2
Mn 54				8	Pb 205			0.02	8
Fe 55			8E-09	CC 1	Pb 210				8
Co 60			1.24E-05	CC 2	Bi 208				8
Ni 59			7.11E-05	CC 2	Bi 210m				8
Ni 63			4.05E-03	CC 2	Po 210				8
			4.05E-03		Ra 223				8
Zn 65				8		ŀ			
Se 79				8	Ra 225 Ra 226				8
Kr 81				8					8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			1.41E-07	CC 2	Th 234				8
Mo 93			3.32E-05	CC 2	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99			7.7E-06	CC 2	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			1.43E-06	CC 2	U 235				8
Ag 110m	Ī			8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 134 Cs 135				8	Cm 243				8
Cs 135 Cs 137				6	Cm 244				8
					Cm 245				8
Ba 133				8 8	Cm 246				8
La 137					Cm 248				8
La 138				8	Cf 249				8
Ce 144				8	Cf 249 Cf 250				8
Pm 145				8	Cf 250 Cf 251				
Pm 147				8					8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152				8	Other b/g	_		_	
Eu 154				8	Total a	0		0	
Eu 155				8	Total b/g	0		6.16E-03	CC 2
	Inner and Low				Codo	•	ı.	-	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate) 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 7 Present in significant duantities but not determined 8 Not expected to be present in significant quantity