SITE Sizewell A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Comment on volumes: Waste volumes have been reassessed since publication of the 2007 Inventory. Final

Dismantling & Site Clearance is assumed to commence in 2088 with reactor dismantling commencing in 2092 and lasting for three years. Volumes and radioactivity have been

x 1.2

x 0.8

calculated for 85 years after reactor shutdown, i.e. 2091.

Uncertainty factors on

volumes:

Stock (upper): x Arisings (upper)
Stock (lower): x Arisings (lower)

WASTE SOURCE A variety of materials from plant dismantling.

PHYSICAL CHARACTERISTICS

General description: A variety of materials including metals.

Physical components (%vol): A variety of constituents including temporary active drains (~20%) and vacuum clean and

wash down area items (~80%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1

Comment on density: The density is of the waste as prepared for packaging.

CHEMICAL COMPOSITION

General description and components (%wt):

A variety of materials including metals.

Chemical state: Neutral

Chemical form of H-3: The chemical form of tritium has not been assessed.

radionuclides: C-14: The chemical form of carbon 14 has not been assessed but may be graphite.

CI-36: The chemical form of chlorine 36 has not been assessed.

Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant.

Metals and alloys (%wt): Items will have been cut for packaging but an assessment of item dimensions has not

been made.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Other ferrous metals.....

Aluminium...... NE Metals will include aluminium.

	Copper	NE		
	Lead	0		
	Magnox/Magnesium	NE		
	Nickel			
	Titanium			
	Uranium			
	Zinc	NE		
	Zircaloy/Zirconium	. NE		
	Other metals		"Other" metals have not been estimated.	
Organics (%	wt): None expected. Hat been estimated.	alogenated	rubbers are not expected. Halogenate	ed plastics have not
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	NE		
	Total non-halogenated plastics	NE		
	Condensation polymers	NE		
	Others	NE		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other materi	als (%wt): Some graphite dus	st may be a	ssociated with reactor materials.	
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	80.0	vacuum clean and wash down area items	
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	~20.0	temporary active drains	
	Sand			
	Glass/Ceramics	0		
	Graphite	TR		

Desiccants/Catalysts		
Asbestos	NE	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): Not fully assessed.		
	(%wt)	Type(s) and comment
Fluoride	NE	
Chloride	NE	
lodide	NE	
Cyanide	0	
Carbonate	NE	
Nitrate	NE	
Nitrite	NE	
Phosphate	NE	
Sulphate	NE	
Sulphide	NE	
		e or other non-radiological hazard have been identified. The tos has yet to be confirmed.
Tradic assoptance ontona.	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical		

compounds.....

Hazardous substances / non hazardous pollutants:

Not expected, but if any, present in trace quantities only.

	(%Wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
Complexing agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

WASTE STREAM

9F319

Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW

Potential for the waste to contain discrete items:

Yes. Large Concrete Items (LCIs) may be DIs; drummed (ungrouted)/"rubbleised" wastes assumed NOT DIs

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.0

Classification codes for waste expected to be consigned to a landfill facility:

17 01 01, 16 10 01*/16 10 02

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Opportunity Confidence Management Route Management Route volume (%) Baseline Opportunity Opportunity Confidence will be realised	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages	
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO				
1/2 Height WAMAC IP-2 ISO				
1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding)				
4m box (no shielding)				
Other				

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

(CH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Activation of the materials and impurities. There may be some contamination.

Uncertainty: Only approximate estimates have been made of the total specific activities. The activities

quoted are those at the time of Final Dismantling & Site Clearance (85 years after Station

shutdown).

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

A weighted mean of the activity has been calculated from available data. Activities for reactor misc metals was calculated from a neutron activation calculation.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2091. There may

be some contamination by Cs137.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
N. P.	Waste at	Bands and	Future	Bands and	NI PI	Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022	Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3			4.11E-05	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			7.93E-05	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
AI 26			1E-06	CC 2	Tm 171				8
CI 36			1.34E-06	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			1.67E-05	CC 2	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			5.96E-08	CC 2	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63			3.03E-05	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				6	Th 232				8
Nb 94			1.71E-09	CC 2	Th 234				8
Mo 93	Ī		1.36E-08	CC 2	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				6	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				8	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				6	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241			1	8
Sb 126				8	Pu 242			1	8
Te 125m]			8	Am 241			1	8
Te 127m				8	Am 242m			1	8
I 129]			8	Am 243			1	8
Cs 134				8	Cm 242			1	8
Cs 135]			8	Cm 243			1	8
Cs 133				6	Cm 244			1	8
Ba 133			2.98E-08	CC 2	Cm 245			1	8
La 137]		2.002-00	8	Cm 246			1	8
La 137				8	Cm 248			1	8
Ce 144]			8	Cf 249			1	8
Pm 145				8	Cf 250			1	8
Pm 145 Pm 147]				Cf 251			1	8
Sm 147				8 8	Cf 252			1	8
]		2.45.06		Other a			1	J
Sm 151			2.1E-06	CC 2	Other b/g			1	
Eu 152			8.37E-06	CC 2	Total a	0		О	
Eu 154			1.33E-07	CC 2	Total b/g	0		1.80E-04	CC 2
Eu 155				8	iotai b/g	!		1.552-04	00 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Bands quantify uncertainty in mean radioactivity.

Code

- Measured activity
 Derived activity (best estimate)
 Derived activity (upper limit)
 Not present
 Present but not significant

- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity