

SITE Sizewell A
SITE OWNER Nuclear Decommissioning Authority
WASTE CUSTODIAN Magnox Limited
WASTE TYPE VLLW
 Is the waste subject to Scottish Policy: No

WASTE VOLUMES

	Reported
Stocks:	At 1.4.2022.....
Future arisings -	1.4.2022 - 31.3.2024.....
Total future arisings:	56.0 m ³
Total waste volume:	56.0 m ³
Comment on volumes:	Waste will not be low force compacted or supercompacted for disposal.
Uncertainty factors on volumes:	Stock (upper): x Arisings (upper) x 1.75 Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE

Asbestos and man-made insulation materials. Waste generated from the removal of wall, ceiling and pipe lagging.

PHYSICAL CHARACTERISTICS

General description: Asbestos and Man Made Mineral Fibre Insulation.
 Physical components (%vol): Asbestos (60%wt), Man Made Mineral Fibre (40%wt)
 Sealed sources: The waste does not contain sealed sources.
 Bulk density (t/m³): ~0.24
 Comment on density: Density is based on the average density of asbestos materials.

CHEMICAL COMPOSITION

General description and components (%wt): Asbestos (60%wt), Man Made Mineral Fibre (40%wt)
 Chemical state: Neutral
 Chemical form of radionuclides:
 H-3: Tritium will probably be present as water.
 C-14: The Carbon-14 isotope content is insignificant.
 Se-79: The Selenium-79 isotope content is insignificant.
 Tc-99: The Technetium-99 isotope content is insignificant.
 Ra: The Radium isotope content is insignificant.
 Th: The Thorium isotope content is insignificant.
 U: The Uranium isotope content is insignificant.
 Np: The Neptunium isotope content is insignificant.
 Pu: The Plutonium isotope content is insignificant.

Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	0		
Iron.....	0		
Aluminium.....	0		
Beryllium.....	0		
Cobalt.....	0		
Copper.....	0		
Lead.....	0		
Magnox/Magnesium.....	0		

WASTE STREAM

9F913

VLLW Reactor Area Lagging

Nickel.....		
Titanium.....		
Uranium.....		
Zinc.....	0	
Zircaloy/Zirconium.....	0	
Other metals.....	0	No bulk or sheet metal items expected to be present.

Organics (%wt): The waste is contained in polythene bags.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics....	NE		
Condensation polymers.....	NE		
Others.....	NE		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar).....			
Bitumen.....			
Others.....			
Other organics.....	0		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	40.0	MMMF (Man Made Mineral Fibre) insulation	
Graphite.....	0		
Desiccants/Catalysts.....			
Asbestos.....	60.0		
Non/low friable.....			

WASTE STREAM 9F913 VLLW Reactor Area Lagging

Moderately friable.....	60.0	Wall, ceiling and pipe lagging.
Highly friable.....		
Free aqueous liquids.....	0	
Free non-aqueous liquids.....	0	
Powder/Ash.....	0	

Inorganic anions (%wt): Possibly present in trace quantities.

	(%wt)	Type(s) and comment
Fluoride.....		NE
Chloride.....		NE
Iodide.....		NE
Cyanide.....		NE
Carbonate.....		NE
Nitrate.....		NE
Nitrite.....		NE
Phosphate.....		NE
Sulphate.....		NE
Sulphide.....		NE

Materials of interest for waste acceptance criteria: Asbestos Insulation.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants: Asbestos.

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		

WASTE STREAM 9F913 VLLW Reactor Area Lagging

Formaldehyde.....
Organometallics.....
Phenol.....
Styrene.....
Tri-butyl phosphate.....
Other organophosphates.....
Vinyl chloride.....
Arsenic.....
Barium.....
Boron..... 0
 Boron (in Boral).....
 Boron (non-Boral).....
Cadmium.....
Caesium.....
Selenium.....
Chromium.....
Molybdenum.....
Thallium.....
Tin.....
Vanadium.....
Mercury compounds.....
Others.....
Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt): No

(%wt) Type(s) and comment

EDTA.....
DPTA.....
NTA.....
Polycarboxylic acids.....
Other organic complexants.....
Total complexing agents..... 0

Potential for the waste to contain discrete items: No. In & of itself not a DI; waste stream may include DIs (notably any stainless steel components).

TREATMENT, PACKAGING AND DISPOSAL

WASTE STREAM

9F913

VLLW Reactor Area Lagging

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None		100.0

Comment on planned treatments:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	0.24

Classification codes for waste expected to be consigned to a landfill facility:

17 06 01*, 17 06 03*

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Opportunities for alternative disposal routing:

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume: -

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: The main radionuclide present in this waste stream is Tritium.

Uncertainty: All waste fits into VLLW category. The activity values quoted are based on best estimates.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Activities derived from samples taken and analysed from the top-ducts delagging project in 2005.

Other information: -

WASTE STREAM

9F913

VLLW Reactor Area Lagging

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			3E-07	CC 2	Gd 153				8
Be 10					Ho 163				8
C 14					Ho 166m				8
Na 22					Tm 170				8
Al 26					Tm 171				8
Cl 36					Lu 174				8
Ar 39					Lu 176				8
Ar 42					Hf 178n				8
K 40					Hf 182				8
Ca 41					Pt 193				8
Mn 53					Tl 204				8
Mn 54					Pb 205				8
Fe 55					Pb 210				8
Co 60					Bi 208				8
Ni 59					Bi 210m				8
Ni 63					Po 210				8
Zn 65					Ra 223				8
Se 79					Ra 225				8
Kr 81					Ra 226				8
Kr 85					Ra 228				8
Rb 87					Ac 227				8
Sr 90					Th 227				8
Zr 93					Th 228				8
Nb 91					Th 229				8
Nb 92					Th 230				8
Nb 93m					Th 232				8
Nb 94					Th 234				8
Mo 93					Pa 231				8
Tc 97					Pa 233				8
Tc 99					U 232				8
Ru 106					U 233				8
Pd 107					U 234				8
Ag 108m					U 235				8
Ag 110m					U 236				8
Cd 109					U 238				8
Cd 113m					Np 237				8
Sn 119m					Pu 236				8
Sn 121m					Pu 238				8
Sn 123					Pu 239				8
Sn 126					Pu 240				8
Sb 125					Pu 241				8
Sb 126					Pu 242				8
Te 125m					Am 241				8
Te 127m					Am 242m				8
I 129					Am 243				8
Cs 134					Cm 242				8
Cs 135					Cm 243				8
Cs 137					Cm 244				8
Ba 133					Cm 245				8
La 137					Cm 246				8
La 138					Cm 248				8
Ce 144					Cf 249				8
Pm 145					Cf 250				8
Pm 147					Cf 251				8
Sm 147					Cf 252				8
Sm 151					Other a				
Eu 152					Other b/g				
Eu 154					Total a	0		0	
Eu 155					Total b/g	0		3E-07	CC 2

Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity