SITE Trawsfynydd

SITE OWNER **Nuclear Decommissioning Authority**

No

WASTE CUSTODIAN Magnox Limited

LLW **WASTE TYPE**

Is the waste subject to

Scottish Policy:

Stocks:

WASTE VOLUMES Reported

Total future arisings: $0 \, \text{m}^3$

Total waste volume: 1.8 m³

Comment on volumes:

Uncertainty factors on Stock (upper): x 1.2 Arisings (upper)

At 1.4.2022.....

volumes: Stock (lower): Arisings (lower) x 0.8

The Cold Duct Valve Actuating Room (CDVAR) Plates were previously included in waste **WASTE SOURCE**

stream 9G64. This material has now been identified and characterised and will be disposed of as LLW via a new separate fingerprint. The CDVAR plates are named after the

1.8 m³

location in which they were stored following their removal as insulation retaining plates around the cold ducts in and around the bio-shield penetration. They were activated by

neutron leakage or streaming in a low flux for the life of the reactor.

PHYSICAL CHARACTERISTICS

The CDVAR plates are typically 6mm steel plate cut into sections in the range of 2 to 80 General description:

kg, with an average weight of 17 kg.

Physical components (%wt): 100 % steel plate.

Sealed sources: The waste does not contain sealed sources.

~7.88 Bulk density (t/m3):

Comment on density: Density based on weight of 1347 kg and volume of 0.171m3.

CHEMICAL COMPOSITION

General description and components (%wt):

100 % steel plate.

Chemical state: Neutral

Chemical form of

radionuclides:

Metals and alloys (%wt):

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel.....

Other ferrous metals..... 100.0 100.0

Iron.....

Aluminium...... 0

Beryllium.....

Cobalt.....

Copper...... 0 Lead...... 0

Magnox/Magnesium..... 0

Nickel.....

Titanium.....

	Uranium			
	Zinc	. 0		
	Zircaloy/Zirconium	0		
	Other metals	0		
Organics	(%wt): -			
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	0		activity
	Paper, cotton	0		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	0		
	Condensation polymers	0		
	Others	0		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other ma	terials (%wt):			
		(%wt)	Type(s) and comment	% of total C14
		_		activity
	Inorganic ion exchange materials	0		
	Inorganic sludges and flocs	0		
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	0		
	Glass/Ceramics	0		
	Graphite	0		
	Desiccants/Catalysts	O		
	Asbestos	0		
	Non/low friable	J		
	Moderately friable			
	Highly friable			
	Free aqueous liquids	0		

	Free non-aqueous liquids	0	
	Powder/Ash	0	
Inorganic ar	nions (%wt):		
		(%wt)	Type(s) and comment
	Fluoride	0	
	Chloride	0	
	lodide	0	
	Cyanide	0	
	Carbonate	0	
	Nitrate	0	
	Nitrite	0	
	Phosphate	0	
	Sulphate	0	
	Sulphide	0	
Materials of	interest for -		
waste accep	otance criteria:		
		(%wt)	Type(s) and comment
	Combustible metals	0	
	Low flash point liquids	0	
	Explosive materials	0	
	Phosphorus	0	
	Hydrides	0	
	Biological etc. materials	0	
	Biodegradable materials	0	
	Putrescible wastes	0	
	Non-putrescible wastes		
	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	0	
	Higher activity particles		
	Soluble solids as bulk chemical compounds		
	substances / none expected ous pollutants:		
		(%wt)	Type(s) and comment
	Acrylamide		
	Benzene		
	Chlorinated solvents		
	Formaldehyde		
	Organometallics		
	Phenol		

Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron	0	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)	
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
Complexing agents (%wt):		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	0	
		ls)/"substantial" thickness items considered recycled then DI Limits n/a

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	7.9

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Noute	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing:

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-			Will be realised		

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	10	< 1

Other information:

Waste Planned for Disposal at the LLW Repository:

Container voidage:

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage:

Other information:

RADIOACTIVITY

Source: Uncertainty:

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

Specific activities have been derived from the total activity table and volumes reported in the no longer in use LLWR Waste Stream Characterisation Form.

Other information:

Nuclide	
H3 9,07E-04 CC 2 Be 10 8 C14 1.66E-05 CC 2 R3 H0 163 8 Tm 170 8 R122 R126 8 R17171 8 R126 R3 H178 R4 42 R4 12 8 R4 42 R5 H178 R5 H182 R5 R	Future Bands and
Be 10 C14 1.66E-05 CC 2 8 Tm 170 8 A1 26 A1 26 B	arisings Code
C 14	
Na 22	
Al 26 Cl 36 Ar 39 B Ar 42 B Ar 42 B Ar 42 B Ar 42 B Ar 44 B Ar 42	
CI 36	
Ar 39 Ar 42 Ar 42	
Ar 42 8 Hf 178n K 40 8 Hf 182 8 Ca 41 8 P1 193 8 Mn 53 8 P1 193 8 Mn 54 8 P5 205 8 Fe 55 2.51E-03 CC 2 P5 210 8 Fe 55 2.51E-03 CC 2 Bi 208 8 Ni 59 8 Bi 210m 8 Ni 63 3.37E-03 CC 2 P0 210 8 S 65 8 Ra 223 8 K 785 8 Ra 225 8 K 785 8 Ra 225 8 K 785 8 Ra 228 8 K 785 8 Ra 228 8 K 780 8 Ra 227 8 Z 793 8 Th 227 8 X 793 8 Th 228 8 Nb 93 8 Th 229 8 Nb 93m 8 Th 230 8 Nb 94 8 Th 234 8 Mo 93 8	
K 40 Ca 41	
Ca 41 8 Pt 193 8 Mn 53 8 TI 204 8 Mn 54 8 Pb 205 8 Fe 55 2.51E-03 CC 2 Pb 210 8 Co 60 1.05E-02 CC 2 Bi 208 8 Ni 59 8 Bi 210m 8 Ni 63 3.37E-03 CC 2 Po 210 8 Zn 65 8 Ra 223 8 Se 79 8 Ra 225 8 Kr 81 8 Ra 226 8 Kr 85 8 Ra 228 8 Rb 87 8 Ac 227 8 Sr 90 8 Th 227 8 Zr 93 8 Th 227 8 Nb 91 8 Th 227 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 230 8 Nb 94 8 Th 232 8 Mo 93 8 Pa 233 8 Tc 99 8 U 234 8 Ru 106	
Mn 53 Mn 54 Mn 52 Mn 58 Mn 59	
Mn 54 8 Pb 205 8 Fe 55 2.51E-03 CC 2 Pb 210 8 Co 60 1.05E-02 CC 2 Bi 208 8 Ni 63 3.37E-03 CC 2 Po 210 8 Zn 65 8 Ra 223 8 Se 79 8 Ra 225 8 Kr 81 8 Ra 226 8 Kr 85 8 Ra 228 8 Sr 90 8 Th 227 8 Zr 93 8 Th 227 8 Sr 90 8 Th 227 8 Xr 93 8 Th 229 8 Nb 91 8 Th 229 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 234 8 Mo 93 8 Th 234 8 Mo 93 8 Th 234 8 Ru 106 8 U 233 8 Ru 107 8 U 233 <	
Fe 55	
Co 60 1.05E-02 CC 2 Bi 208 8 Ni 59 8 Bi 210m 8 Ni 63 3.37E-03 CC 2 Po 210 8 Zn 65 8 Ra 223 8 Se 79 8 Ra 225 8 Kr 81 8 Ra 226 8 Kr 85 8 Ra 228 8 Rb 87 8 Ac 227 8 Sr 90 8 Th 227 8 Zr 93 8 Th 228 8 Nb 91 8 Th 228 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 232 8 Nb 93 8 Th 234 8 Mo 93 8 Th 234 8 Ru 106 8 U 233 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 236 8 <tr< td=""><td></td></tr<>	
Ni 59 8 Bi 210m 8 Ni 63 3.37E-03 CC 2 Po 210 8 Zn 65 8 Ra 223 8 Se 79 8 Ra 225 8 Kr 81 8 Ra 226 8 Kr 85 8 Ra 228 8 Rb 87 8 Ac 227 8 Sr 90 8 Th 227 8 Sr 90 8 Th 227 8 Nb 91 8 Th 228 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 230 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Ru 106 8 U 232 8 Ru 107 8 U 234 8 Ag 108m 8 U 234 8 Ag 109m 8 U 236 8 Cd 113m 8 Pu 236 8 Sn 121m 8 Pu 238	
Ni 63 3.37E-03 CC 2 Po 210 8 Zn 65 8 Ra 223 8 Se 79 8 Ra 225 8 Kr 81 8 Ra 226 8 Kr 85 8 Ra 228 8 Rb 87 8 Ac 227 8 Sr 90 8 Th 227 8 Zr 93 8 Th 227 8 Nb 91 8 Th 229 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 230 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 236 8 Ag 110m 8 U 236 8 Cd 113m 8 Pu 238 8 Sn 121m 8 Pu 239 8<	
Ni 63 3.37E-03 CC 2 Po 210 8 Zn 65 8 Ra 223 8 Se 79 8 Ra 225 8 Kr 81 8 Ra 226 8 Kr 85 8 Ra 228 8 Rb 87 8 Ac 227 8 Sr 90 8 Th 227 8 Zr 93 8 Th 227 8 Nb 91 8 Th 229 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 230 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 236 8 Ag 110m 8 U 236 8 Cd 113m 8 Pu 238 8 Sn 121m 8 Pu 239 8<	
Zn 65 8 Ra 223 8 Se 79 8 Ra 225 8 Kr 81 8 Ra 226 8 Kr 85 8 Ra 228 8 Rb 87 8 Ac 227 8 Sr 90 8 Th 227 8 Zr 93 8 Th 227 8 Nb 91 8 Th 228 8 Nb 91 8 Th 230 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 232 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Pu 238 8 Sn 123 8 Pu 239 8	
Se 79 8 Ra 225 8 Kr 81 8 Ra 226 8 Kr 85 8 Ra 228 8 Rb 87 8 Ac 227 8 Sr 90 8 Th 227 8 Zr 93 8 Th 227 8 Nb 91 8 Th 229 8 Nb 91 8 Th 229 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 230 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 236 8 Cd 109 8 U 236 8 Cd 113m 8 Pu 236 8 Sn 121m 8 Pu 236 8 Sn 126 8 Pu 240 8	
Kr 81 8 Ra 226 8 Kr 85 8 Ra 228 8 Sr 90 8 Th 227 8 Sr 90 8 Th 227 8 Sr 90 8 Th 227 8 Sr 90 8 Th 228 8 Nb 91 8 Th 229 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 232 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 233 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Pu 236 8 Sn 121m 8 Pu 239 8 Sn 126 8 Pu 241 8	
Kr 85 8 Ra 228 8 Rb 87 8 Ac 227 8 Sr 90 8 Th 227 8 Zr 93 8 Th 227 8 Nb 91 8 Th 229 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 232 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 1010m 8 U 236 8 Cd 109 8 U 236 8 Cd 113m 8 Np 237 8 Sn 12m 8 Pu 236 8 Sn 12a 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 126 8 Pu 241 8	
Rb 87 8 Ac 227 8 Sr 90 8 Th 227 8 Zr 93 8 Th 228 8 Nb 91 8 Th 229 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 230 8 Nb 94 8 Th 232 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 234 8 Ag 110m 8 U 236 8 Cd 109 8 U 236 8 Cd 113m 8 Pu 236 8 Sn 121m 8 Pu 239 8 Sn 123 8 Pu 239 8 Sh 126 8 Pu 241 8 Sb 126 8 Pu 242 8	
Sr 90 8 Th 227 8 Zr 93 8 Th 228 8 Nb 91 8 Th 229 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 232 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 236 8 Cd 113m 8 Pu 236 8 Sn 121m 8 Pu 236 8 Sn 121m 8 Pu 239 8 Sn 123 8 Pu 239 8 Sh 126 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 <	
Zr 93 8 Th 228 8 Nb 91 8 Th 229 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 232 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 113m 8 U 238 8 Cd 113m 8 Np 237 8 Sn 121m 8 Pu 236 8 Sn 121m 8 Pu 239 8 Sn 123 8 Pu 240 8 Sb 126 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242 8	
Nb 91 8 Th 229 8 Nb 92 8 Th 230 8 Nb 93m 8 Th 232 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 236 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242 8	
Nb 92 8 Th 230 8 Nb 93m 8 Th 232 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 236 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 242 8	
Nb 93m 8 Th 232 8 Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 243 8 Cs 134 8 Cm 242 8	
Nb 94 8 Th 234 8 Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 127m 8 Am 241 8 Te 127m 8 Am 243 8 Cs 134 8 Cm 242 8	
Mo 93 8 Pa 231 8 Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 127m 8 Am 241 8 Te 127m 8 Am 243 8 Cs 134 8 Cm 242 8	
Tc 97 8 Pa 233 8 Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Tc 99 8 U 232 8 Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Ru 106 8 U 233 8 Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Pd 107 8 U 234 8 Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Ag 108m 8 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
I 129 8 Am 243 8 Cs 134 8 Cm 242 8	
Cs 134 8 Cm 242 8	
LISTO I NO STEEL	
Cs 137 8 Cm 244 8	
Ba 133 8 Cm 245 8	
La 137 8 Cm 246 8	
La 138 8 Cm 248 8	
Ce 144 8 Cf 249 8	
Pm 145 8 Cf 250 8	
Pm 147 8 Cf 251 8	
Sm 147 8 Cf 252 8	
Sm 151 8 Other a	
Eu 152 8 Other b/g	
Eu 154 8 Total a 0	0
Eu 155 8 Total b/g 1.73E-02 CC 2	0

Bands (Upper and Lower)

A a factor of 1.5
B a factor of 3
C a factor of 10
D a factor of 100
E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

- 1 Measured activity
 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
 4 Not present
 5 Present but not significant
 6 Likely to be present but not assessed
 7 Present in significant quantities but not determined
 8 Not expected to be present in significant quantity
- 8 Not expected to be present in significant quantity