SITE Trawsfynydd Nuclear Decommissioning Authority SITE OWNER **WASTE CUSTODIAN** Magnox Limited LLW **WASTE TYPE** Is the waste subject to Nο Scottish Policy: **WASTE VOLUMES** Reported At 1.4.2022..... Stocks:  $0 \, \text{m}^3$ 1.4.2074 - 31.3.2083...... Future arisings -34645.0 m<sup>3</sup> Total future arisings: 34645.0 m<sup>3</sup> Total waste volume: 34645.0 m<sup>3</sup> Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over 9 years. Final Dismantling & Site Clearance is assumed to commence in 2074 with reactor dismantling commencing in 2074 and lasting for 9 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2076. Uncertainty factors on Stock (upper): Arisings (upper) volumes: Stock (lower): Arisings (lower) x 0.8**WASTE SOURCE** Concrete wastes from dismantling of reactors and associated plant. PHYSICAL CHARACTERISTICS General description: A wide variety of concrete and reinforced concrete items. (Reinforcing steel is described in waste streams 9G314 and 9G315). Waste can be packaged in standard NDA packages. Physical components (%vol): Concrete and reinforced concrete from reactor bioshield (~99% vol) and reactor Safestore buildings (~1% vol). Sealed sources: The waste does not contain sealed sources. Bulk density (t/m3): The density is of the waste as cut for packaging. The density is the effective density for Comment on density: packaging assuming 20% of the concrete is in blocks and 80% is rubble. CHEMICAL COMPOSITION Concrete (100%). Some of the concrete may include iron shot. Reinforcing steel is General description and components (%wt): described in waste streams 9G314 and 9G315. Chemical state: Chemical form of H-3: The tritium is incorporated in the concrete. radionuclides: C-14: The carbon 14 is incorporated in the concrete. CI-36: The chlorine 36 is incorporated in the concrete. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant. Metals and alloys (%wt): There are no large or bulk metal items. (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... Other ferrous metals..... NF Some of the concrete may include iron shot; otherwise only trace quantities of metals are expected. Iron.....

Aluminium.....

Beryllium	. 0		
Cobalt			
Copper	. 0		
Lead	. 0		
Magnox/Magnesium	. 0		
Nickel			
Titanium	-		
Uranium			
Zinc	. 0		
Zircaloy/Zirconium	. 0		
Other metals	. 0	There are no "other" metals present.	
Organics (%wt): None expected. The	ere are no	halogenated plastics or rubbers present.	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): There may be trace	s of graph	ite.	
	(%wt)	Type(s) and comment	% of total C14
	(70113)	7, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,	activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	100.0		100.0
Sand			
Glass/Ceramics	0		

Graphite	TR	
Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
		es and aluminates in various anionic forms. Carbonates cous used as an aggregate.
	(%wt)	Type(s) and comment
Fluoride	<1.0	
Chloride	<1.0	
lodide	<1.0	
Cyanide	0	
Carbonate	<2.0	
Nitrate	<1.0	
Nitrite	<1.0	
Phosphate	<1.0	
Sulphate	~2.0	
Sulphide	<1.0	
Materials of interest for No materials likely waste acceptance criteria:	y to pose a f	ire or other non-radiological hazard have been identified.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials	0	
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water		
Reading with water	0	

Soluble solids as bulk chemical compounds.....

Hazardous substances /	
non hazardous pollutants:	:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron	0	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	0	

Potential for the waste to contain discrete items:

Yes. Large Concrete Items (LCIs) may be DIs; drummed (ungrouted)/"rubbleised" wastes assumed NOT DIs. Note - LCIs with embedded metals may also be DIs within DIs, depends on specific circumstances/waste form.

#### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

**Disposal Routes:** 

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	100.0	1.4
Expected to be consigned to a Landfill Facility		
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

### Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Notice	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

### Opportunities for alternative disposal routing:

			Estimated		
Baseline Management Route	Opportunity Management Route	Stream volume (%)	Date that Opportunity will be realised	Opportunity Confidence	Comment

Container	Stream volume %	Waste loading m³	Number of packages	
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	10	3465	

Other information: Data have been presented as though the waste will be in dedicated containers.

However it is likely that this waste will be placed in containers with other LLW.

#### Waste Planned for Disposal at the LLW Repository:

Container voidage: In-accessible voidage is not expected.

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in year of generation:

The timing of consignment of the waste cannot be determined at present.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage:

Other information:

#### **RADIOACTIVITY**

Source: Activation of the concrete and impurities. There may be some contamination.

Uncertainty: The values quoted were derived by calculation from available material specifications and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities were estimated from neutron activation calculations of the material

and its impurities.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2076. There may

be some contamination by Cs137.

		Mean radioac	tivity, TBq/m³		Mean radioactivity, TBq/m³				
Nicellala	Waste at	Bands and	Future	Bands and	Niccellata	Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022	Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3			4.01E-04	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			3.19E-06	CC 2	Ho 166m			7.34E-08	CC 2
Na 22				8	Tm 170				8
AI 26				8	Tm 171				8
CI 36			2.42E-06	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			1.98E-05	CC 2	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			1.69E-08	CC 2	Bi 208				8
Ni 59	Į		6.19E-08	CC 2	Bi 210m				8
Ni 63			3.72E-06	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94	ļ		2.38E-08	CC 2	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			2.44E-08	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8 8
Sn 121m				8	Pu 238 Pu 239				
Sn 123				8					8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241 Pu 242				8 8
Sb 126	1			8	Am 241				8
Te 125m	1			8	Am 241 Am 242m				8
Te 127m				8	Am 243				8
l 129	1			8	Cm 242				8
Cs 134	1			8	Cm 242 Cm 243				8
Cs 135				8	Cm 244				8
Cs 137	1		2 405 00	6	Cm 245				8
Ba 133	1		3.42E-09	CC 2	Cm 246				8
La 137				8	Cm 248				8
La 138	1			8	Cff 249				8
Ce 144	1		2 125 00	8	Cf 250				8
Pm 145	1		3.13E-09	CC 2	Cf 251				8
Pm 147	1			8	Cf 251				8
Sm 147			F 00F 00	8	Other a				J
Sm 151			5.09E-06	CC 2	Other b/g				
Eu 152			3.97E-05	CC 2	Total a	0		0	
Eu 154	1		2.3E-07	CC 2	Total b/g	0		4.75E-04	CC 2
Eu 155	1		1.47E-09	CC 2	i otai b/g	١	}	4./ JE-U4	UU 2

#### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100

E a factor of 1000

Bands quantify uncertainty in Note: mean radioactivity.

- Measured activity
   Derived activity (best estimate)
   Derived activity (upper limit)
- 4 Not present 5 Present but not significant
- 6 Likely to be present but not assessed 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity