SITE Trawsfynydd

Nuclear Decommissioning Authority SITE OWNER

**WASTE CUSTODIAN** Magnox Limited

LLW **WASTE TYPE** 

Is the waste subject to

Scottish Policy:

No

**WASTE VOLUMES** 

Reported At 1.4.2022..... Stocks:  $0 \, \text{m}^3$ Future arisings -1.4.2074 - 31.3.2083...... 2079.0 m<sup>3</sup> 2079.0 m<sup>3</sup> Total future arisings: Total waste volume: 2079.0 m<sup>3</sup>

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over 9 years.

Final Dismantling & Site Clearance is assumed to commence in 2074 with reactor dismantling commencing in 2074 and lasting for 9 years. The volumes and radioactivity

have been calculated for 85 years after reactor shutdown, i.e. 2076.

Uncertainty factors on

Stock (upper):

Arisings (upper) x 1.2

x 0.8

volumes:

Arisings (lower) Stock (lower):

**WASTE SOURCE** Mild steel items from the reactor structure.

#### PHYSICAL CHARACTERISTICS

General description: A variety of mild steel items. Mild steel items (100%). Physical components (%wt):

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3):

Comment on density: The density is of the waste as cut for packaging.

#### CHEMICAL COMPOSITION

General description and components (%wt):

Mild steel (100%).

Chemical state: Neutral

Chemical form of

H-3: The tritium content is insignificant.

radionuclides:

C-14: The carbon 14 is incorporated in the steel. There also may be some contamination

as graphite.

Se-79: The selenium content is insignificant.

Tc-99: The chemical form of technetium has not been determined.

Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant.

All of the waste will be bulk metal items which will be cut for packaging. Metal thicknesses Metals and alloys (%wt):

will probably range from a few mm to about 100 mm.

Type(s) / Grade(s) with proportions (%wt) % of total C14 activity

Stainless steel.....

Other ferrous metals..... 100.0 100.0 Grade BW78B(A) and BS970-EN2.

Some BS2T6 or BS3T35

Iron.....

Aluminium.....

Beryllium.....

Cobalt......<0.03 Greatest measured value from the

		various components.	
Copper	. 0		
Lead	. 0		
Magnox/Magnesium	. 0		
Nickel	. <0.20	Greatest measured value from the various components.	
Titanium			
Uranium	,		
Zinc	. 0		
Zircaloy/Zirconium	. 0		
Other metals	. TR	Silver and niobium.	
Organics (%wt): None expected. The	ere are no	halogenated plastics or rubbers present.	
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	0		aoy
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): Some graphite dust	t may be a	ssociated with reactor materials.	
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		20
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	TR		

Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): There may be trace	s of chloric	de present.
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for No materials likely waste acceptance criteria:	to pose a fi	re or other non-radiological hazard have been identified.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials	0	
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron	0	
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered

"durable" assumed DIs

### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recyling / reuse Other / various None	Off-site	100.0

Comment on planned treatments:

This waste stream is expected to be sent for Metal Recycle.

**Disposal Routes:** 

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.4

Classification codes for waste expected to be consigned to a landfill facility:

#### Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Noute	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

### Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Management Route Management Route volume (%)  Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment	
--	---------------------------	---------	--

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

Waste consigned for disposal to LLWR in

disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

**RADIOACTIVITY** 

Source: Activation of the mild steel and its impurities.

Uncertainty: The values quoted were derived by calculation from available material specifications and

are indicative of the activities that are to be expected. The major source of uncertainty is

the impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities were estimated from neutron activation calculations of the material

and its impurities.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2076. There may

be some contamination by Cs137.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3				8	Gd 153				8
Be 10				8	Ho 163				8
C 14			1.83E-04	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
AI 26				8	Tm 171				8
CI 36	ļ		1.72E-08	DC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55			0.045.00	8	Pb 210				8
Co 60			2.84E-06	CC 2	Bi 208				8
Ni 59	-		2.61E-05	CC 2	Bi 210m				8
Ni 63			1.53E-03	CC 2	Po 210 Ra 223				8 8
Zn 65				8	Ra 225 Ra 225				8
Se 79				8	Ra 225 Ra 226				8
Kr 81				8	Ra 228				8
Kr 85 Rb 87				8	Ac 227				8
Sr 90				8 8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				6	Th 232				8
Nb 94			3.19E-07	CC 2	Th 234				8
Mo 93			4.23E-06	CC 2	Pa 231				8
Tc 97			4.20L 00	8	Pa 233				8
Tc 99			9.89E-07	CC 2	U 232				8
Ru 106	Ī		3.03L 01	8	U 233				8
Pd 107				8	U 234				8
Ag 108m			7.9E-08	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
l 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				8	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251 Cf 252				8 8
Sm 147				8	Other a				0
Sm 151				8	Other b/g				
Eu 152				8	Total a	0		0	
Eu 154				8	Total b/g	0		1.75E-03	CC 2
Eu 155	<u> </u>		<u> </u>	8	TOTAL D/Y	<u>ا</u>		1.73E-03	

### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

#### Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity