

SITE	Trawsfynydd		
SITE OWNER	Nuclear Decommissioning Authority		
WASTE CUSTODIAN	Magnox Limited		
WASTE TYPE	LLW		
Is the waste subject to Scottish Policy:	No		
WASTE VOLUMES	Reported		
Stocks:	At 1.4.2022.....		
			0 m ³
Future arisings -	1.4.2074 - 31.3.2083.....		
			663.0 m ³
Total future arisings:			
			663.0 m ³
Total waste volume:			
			663.0 m ³
Comment on volumes:	For inventory purposes the arisings are assumed to arise at a uniform rate over 9 years. Final Dismantling & Site Clearance is assumed to commence in 2074 with reactor dismantling commencing in 2074 and lasting for 9 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2076.		
Uncertainty factors on volumes:	Stock (upper): <input checked="" type="checkbox"/>	Arisings (upper) <input checked="" type="checkbox"/>	x 1.2
	Stock (lower): <input checked="" type="checkbox"/>	Arisings (lower) <input checked="" type="checkbox"/>	x 0.8
WASTE SOURCE	Insulation materials from active plant dismantling.		
PHYSICAL CHARACTERISTICS			
General description:	Insulation materials.		
Physical components (%vol):	Reactor thermal insulation (~100% vol)		
Sealed sources:	The waste does not contain sealed sources.		
Bulk density (t/m ³):	~1		
Comment on density:	The density is of the waste as prepared for packaging.		
CHEMICAL COMPOSITION			
General description and components (%wt):	Insulation materials.		
Chemical state:	Neutral		
Chemical form of radionuclides:	H-3: The chemical form of tritium has not been assessed. C-14: The chemical form of carbon 14 has not been assessed. Cl-36: The chemical form of chlorine 36 has not been assessed. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant.		
Metals and alloys (%wt):	-		
	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	0		
Other ferrous metals.....	0		
Iron.....			
Aluminium.....	0		
Beryllium.....	0		
Cobalt.....			
Copper.....	0		

WASTE STREAM

9G322

Thermal Insulation (Asbestos) LLW

Lead.....	0
Magnox/Magnesium.....	0
Nickel.....	
Titanium.....	
Uranium.....	
Zinc.....	0
Zircaloy/Zirconium.....	
Other metals.....	0

Organics (%wt): Not fully assessed. Halogenated rubbers are not expected.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	0		

Other materials (%wt): There might be traces of graphite.

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	0		
Inorganic sludges and flocs.....	0		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	100.0	MMMF (Man Made Mineral Fibre) insulation materials	100.0
Graphite.....	TR		
Desiccants/Catalysts.....			
Asbestos.....	NE		

WASTE STREAM 9G322 Thermal Insulation (Asbestos) LLW

Non/low friable.....	NE
Moderately friable.....	NE
Highly friable.....	NE
Free aqueous liquids.....	0
Free non-aqueous liquids.....	0
Powder/Ash.....	0

Inorganic anions (%wt): Not fully assessed.

	(%wt)	Type(s) and comment
Fluoride.....	NE	
Chloride.....	NE	
Iodide.....	NE	
Cyanide.....	0	
Carbonate.....	NE	
Nitrate.....	NE	
Nitrite.....	NE	
Phosphate.....	NE	
Sulphate.....	NE	
Sulphide.....	NE	

Materials of interest for waste acceptance criteria: The presence or absence of asbestos has yet to be confirmed.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants: -

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		

WASTE STREAM 9G322 Thermal Insulation (Asbestos) LLW

Chlorinated solvents.....
 Formaldehyde.....
 Organometallics.....
 Phenol.....
 Styrene.....
 Tri-butyl phosphate.....
 Other organophosphates.....
 Vinyl chloride.....
 Arsenic.....
 Barium.....
 Boron..... 0
 Boron (in Boral).....
 Boron (non-Boral).....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt): Yes

	(%wt)	Type(s) and comment
EDTA.....		
DPTA.....		
NTA.....		
Polycarboxylic acids.....		
Other organic complexants.....		
Total complexing agents.....	TR	

Potential for the waste to No. In & of itself not a DI.
contain discrete items:

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recycling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository		
Expected to be consigned to a Landfill Facility	100.0	1.0
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository			
Expected to be consigned to a Landfill Facility			
Expected to be consigned to an On-Site Disposal Facility			
Expected to be consigned to an Incineration Facility			
Expected to be consigned to a Metal Treatment Facility			
Expected to be consigned as Out of Scope			
Expected to be recycled / reused			
Disposal route not known			

Opportunities for alternative disposal routing:

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume: -

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Activation of the materials and impurities, and contamination.

Uncertainty: Only approximate estimates have been made of the total specific activities. The activities quoted are those at the time of Final Dismantling & Site Clearance.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: The specific activity has been estimated from analysis of a sample of the insulation.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2076. No radionuclides other than those listed are expected to be significant.

WASTE STREAM

9G322

Thermal Insulation (Asbestos) LLW

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			3.83E-05	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			7.38E-05	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26			1E-06	CC 2	Tm 171				8
Cl 36			1.22E-06	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			1.55E-05	CC 2	Pt 193				8
Mn 53				8	Tl 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			2.93E-08	CC 2	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63			2.82E-05	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				6	Th 232				8
Nb 94			1.59E-09	CC 2	Th 234				8
Mo 93			1.27E-08	CC 2	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				6	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m				2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133			2.78E-08	CC 2	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151			1.95E-06	CC 2	Other a				
Eu 152			7.8E-06	CC 2	Other b/g				
Eu 154			1.24E-07	CC 2	Total a	0			0
Eu 155				8	Total b/g	0		1.68E-04	CC 2

Bands (Upper and Lower)

A a factor of 1.5

B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

1 Measured activity

2 Derived activity (best estimate)

3 Derived activity (upper limit)

4 Not present

5 Present but not significant

6 Likely to be present but not assessed

7 Present in significant quantities but not determined

8 Not expected to be present in significant quantity