SITE Wvlfa SITE OWNER **Nuclear Decommissioning Authority WASTE CUSTODIAN** Magnox Limited LLW **WASTE TYPE** Is the waste subject to Nο Scottish Policy: **WASTE VOLUMES** Reported At 1.4.2022..... Stocks: $0 \, \text{m}^3$ 1.4.2101 - 31.3.2106...... Future arisings -224.0 m³ Total future arisings: 224.0 m³ Total waste volume: 224.0 m³ Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over five years. Final Dismantling & Site Clearance is assumed to commence in 2097 with reactor dismantling commencing in 2101 and lasting for 5 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2100. Uncertainty factors on Stock (upper): Arisings (upper) x 1.2 volumes: Arisings (lower) x 0.8 Stock (lower): **WASTE SOURCE** A variety of materials from plant dismantling. PHYSICAL CHARACTERISTICS General description: A variety of materials including metals. Waste can be packaged in standard NDA packages. Physical components (%vol): A variety of constituents including metallic items (<1%vol), temporary active drains (~21%vol) and vacuum clean and wash down area items (~79%vol). Sealed sources: The waste does not contain sealed sources. Bulk density (t/m3): Comment on density: The density is of the waste as prepared for packaging. CHEMICAL COMPOSITION A variety of materials including metals. General description and components (%wt): Chemical state: Neutral Chemical form of H-3: The chemical form of tritium has not been assessed. radionuclides: C-14: The chemical form of carbon 14 has not been determined but may be graphite. CI-36: The chemical form of chlorine 36 has not been assessed. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant. Metals and alloys (%wt): Items will have been cut for packaging but an assessment of item dimensions has not been made. (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... A detailed assessment of metals and Other ferrous metals..... <1.0 alloys has not been made. Iron. Aluminium...... NE Beryllium..... 0

	Cobalt	•		
	Copper	. 0		
	Lead	. 0		
	Magnox/Magnesium			
	Nickel			
	Titanium			
	Uranium	. 0		
	Zinc	. 0		
	Zircaloy/Zirconium			
	Other metals			
Organics (%	wt): None expected. The	ere are no	halogenated plastics or rubbers present.	
		(%wt)	Type(s) and comment	% of total C14
	Total cellulosics	NE		activity
	Paper, cotton	NE		
	Wood	0		
	Halogenated plastics	0		
	Total non-halogenated plastics	NE		
	Condensation polymers	NE		
	Others	NE		
	Organic ion exchange materials	0		
	Total rubber	0		
	Halogenated rubber	0		
	Non-halogenated rubber	0		
	Hydrocarbons			
	Oil or grease			
	Fuel			
	Asphalt/Tarmac (cont.coal tar)			
	Asphalt/Tarmac (no coal tar)			
	Bitumen			
	Others			
	Other organics	0		
Other mater	ials (%wt): Some graphite dus	t may be a	ssociated with reactor materials.	
		(%wt)	Type(s) and comment	% of total C14 activity
	Inorganic ion exchange materials	0		activity
	Inorganic sludges and flocs	79.0	vacuum clean and wash down area items	
	Soil	0		
	Brick/Stone/Rubble	0		
	Cementitious material	21.0	temporary active drains	
	Sand			
	Glass/Ceramics	0		
	Graphite	TD		

Desiccants/Catalysts		
Asbestos		
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): Not fully assessed.		
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	0	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for The presence or abswaste acceptance criteria:	sence of as	sbestos has yet to be confirmed.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

WASTE STREAM

9H317

Miscellaneous Metals and Materials (Reactor and Non-Reactor) LLW

Potential for the waste to contain discrete items:

Yes. Large Concrete Items (LCIs) may be DIs; drummed (ungrouted)/"rubbleised" wastes assumed NOT DIs

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	100.0	1.0
Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility		
Expected to be consigned to a Metal Treatment Facility		
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Opportunity Confidence Wanagement Route Management Route Volume (%) Will be realised Comment	
--	--

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	10	23

Other information: Data have been presented as though the waste will be in dedicated containers.

However it is likely that this waste will be placed in containers with other LLW.

Waste Planned for Disposal at the LLW Repository:

Container voidage: In-accessible voidage is not expected.

Waste Characterisation

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

Form (WCH): The waste does not have a current WCH.

Waste consigned for disposal to LLWR in year of generation:

The timing of consignment of the waste for disposal cannot be predicted at present.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Activation of the materials and impurities. There may be some contamination.

Uncertainty: Only very approximate estimates have been made of the total specific activities. The

activities quoted are those at the time of Final Dismantling & Site Clearance.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities for the reactor materials were estimated from neutron activation calculations of the material and its impurities, however this comprises less than 1% of the

total volume.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2100. There may

be some contamination by Cs137.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3				6	Gd 153				8
Be 10				8	Ho 163				8
C 14			2.89E-05	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
AI 26			2E-09	CC 2	Tm 171				8
CI 36			7.83E-08	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40			0.075.07	8	Hf 182				8
Ca 41			2.07E-07	CC 2	Pt 193				8
Mn 53				8	Tl 204 Pb 205				8 8
Mn 54				8	Pb 203 Pb 210				8
Fe 55			1 00E 07	8	Bi 208				8
Co 60			1.09E-07	CC 2	Bi 200 Bi 210m				8
Ni 59	<u> </u> 		2.7E-05	CC 2	Po 210				8
Ni 63			1.49E-03	CC 2	Ra 223				8
Zn 65				8	Ra 225				8
Se 79 Kr 81				8 8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				6	Th 232				8
Nb 94			3.89E-07	CC 2	Th 234				8
Mo 93	İ		5.6E-07	CC 2	Pa 231				8
Tc 97			0.0= 0.	8	Pa 233				8
Tc 99			1.32E-07	CC 2	U 232				8
Ru 106	<u>.</u>			8	U 233				8
Pd 107				8	U 234				8
Ag 108m			5.54E-07	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				6	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242 Cm 243				8 8
Cs 135				8	Cm 243 Cm 244				8
Cs 137				6	Cm 244 Cm 245				8 8
Ba 133				8	Cm 245				8
La 137				8	Cm 248				8
La 138				8	Cff 249				8
Ce 144				8	Cf 249 Cf 250				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 252				8
Sm 147				8	Other a				Ü
Sm 151 Eu 152				6 8	Other b/g				
Eu 152 Eu 154				8	Total a	0		0	
Eu 154 Eu 155				8	Total b/g	0		1.55E-03	CC 2
Eu 199	<u> </u>		<u> </u>	0		<u> </u>	<u> </u>	1	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 7 Present in significant duantities but not determined 8 Not expected to be present in significant quantity