

**WASTE STREAM****9H32****Water/Sludge Active Incinerator Effluent Tanks**

**SITE** Wylfa  
**SITE OWNER** Nuclear Decommissioning Authority

**WASTE CUSTODIAN** Magnox Limited

**WASTE TYPE** LLW

Is the waste subject to Scottish Policy: No

**WASTE VOLUMES**

		Reported	
Stocks:	At 1.4.2022.....	0.5 m <sup>3</sup>	
Total future arisings:		0 m <sup>3</sup>	
Total waste volume:		0.5 m <sup>3</sup>	
Comment on volumes:	-		
Uncertainty factors on volumes:	Stock (upper):	x 1.2	Arisings (upper) x
	Stock (lower):	x 0.9	Arisings (lower) x

**WASTE SOURCE** -

**PHYSICAL CHARACTERISTICS**

General description: -  
 Physical components (%vol): Waste consists of watery sludge which may be approximately 20% sludge and 80% water. There may be trace amounts of oil.  
 Sealed sources: The waste does not contain sealed sources.  
 Bulk density (t/m<sup>3</sup>): ~1.3  
 Comment on density: -

**CHEMICAL COMPOSITION**

General description and components (%wt): -  
 Chemical state: -  
 Chemical form of radionuclides:  
 H-3: The chemical form of tritium has not been determined.  
 C-14: The chemical form of carbon-14 has not been determined.  
 Cl-36: Chemical form of chlorine 36 has not been determined.  
 Se-79: The chemical form of selenium-79 has not been determined.  
 Tc-99: The chemical form of technetium-99 has not been determined.  
 Ra: The chemical form of radium isotopes have not been determined.  
 Th: The chemical form of thorium isotopes have not been determined.  
 U: The chemical form of uranium isotopes have not been determined.  
 Np: The chemical form of neptunium isotopes have not been determined.  
 Pu: The chemical form of plutonium isotopes have not been determined.  
 Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	NE		
Other ferrous metals.....	NE		
Iron.....			
Aluminium.....	NE		
Beryllium.....			
Cobalt.....			
Copper.....	NE		
Lead.....	NE		
Magnox/Magnesium.....	NE		

**WASTE STREAM**

**9H32**

**Water/Sludge Active Incinerator Effluent Tanks**

Nickel.....			
Titanium.....			
Uranium.....			
Zinc.....	NE		
Zircaloy/Zirconium.....	NE		
Other metals.....	NE		
Organics (%wt):	-		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	NE		
Paper, cotton.....	NE		
Wood.....	NE		
Halogenated plastics .....	NE		
Total non-halogenated plastics.....	NE		
Condensation polymers.....	NE		
Others.....	NE		
Organic ion exchange materials....	NE		
Total rubber.....	NE		
Halogenated rubber .....	NE		
Non-halogenated rubber.....	NE		
Hydrocarbons.....			
Oil or grease .....			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	NE		
Other materials (%wt):	-		
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	NE		
Inorganic sludges and flocs.....	~~20.0		
Soil.....	NE		
Brick/Stone/Rubble.....	NE		
Cementitious material.....	NE		
Sand.....			
Glass/Ceramics.....	NE		
Graphite.....	NE		
Desiccants/Catalysts.....			
Asbestos.....	NE		
Non/low friable.....			
Moderately friable.....			

**WASTE STREAM****9H32****Water/Sludge Active Incinerator Effluent Tanks**

Highly friable.....

Free aqueous liquids..... ~-80.0

Free non-aqueous liquids..... NE

Powder/Ash..... NE

Inorganic anions (%wt): -

(%wt) Type(s) and comment

Fluoride..... NE

Chloride..... NE

Iodide..... NE

Cyanide..... NE

Carbonate..... NE

Nitrate..... NE

Nitrite..... NE

Phosphate..... NE

Sulphate..... NE

Sulphide..... NE

Materials of interest for  
waste acceptance criteria: -

(%wt) Type(s) and comment

Combustible metals..... NE

Low flash point liquids..... NE

Explosive materials..... NE

Phosphorus..... NE

Hydrides..... NE

Biological etc. materials..... NE

Biodegradable materials..... 0

Putrescible wastes..... NE

Non-putrescible wastes.....

Corrosive materials..... NE

Pyrophoric materials..... NE

Generating toxic gases..... NE

Reacting with water..... NE

Higher activity particles.....

Soluble solids as bulk chemical  
compounds.....Hazardous substances /  
non hazardous pollutants: -

(%wt) Type(s) and comment

Acrylamide.....

Benzene.....

Chlorinated solvents.....

Formaldehyde.....

**WASTE STREAM****9H32****Water/Sludge Active Incinerator Effluent Tanks**

Organometallics.....  
 Phenol.....  
 Styrene.....  
 Tri-butyl phosphate.....  
 Other organophosphates.....  
 Vinyl chloride.....  
 Arsenic.....  
 Barium.....  
 Boron..... 0  
     Boron (in Boral).....  
     Boron (non-Boral).....  
 Cadmium.....  
 Caesium.....  
 Selenium.....  
 Chromium.....  
 Molybdenum.....  
 Thallium.....  
 Tin.....  
 Vanadium.....  
 Mercury compounds.....  
 Others.....  
 Electronic Electrical Equipment (EEE)  
     EEE Type 1.....  
     EEE Type 2.....  
     EEE Type 3.....  
     EEE Type 4.....  
     EEE Type 5.....

Complexing agents (%wt):

(%wt)    Type(s) and comment

EDTA.....  
 DPTA.....  
 NTA.....  
 Polycarboxylic acids.....  
 Other organic complexants.....  
 Total complexing agents.....    NE

Potential for the waste to  
contain discrete items:No. In & of itself not a DI; assumed not likely to contain any "rogue" items that  
could be.**TREATMENT, PACKAGING AND DISPOSAL**

**WASTE STREAM**

**9H32**

**Water/Sludge Active Incinerator Effluent Tanks**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	Off-site	~100.0

Comment on planned treatments:

-

**Disposal Routes:**

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.3

Classification codes for waste expected to be consigned to a landfill facility:

-

**Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):**

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

**Opportunities for alternative disposal routing:**

-

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

**Waste Packaging for Disposal:** (Not applicable to this waste stream)

**WASTE STREAM****9H32****Water/Sludge Active Incinerator Effluent Tanks**

Container	Stream volume %	Waste loading m <sup>3</sup>	Number of packages
1/3 Height IP-1 ISO			
2/3 Height IP-2 ISO			
1/2 Height WAMAC IP-2 ISO			
1/2 Height IP-2 Disposal/Re-usable ISO			
2m box (no shielding)			
4m box (no shielding)			
Other			

Other information: -

**Waste Planned for Disposal at the LLW Repository:** (Not applicable to this waste stream)

Container voidage: -

Waste Characterisation Form (WCH): -

Waste consigned for disposal to LLWR in year of generation: -

**Non-Containerised Waste for In-Vault Grouting:** (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

**RADIOACTIVITY**

Source: -

Uncertainty: Specific activity is a function of Station operating hisstory. The values quoted are indicative of the activities that would be expected.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: Specific activity data have been calculated from measurements.

Other information: -

**WASTE STREAM**

**9H32**

**Water/Sludge Active Incinerator Effluent Tanks**

Nuclide	Mean radioactivity, TBq/m <sup>3</sup>				Nuclide	Mean radioactivity, TBq/m <sup>3</sup>			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3	2.46E-05	CC 1			Gd 153		8		
Be 10		8			Ho 163		8		
C 14	1.67E-07	CC 1			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36	1.67E-07	CC 1			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55	1.03E-09	CC 1			Pb 210		8		
Co 60	1.26E-09	CC 1			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63	1.93E-08	CC 1			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	<1.47E-08	C 1			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94		8			Th 234		8		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234		8		
Ag 108m		8			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238		8		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238		8		
Sn 123		8			Pu 239		8		
Sn 126		8			Pu 240		8		
Sb 125		8			Pu 241	<1.46E-08	C 1		
Sb 126		8			Pu 242		8		
Te 125m		8			Am 241	1.75E-09	CC 1		
Te 127m		8			Am 242m		8		
I 129	<1.92E-08	C 1			Am 243		8		
Cs 134		8			Cm 242		8		
Cs 135		8			Cm 243		8		
Cs 137	2.54E-08	CC 1			Cm 244		8		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147		8			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		8			Other a				
Eu 152		8			Other b/g				
Eu 154	<4.35E-09	C 1			<b>Total a</b>	<b>1.75E-09</b>	<b>CC 2</b>		<b>0</b>
Eu 155	<6.87E-08	C 1			<b>Total b/g</b>	<b>2.51E-05</b>	<b>CC 2</b>		<b>0</b>

**Bands (Upper and Lower)**

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

**Code**

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity