SITE Hunterston A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE ILW

Is the waste subject to

Scottish Policy:

Yes

WASTE VOLUMES

Reported

Stocks: At 1.4.2022...... 0 m³

Future arisings - 1.4.2075 - 31.3.2080....... 3434.0 m³
Total future arisings: 3434.0 m³

Total waste volume: 3434.0 m³

Comment on volumes: Waste arisings are assumed to occur at a uniform rate over 5 years. Final Dismantling &

Site Clearance is assumed to commence in 2071 with reactor dismantling commencing in 2075 and lasting for 5 years. The volumes and radioactivity have been calculated for 85

years after reactor shutdown, i.e. 2075.

Uncertainty factors on Stock (upper): x Arisings (upper) x 1.2 volumes: Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE Moderator graphite from reactor dismantling.

PHYSICAL CHARACTERISTICS

General description: Graphite blocks and other graphite components.

Physical components (%wt): Graphite (100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~1.25

Comment on density: Density estimate based upon assumed packing efficiency of the waste.

CHEMICAL COMPOSITION

General description and components (%wt):

Graphite and possibly traces of ferrous metals.

Chemical state: Neutral

Chemical form of H-3: Tritium may be chemically bound with the graphite.

radionuclides: C-14: Carbon 14 will be present as graphite.

CI-36: Chlorine 36 will probably be chemically bound to the graphite. Some may be linked

chemically with impurities in the graphite.
Se-79: The selenium content is insignificant.
Tc-99: The technetium content is insignificant.
Ra: Radium isotope content is insignificant.
Th: The thorium content is insignificant.

U: There may be traces of uranium as metal or oxide.

Np: The neptunium content is insignificant.

Pu: There may be traces of plutonium as metal or oxide.

Metals and alloys (%wt): There are no metallic items present.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity

Stainless steel...... TR There may be trace contamination

by ferrous metals.

Other ferrous metals...... TR There may be trace contamination

by ferrous metals.

Iron.....

Cobalt			
Copper	. 0		
Lead	. 0		
Magnox/Magnesium	. 0		
Nickel			
Titanium			
Uranium			
Zinc	. 0		
Zircaloy/Zirconium	. 0		
Other metals	. 0	There are no "other" metals present.	
Organics (%wt): None expected. Ha	logenated	plastics or rubbers will not be present.	
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	0		donvity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): Expect only graphit	e.		
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		, ,
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	100.0		100.0

Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): None of the inorgan trace concentration		isted in the table are expected to be present at greater than
	(%wt)	Type(s) and comment
Fluoride	TR	Detected at trace levels in inactive graphite material.
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	TR	
Nitrate	TR	
Nitrite	TR	
Phosphate	TR	Detected at trace levels in inactive graphite material.
Sulphate	TR	Detected at trace levels in inactive graphite material.
Sulphide	0	
		ire or other non-radiological hazard have been identified. sk; it is difficult but not impossible to ignite.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	TR	Detected at trace levels in inactive graphite material.
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic	TR	Detected at trace levels in inactive graphite material.
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium	TR	Detected at trace levels in inactive graphite material.
Tin		
Vanadium		
Mercury compounds		
Others	TR	Gallium, germanium and rubidium detected at trace levels in inactive graphite material.
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		

> Total complexing agents..... TR

Potential for the waste to contain discrete items:

Yes. Graphite Bricks/Tiles assumed to be DIs. Bricks assumed drummed (ungrouted) so assumed Bricks are DIs; If grouted, Drum is also a DI. "Rubble" pieces assumed drummed (ungrouted) assumed NOT DIs; If grouted, Drum is a

PACKAGING AND CONDITIONING

Conditioning method: The waste is not expected to be supercompacted. It will be placed in baskets in the

waste packages to be encapsulated.

Plant Name:

Location: Hunterston A Decommissioning Site.

Plant startup date: 2075 Total capacity ~5000.0

(m³/y incoming waste):

Target start date for packaging this stream:

2075

Throughput for this stream

~382.0

(m³/y incoming waste):

The waste will be packaged immediately after the reactors are dismantled. It will be placed in basket and encapsulated. Basket of different ILW waste may be in the

same package.

Likely container type:

Other information:

Container	Waste packaged (%vol)	Waste loading (m³)	Payload (m³)	Number of packages
4m box (no shielding)	100.0	~16.2	18.9	212

Likely container type

comment:

The waste is assumed to be in baskets in the waste package so the occupied volume in

the package is greater than the original waste volume.

Range in container waste

volume:

Not yet determined. No significant variability is expected.

Other information on

containers:

Stainless Steel. Container choice may be influenced by Transport Regulations at the time

of final site clearance.

Likely conditioning matrix:

Other information:

BFS/OPC and None

Conditioned density (t/m³):

Conditioned density comment:

The conditioned waste density assumes that the waste will be encapsulated. Should the waste not be encapsulated, the density is estimated at 1.1 te/m3.

Other information on

conditionina:

The waste will be in baskets placed in the waste packages. Baskets of different Final Dismantling & Site Clearance ILW wastes may be in the same waste package. If

encapsulation is not required the density of the waste product would be about 1.1 t/m3.

Opportunities for alternative

disposal routing:

~1.7

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment

RADIOACTIVITY

Source: Activation of the graphite and impurities.

Uncertainty: The values quoted were derived by calculation from available material specification and

are indicative of the activities that are expected. The major source of uncertainty is of the

impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities were estimated from neutron activation calculations of the material and its impurities. With additional data from newly calculated inventories including 100 ppb

U precursor as per M/EF/GEN/EAN/0008/20

Other information: The activities quoted are those at 85 years after reactor shutdown (2075). Fission of

uranium impurity in the graphite may result in some fission product and actinide activity.

There may be some contamination by Cs137.

WASTE STREAM Graphite ILW 9J301

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³					
Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code	Nuclide	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3			6.45E-03	CC 2	Gd 153				8
Be 10				8	Ho 163				8
C 14			7.5E-02	BB 2	Ho 166m			1.17E-06	CC 2
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
CI 36			1.98E-04	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41			1.98E-04	CC 2	Pt 193				8
Mn 53				8	TI 204				8
Mn 54				8	Pb 205				8
Fe 55				8	Pb 210				8
Co 60			5.07E-07	CC 2	Bi 208				8
Ni 59			2.57E-05	CC 2	Bi 210m				8
Ni 63			1.83E-03	CC 2	Po 210				8
Zn 65				8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85			6.61E-07	CC 2	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			1.64E-04	CC 2	Th 227				8
Zr 93			3.99E-08	CC 2	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m			3.81E-08	CC 2	Th 232				8
Nb 94			1.5E-07	CC 2	Th 234			1.07E-09	CC 2
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233			1.65E-09	CC 2
Tc 99			3.15E-07	CC 2	U 232				8
Ru 106				8	U 233				8
Pd 107			3.58E-09	CC 2	U 234			1.1E-08	CC 2
Ag 108m			1.37E-06	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238			1.07E-09	CC 2
Cd 113m				8	Np 237			1.65E-09	CC 2
Sn 119m				8	Pu 236				8
Sn 121m			1.1E-04	CC 2	Pu 238			2.8E-05	CC 2
Sn 123				8	Pu 239			2.87E-06	CC 2
Sn 126			1.37E-08	CC 2	Pu 240			1.07E-05	CC 2
Sb 125				8	Pu 241			2.9E-05	CC 2
Sb 126			1.92E-09	CC 2	Pu 242			2.28E-07	CC 2
Te 125m	İ			8	Am 241			5.53E-05	CC 2
Te 127m	[8	Am 242m			7.75E-08	CC 2
l 129				8	Am 243			4.37E-06	CC 2
Cs 134	[8	Cm 242			6.41E-08	CC 2
Cs 135			1.12E-08	CC 2	Cm 243			7.78E-08	CC 2
Cs 137	[3.15E-04	CC 2	Cm 244			6.03E-05	CC 2
Ba 133	İ		5.46E-07	CC 2	Cm 245			1.14E-07	CC 2
La 137	[8	Cm 246			2.1E-07	CC 2
La 138	1			8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145	1		9.74E-08	CC 2	Cf 250				8
Pm 147	1			8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151	1		2.86E-06	CC 2	Other a				
Eu 152			2.38E-07	CC 2	Other b/g				
Eu 154	1		8.44E-07	CC 2	Total a	0		1.62E-04	CC 2
Eu 155	İ		3.25E-09	CC 2	Total b/g	0		8.43E-02	CC 2
50	1		0.202 00			<u>'</u>			

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3

C a factor of 10

D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

- Measured activity
 Derived activity (best estimate)
 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity