SITE Hunterston A SITE OWNER **Nuclear Decommissioning Authority WASTE CUSTODIAN** Magnox Limited LLW **WASTE TYPE** Is the waste subject to Nο Scottish Policy: **WASTE VOLUMES** Reported At 1.4.2022..... Stocks:  $0 \, \text{m}^3$ 1.4.2075 - 31.3.2080...... Future arisings -29212.0 m<sup>3</sup> 29212.0 m<sup>3</sup> Total future arisings: Total waste volume: 29212.0 m<sup>3</sup> Comment on volumes: Waste arisings are assumed to occur at a uniform rate over 5 years. Final Dismantling & Site Clearance is assumed to commence in 2071 with reactor dismantling commencing in 2075 and lasting for 5 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2075. Uncertainty factors on Stock (upper): Arisings (upper) x 1.2 Х volumes: Stock (lower): Arisings (lower) x 0.8**WASTE SOURCE** Concrete wastes from dismantling of reactors and associated plant. PHYSICAL CHARACTERISTICS General description: A wide variety of concrete. (Reinforcing steel is described in waste streams 9J311 and 9J312). Physical components (%wt): Concrete (100%). Some of the concrete might include iron shot. Sealed sources: The waste does not contain sealed sources. Bulk density (t/m³): ~1.4 Comment on density: The density is the effective density for packaging assuming 20% of the concrete is in blocks and 80% is rubble. CHEMICAL COMPOSITION General description and Concrete (100%). Some of the concrete might include iron shot. components (%wt): Chemical state: Alkali Chemical form of H-3: The tritium is incorporated in the concrete. radionuclides: C-14: The carbon 14 content is insignificant. CI-36: The chlorine 36 is incorporated in the concrete. Se-79: The selenium content is insignificant. Tc-99: The technetium content is insignificant. Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant. Metals and alloys (%wt): There are no large or bulk metal items. Reinforcing steel is described in waste streams 9J311 and 9J312. (%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... Other ferrous metals..... NF Some of the concrete may include iron shot; otherwise only trace quantities of metals expected. Iron.....

Aluminium.....

Beryllium	0		
Cobalt			
Copper	0		
Lead	. 0		
Magnox/Magnesium	. 0		
Nickel			
Titanium			
Uranium			
Zinc	. 0		
Zircaloy/Zirconium	0		
Other metals	0	There are no "other" metals present.	
Organics (%wt): None expected. Hall	logenated	plastics or rubbers will not be present.	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): There might be trac	es of grap	hite.	
,			0/ // 10/4
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	100.0		100.0
Sand			
Glass/Ceramics	0		

Graphite		TR	
Desiccants/Ca	atalysts		
Asbestos		0	
Non/low fri	able		
Moderately	/ friable		
Highly friat	ole		
Free aqueous	liquids	0	
Free non-aque	eous liquids	0	
Powder/Ash		0	
Inorganic anions (%wt):			es and aluminates in various anionic forms. Carbonates cou s used as an aggregate.
		(%wt)	Type(s) and comment
Fluoride		<1.0	
Chloride		<1.0	
lodide		<1.0	
Cyanide		0	
Carbonate		<2.0	
Nitrate		<1.0	
Nitrite		<1.0	
Phosphate		<1.0	
Sulphate		~2.0	
Sulphide		<1.0	
Materials of interest for waste acceptance criteria:	No materials likely	to pose a fi	ire or other non-radiological hazard have been identified.
		(%wt)	Type(s) and comment
Combustible n	netals	0	
Low flash poin	t liquids	0	
Explosive mat	erials	0	
Phosphorus		0	
Hydrides		0	
Biological etc.	materials	0	
Biodegradable	materials		
Putrescible	wastes	0	
Non-putreso	cible wastes		
Corrosive mat	erials	0	
Pyrophoric ma	nterials	0	
Generating to	xic gases	0	
Reacting with	water	0	
	particles		
Soluble solids	as bulk chemical		

compounds.....

Hazardous subs	stances /
non hazardous	pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): No		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	0	

Potential for the waste to contain discrete items:

Yes. Large Concrete Items (LCIs) may be DIs; drummed (ungrouted)/"rubbleised" wastes assumed NOT DIs

#### TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

**Disposal Routes:** 

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.4

Classification codes for waste expected to be consigned to a landfill facility:

17 01 01

#### Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

#### Opportunities for alternative disposal routing:

Baseline Opportunity Stream Date that Management Route Management Route volume (%) Will be realised	Opportunity Confidence	Comment
---	---------------------------	---------

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

-

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

**RADIOACTIVITY** 

Source: Activation of the concrete and impurities. There may be some contamination.

Uncertainty: The values quoted were derived by calculation from available material specification and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities were estimated from neutron activation calculations of the material

and its impurities.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2075. There may

be some contamination by Cs137.

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
Nuclide	Waste at	Bands and	Future	Bands and	Nuclide	Waste at	Bands and	Future	Bands and
	1.4.2022	Code	arisings	Code		1.4.2022	Code	arisings	Code
H 3			2.05E-05	CC 2	Gd 153				8
Be 10			5.005.07	8	Ho 163			7 405 00	8
C 14			5.96E-07	CC 2	Ho 166m			7.49E-09	CC 2
Na 22				8	Tm 170				8
Al 26			0.445.07	8	Tm 171				8
CI 36			6.11E-07	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40			4.005.06	8	Hf 182 Pt 193				8 8
Ca 41			4.09E-06	CC 2	TI 204				8
Mn 53 Mn 54				8 8	Pb 205				8
Fe 55					Pb 210				8
Co 60			8.39E-09	8 CC 2	Bi 208				8
Ni 59			5.83E-08	CC 2	Bi 210m				8
Ni 63	i		3.51E-06	CC 2	Po 210				8
Zn 65			3.51E-00	8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90				8	Th 227				8
Zr 93				8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			3.87E-09	CC 2	Th 234				8
Mo 93	Ī			8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234				8
Ag 108m			3.9E-09	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238				8
Sn 123				8	Pu 239				8
Sn 126				8	Pu 240				8
Sb 125				8	Pu 241				8
Sb 126				8	Pu 242				8
Te 125m				8	Am 241				8
Te 127m				8	Am 242m				8
I 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243				8
Cs 137				6	Cm 244				8
Ba 133				8	Cm 245				8
La 137				8	Cm 246 Cm 248				8
La 138				8	Cm 248 Cf 249				8 8
Ce 144				8	Cf 249 Cf 250				8 8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147			F 47F 07	8	Other a				O
Sm 151	}		5.17E-07	CC 2	Other b/g				
Eu 152			6.86E-06	CC 2	Total a	0		0	
Eu 154			4.04E-08	CC 2	Total a	0		3.68E-05	CC 2
Eu 155	l			8	rotal bry	ا ا	·	3.00E-U3	00 Z

### Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100 E a factor of 1000

Bands quantify uncertainty in mean radioactivity.

### Code

- 1 Measured activity

- 1 Measured activity
  2 Derived activity (best estimate)
  3 Derived activity (upper limit)
  4 Not present
  5 Present but not significant
  6 Likely to be present but not assessed
  7 Present in significant quantities but not determined
  8 Not expected to be present in significant quantity