SITE Hunterston A

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Magnox Limited

LLW **WASTE TYPE**

Is the waste subject to

Scottish Policy:

Nο

WASTE VOLUMES

Reported Stocks: At 1.4.2022..... $0 \, \text{m}^3$ 1.4.2075 - 31.3.2080...... Future arisings -5.2 m³ Total future arisings: $5.2 \, \text{m}^3$ Total waste volume: 5.2 m³

Comment on volumes: Waste arisings are assumed to occur at a uniform rate over 5 years. Final Dismantling &

> Site Clearance is assumed to commence in 2071 with reactor dismantling commencing in 2075 and lasting for 5 years. The volumes and radioactivity have been calculated for 85

years after reactor shutdown, i.e. 2075.

Х

Uncertainty factors on

Stock (upper): volumes: Stock (lower):

Arisings (upper) x 1.2 Arisings (lower)

x 0.8

WASTE SOURCE Stainless steel items from reactor dismantling.

PHYSICAL CHARACTERISTICS

General description: A variety of stainless steel items. Physical components (%wt): Stainless steel items (100%).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3):

Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and components (%wt):

Stainless steels (100%).

Chemical state: Neutral

Chemical form of

H-3: The tritium content is insignificant.

radionuclides: C-14: Carbon 14 will be incorporated in the steel. There may also be some graphite

contamination.

Cl-36: Chlorine 36 will be incorporated in the steel. Se-79: The selenium content is insignificant.

Tc-99: Technetium will be incorporated in the steel. It is an activation product of Mo-98.

waste stream is stainless steel.

Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant.

Metals and alloys (%wt): Items will have been be cut for packaging. Metal thicknesses will probably range from a

few mm to about 25 mm.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity Stainless steel..... 100.0 All of the waste included in this 100.0

Other ferrous metals.....

Iron.....

Aluminium...... 0 Beryllium...... 0

Cobalt			
Copper	0		
Lead	0		
Magnox/Magnesium	0		
Nickel			
Titanium			
Uranium			
Zinc	0		
Zircaloy/Zirconium	0		
Other metals	0	There are no "other" metals present.	
Organics (%wt): None expected. No	o halogena	ted plastics or rubbers will be present.	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): Some graphite dus	st may be a	ssociated with reactor materials.	
			0/ / 1 1 0 1 0 1 1
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	TR		

Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): Trace quantities of	chloride m	ay be present.
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for No materials likely twaste acceptance criteria:	to pose a fi	re or other non-radiological hazard have been identified.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered "durable" assumed DIs; All stainless items assumed DIs. NB if recycled then DI Limits n/a

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		100.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		

Comment on planned treatments:

This waste stream is expected to be sent for Metal Recycle.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.4

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Notice	2022/23 2023/24 2024/25			
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing:

Opportunity	ortunity Comment
-------------	------------------

Waste Packaging for Disposal: (Not applicable to this waste stream)

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other			

Other information: -

Waste Planned for Disposal at the LLW Repository: (Not applicable to this waste stream)

Container voidage:

Waste Characterisation

Form (WCH):

-

Waste consigned for disposal to LLWR in year of generation:

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Activation of the stainless steel and impurities.

Uncertainty: The values quoted were derived by calculation from available material specification and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha

and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of

radioactivities:

The specific activities were estimated from neutron activation calculations of the material

and its impurities.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2075. There may

be some contamination by Cs137.

Nuclide	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³						
H 3	Nuclida		Bands and	Future		Nuclida		Bands and	Future	
Be 10		1.4.2022	Code	arisings			1.4.2022	Code	arisings	
C14										
Na 22										
A 128				2.27E-05						
C136										
Ar 42										
A+42										
K + 40										
Ca 41										
Mn 53 Mn 54 Mn 55 Co 60 Mn 63 Nn 64 Nn 65 Nn 65 Nn 66 Nn 66 Nn 67										
Mn 64										
Fe 55										
Co 00										
Ni 59				4 04 5 07						
Ni 63										
Zn 65										
Se 79				2.31E-03						
Kr 81 Kr 85 Kr 85 Kr 85 Ro 87 Sr 90 Ro 87 Sr 90 Ro 97 Ro										
Kr 85 Rb 87 R 228 R 8 R 828 R 8 R										
Rb 87 Sr 90										
Sr 90										
Zr 93										
Nb 91 Nb 92 Nb 92 Nb 92 Nb 93 Nb 94 Nb 93 Nb 94 Nb 93 To 97 To 99 Ru 106 Ru 106 Ru 107 Ru 108 Ru 1010 Ru 108 Ru 108 Ru 109										
Nb 92 Nb 93m Nb 94 1.83E-07 CC 2 Th 234 8 Nb 94 Nb 93 Tc 97 CC 2 Th 234 8 Ru 106 Pd 107 Ru 106 Ru 106 Ru 108m Ag 110m Cd 109 Ru 119m Sn 119m Sn 112m Sn 121m Sn 121m Sn 125 Sb 126 Tc 125m Ru 108										
Nb 93m Nb 94										
Nb 94										
Mo 93				1.83E-07						
Tc 97 Tc 99										
Tc 99 Ru 106 Pd 107 Ru 106 Re 107 Re 108 Ru 107 Re 108 Ru 108 Re 107 Re 108 Re 108 Re 109 Re 108 Re				22 0.						
Ru 106 Pd 107				6.36E-08						
Pd 107 8 U 234 8 Ag 108m 8.57E-09 CC 2 U 235 8 Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 12m 8 Pu 236 8 Sn 121m 8 Pu 239 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 1 129 8 Am 243 8 Cs 134 8 Cm 242 8 Cs 135 6 Cm 244 8 Ba 133 8 Cm 244 8 Ba 133 8 Cm 248 8 Ce 144 8 Cm 248 8 Ce 144 8 Cf 250						U 233				
Ag 108m 8.57E-09 CC 2 U 235 8 Ag 110m 8 U 236 8 8 Cd 109 8 U 238 8 8 Cd 113m 8 Np 237 8 8 Sn 119m 8 Pu 236 8 8 Sn 121m 8 Pu 238 8 8 Sn 121m 8 Pu 239 8 8 Sn 123 8 Pu 249 8 8 Sh 126 8 Pu 241 8 8 Sb 125 8 Pu 241 8 8 Sb 126 8 Pu 241 8 8 Te 125m 8 Am 241 8 8 Te 127m 8 Am 242m 8 8 I 129 8 Am 243 8 8 Cs 134 8 Cm 242 8 8 Cs 137 8 Cm 243 8 8 Cs 137 8 Cm 244 8 8 Ba 133 8 Cm 246 8						U 234				8
Ag 110m 8 U 236 8 Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 1129 8 Am 243 8 Cs 134 8 Cm 242 8 Cs 134 8 Cm 243 8 Cs 137 8 Cm 243 8 Cs 137 8 Cm 245 8 Ba 133 8 Cm 246 8 La 138 8 Cm 248 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 250 8				8.57E-09		U 235				8
Cd 109 8 U 238 8 Cd 113m 8 Np 237 8 Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 243 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8 Cs 135 8 Cm 242 8 Cs 137 8 Cm 243 8 Sa 137 8 Cm 244 8 Ba 133 8 Cm 246 8 La 137 8 Cm 246 8 La 138 6 Cm 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 151 8 Other b/g 0	-	İ				U 236				8
Sn 119m 8 Pu 236 8 Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8 Cs 135 8 Cm 243 8 Cs 137 8 Cm 244 8 Ba 133 8 Cm 245 8 La 138 Cm 246 8 8 La 138 Cm 248 8 8 Ce 144 8 Cf 249 8 Pm 147 8 Cf 250 8 Pm 147 8 Cf 252 8 Sm 151 8 Other a 0 Eu 152 8 Total a 0 0						U 238				8
Sn 121m 8 Pu 238 8 Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 1129 8 Am 243 8 Cs 134 8 Cm 242 8 Cs 135 6 Cm 244 8 Cs 137 6 Cm 244 8 Ba 133 8 Cm 245 8 La 137 8 Cm 246 8 La 138 6 Cm 248 8 Ce 144 8 Cf 250 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 252 8 Sm 151 8 Other a 0 Eu 154 8 Total a 0 0	Cd 113m				8	Np 237				8
Sn 123 8 Pu 239 8 Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8 Cs 135 6 Cm 243 8 Cs 137 8 Cm 243 8 Ba 133 8 Cm 245 8 La 138 6 Cm 246 8 La 138 6 Cm 248 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 252 8 Sm 151 8 Other a 0 Eu 154 8 Total a 0 0	Sn 119m				8	Pu 236				8
Sn 126 8 Pu 240 8 Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8 Cs 135 8 Cm 243 8 Cs 137 8 Cm 244 8 Ba 133 8 Cm 245 8 La 137 8 Cm 246 8 La 138 6 Cm 248 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 151 8 Other a Other a Eu 152 8 Total a 0 0	Sn 121m				8	Pu 238				8
Sb 125 8 Pu 241 8 Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8 Cs 135 6 Cm 243 8 Cs 137 6 Cm 244 8 Ba 133 8 Cm 245 8 La 137 8 Cm 246 8 La 138 Cm 248 8 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 147 8 Cf 252 8 Sm 151 8 Other a Other b/g Eu 152 8 Total a 0 0	Sn 123				8					8
Sb 126 8 Pu 242 8 Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8 Cs 135 8 Cm 243 8 Cs 137 6 Cm 244 8 Ba 133 8 Cm 245 8 La 137 8 Cm 246 8 La 138 8 Cm 248 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 147 8 Cf 252 8 Sm 151 8 Other a Other b/g Eu 152 8 Other b/g Eu 154 Total a 0 0	Sn 126				8					
Te 125m 8 Am 241 8 Te 127m 8 Am 242m 8 I 129 8 Am 243 8 Cs 134 8 Cm 242 8 Cs 135 6 Cm 243 8 Cs 137 6 Cm 244 8 Ba 133 8 Cm 245 8 La 137 8 Cm 246 8 La 138 Cm 248 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 151 8 Other a 0 Eu 152 8 Other b/g 0 Eu 154 8 Total a 0 0	Sb 125				8					
Te 127m I 129 B Am 243 Cs 134 Cs 135 Cs 137 Ba 133 La 137 La 138 Ce 144 Pm 145 Pm 145 Pm 147 Sm 147 Sm 151 Eu 152 Eu 154 S Am 242m S Am 242m S Am 243 S Cm 242 S S Cm 242 S S Cm 243 S Cm 244 S S Cm 245 S S Cm 246 S S Cm 248 Cf 249 S Cf 250 S S Total a Cm 250 Cm 264 S Cm 26	Sb 126				8					
1 129										
Cs 134 8 Cm 242 8 Cs 135 8 Cm 243 8 Cs 137 6 Cm 244 8 Ba 133 8 Cm 245 8 La 137 8 Cm 246 8 La 138 8 Cm 248 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 147 8 Cf 252 8 Sm 151 8 Other a 0 Eu 152 8 Total a 0 0					8					
Cs 135 8 Cm 243 8 Cs 137 6 Cm 244 8 Ba 133 8 Cm 245 8 La 137 8 Cm 246 8 La 138 8 Cm 248 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 147 8 Cf 252 8 Sm 151 8 Other a 0 Eu 152 8 Total a 0 0					8					
Cs 137 6 Cm 244 8 Ba 133 8 Cm 245 8 La 137 8 Cm 246 8 La 138 8 Cm 248 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 147 8 Cf 252 8 Sm 151 8 Other a 0 Eu 152 8 Total a 0 0										
Ba 133 La 137 La 138 Ce 144 Pm 145 Pm 147 Sm 147 Sm 151 Eu 152 Eu 154 Ba 138 C m 246 Ba Cm 248 C m 248 Ba Cm 248 Ba Cf 249 Ba Cf 250 Ba Cf 251 Ba Cf 252 Ba Other a Cother b/g Ba Total a C m 245 Ba Cm 246 Ba Cm 248 Ba Cm 248 Ba Cm 248 Ba Cf 249 Ba Cf 250 Ba Cf 251 Ba Other a Cf 252 Ba Other b/g Ba Total a C m 245 Ba Cm 245 Ba Cm 245 Ba Cf 249 Ba Cf 250 Ba Cf 251 Ba Cf 252 Ba Other a Cf 252 Ba Other b/g Ba Total a C m 245 Ba Cm 245 Ba Cm 246 Ba B										
La 137 8 Cm 246 8 La 138 8 Cm 248 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 147 8 Cf 252 8 Sm 151 8 Other a Eu 152 8 Other b/g Eu 154 8 Total a 0										
La 138 8 Cm 248 8 Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 147 8 Cf 252 8 Sm 151 8 Other a Eu 152 8 Other b/g Eu 154 8 Total a 0 0										
Ce 144 8 Cf 249 8 Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 147 8 Cf 252 8 Sm 151 8 Other a Eu 152 8 Other b/g Eu 154 8 Total a 0										
Pm 145 8 Cf 250 8 Pm 147 8 Cf 251 8 Sm 147 8 Cf 252 8 Sm 151 8 Other a 0 Eu 152 8 Other b/g 0 0 Eu 154 8 Total a 0 0										
Pm 147 8 Cf 251 8 Sm 147 8 Cf 252 8 Sm 151 8 Other a Eu 152 8 Other b/g Eu 154 8 Total a 0										
Sm 147 8 Cf 252 8 Sm 151 8 Other a Eu 152 8 Other b/g Eu 154 8 Total a 0										
Sm 151 8 Other a Eu 152 8 Other b/g Eu 154 8 Total a 0										
Eu 152 Eu 154 8 Other b/g Total a 0 0										ŏ
Eu 154 8 Total a 0 0										
						_	_		_	
EU 155 8 10tal b/g 0 2.3/E-03 CC 2										CC 3
	Eu 155				8	rotal b/g	١	ļ	2.37 E-U3	00 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Bands quantify uncertainty in Note: mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity