SITE Hunterston A

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

Is the waste subject to

Scottish Policy:

No

WASTE VOLUMES

Comment on volumes: Final Dismantling & Site Clearance is assumed to commence in 2071 with reactor

dismantling commencing in 2075 and lasting for 5 years. The volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2075. Waste volumes include

a proportion of secondary waste arisings and contaminated soil.

Uncertainty factors on

volumes:

Stock (upper): x Arisings (upper) x 1.2 Stock (lower): x Arisings (lower) x 0.8

WASTE SOURCE Waste arisings from FSC of the ponds and Active Effluent Treatment Plant areas, also

some contaminated soil.

PHYSICAL CHARACTERISTICS

General description: The waste includes pond wall scabbling waste, small redundant plant and tools and

associated secondary waste, there is also some contaminated soil. There are no large items present which require special treatment. Includes some secondary waste.

Physical components (%wt): Metal (26%), Soil/rubble (22%), paper (3%wt), cloth (7%wt), filters and other plastics

(38%), wood (3% wt) and other materials (asbestos) (~1%wt).

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): ~0.6

Comment on density: The mean waste density is approximately 0.6 t/m3.

CHEMICAL COMPOSITION

General description and components (%wt):

The waste comprises metals, soil, soft organic e.g. paper, cloth, plastic/rubber, wood and

tarmac. Drum material is mild steel.

Chemical state: Neutral

Chemical form of radionuclides:

H-3: Tritium may be present as tritiated water.

C-14: Chemical form of carbon 14 may be graphite.

CI-36: The chemical form of chlorine 36 has not been determined. Se-79: The chemical form of selenium has not been determined. Tc-99: The chemical form of technetium has not been determined.

Ra: The radium isotope content is insignificant.

Th: The thorium content is insignificant.

U: The chemical form of uranium isotopes has not been determined but may be uranium

oxides.

Np: Neptunium isotope content is expected to be insignificant.

Pu: The chemical form of plutonium isotopes has not been determined but may be

plutonium oxides.

Metals and alloys (%wt): Not fully assessed.

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel	~3.0	Nickel and chromium are present as alloying metals in steel.	
Other ferrous metals	~23.0	Nickel and chromium are present as alloying metals in steel.	
Iron	Р		
Aluminium	Р		
Beryllium	0		
Cobalt			
Copper	NE		
Lead	~1.0		
Magnox/Magnesium	0		
Nickel	Р	Nickel is present as alloying metal in steel.	
Titanium			
Uranium			
Zinc	NE		
Zircaloy/Zirconium	0		
Other metals	Р	"Other" metals have not been fully assessed. Chromium is present as alloying metal in steel.	

Organics (%wt):

The waste contains cellulose in the form of paper and cloth and non-halogenated plastics as polythene. The proportions have not all been estimated. Some halogenated plastics and rubbers are expected.

ruppers are expecte	ea.		
	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulosics	~13.0		activity
Paper, cotton	~10.0		
Wood	~3.0		
Halogenated plastics	NE		
Total non-halogenated plastics	~38.0		
Condensation polymers	NE		
Others	~38.0		
Organic ion exchange materials	0		
Total rubber	NE		
Halogenated rubber	NE		
Non-halogenated rubber	NE		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	NE		

Other materials (%wt):

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	NE		
Inorganic sludges and flocs	0		
Soil	~11.0		
Brick/Stone/Rubble	11.0		
Cementitious material	0		
Sand			
Glass/Ceramics	NE		
Graphite	NE		
Desiccants/Catalysts			
Asbestos	~1.0		
Non/low friable			
Moderately friable			
Highly friable			
Free aqueous liquids	0		
Free non-aqueous liquids	0		
Powder/Ash	0		
Inorganic anions (%wt): No cyanides are ex	pected, oth	nerwise the inorganic anion content	of waste is not estimated
	(%wt)	Type(s) and comment	
Fluoride	NE		
Chloride	NE		
lodide	NE		
Cyanide	0		
Carbonate	NE		
Nitrate	NE		
Nitrite	NE		
Phosphate	NE		
Sulphate	NE		
Sulphide	NE		
Materials of interest for waste acceptance criteria: Some asbestos is expression waste during sorting		fforts are made to remove all haza	rdous materials from the
	(%wt)	Type(s) and comment	
Combustible metals	0		
Low flash point liquids	0		
Explosive materials	0		
Phosphorus	0		
Hydrides	0		
Biological etc. materials	0		
Biodegradable materials			
Putrescible wastes	0		
Non-putrescible wastes			

	Corrosive materials	0	
	Pyrophoric materials	0	
	Generating toxic gases	0	
	Reacting with water	NE	
	Higher activity particles		
	Soluble solids as bulk chemical compounds		
Hazardous sı non hazardou	ubstances / None expected us pollutants:		
		(%wt)	Type(s) and comment
	Acrylamide		
	Benzene		
	Chlorinated solvents		
	Formaldehyde		
	Organometallics		
	Phenol		
	Styrene		
	Tri-butyl phosphate		
	Other organophosphates		
	Vinyl chloride		
	Arsenic		
	Barium		
	Boron		
	Boron (in Boral)		
	Boron (non-Boral)		
	Cadmium		
	Caesium		
	Selenium		
	Chromium		
	Molybdenum		
	Thallium		
	Tin		
	Vanadium		
	Mercury compounds		
	Others		
	Electronic Electrical Equipment (EEE)		
	EEE Type 1		
	EEE Type 2		
	EEE Type 3		
	EEE Type 4		
	EEE Type 5		

Comr	olexina	agents	(%wt)	١:
OO::::p	,,,,,,,,	agonio	(/ 0 * * *)	,.

	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	NE	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered "durable" assumed DIs; All stainless items assumed DIs. NB if recycled then DI

Limits n/a

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		9.0
Solidification		
Decontamination		
Metal treatment		17.0
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		47.0
None		27.0

Comment on planned treatments:

47% of this waste stream is expected to be sent to Landfill as VLLW and 17% for Metal Recycle.

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository	27.0	
Expected to be consigned to a Landfill Facility	47.0	
Expected to be consigned to an On-Site Disposal Facility		
Expected to be consigned to an Incineration Facility	9.0	
Expected to be consigned to a Metal Treatment Facility	17.0	
Expected to be consigned as Out of Scope		
Expected to be recycled / reused		
Disposal route not known		

Classification codes for waste expected to be consigned to a landfill facility:

17 04 05, 17 05 03*/04, 17 06 01*, 20 01 01, 17 02 03

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %				
Disposal Noute	2022/23	2023/24	2024/25		
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known					

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Opportunity
Management Route Management Route volume (%)

Estimated
Date that Opportunity
Opportunity
Confidence

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	27.0	7	24

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

will be realised

Comment

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: It is not anticipated that there will be significant voidage inaccessible to grout.

Waste Characterisation

Form (WCH): The waste does not have a current WCH.

Waste consigned for disposal to LLWR in year of generation:

Yes.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: The activity is principally Fe-55, Co-60, Sr-90, Cs-137 and Pu-241.

Uncertainty: Activity values are current best estimates. Specific activity is a function of Station operating

history. The values quoted are indicative of the activities that would be expected.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities have been estimated from the waste stream fingerprint for 9J949 (compiled from the analysis of a number of waste samples for this stream) decayed by 56

years.

Other information:

	Mean radioactivity, TBq/m³				Mean radioactivity, TBq/m³				
Nuclida		Bands and	Future	Bands and	Nuclida	Waste at	Bands and	Future	Bands and
Nuclide	1.4.2022	Code	arisings	Code	Nuclide	1.4.2022	Code	arisings	Code
H 3			2.55E-08	CC 2	Gd 153				8
Be 10			0.045.00	8	Ho 163				8
C 14			8.94E-08	CC 2	Ho 166m				8
Na 22				8	Tm 170				8
Al 26				8	Tm 171				8
CI 36			3E-07	CC 2	Lu 174				8
Ar 39				8	Lu 176				8
Ar 42				8	Hf 178n				8
K 40				8	Hf 182				8
Ca 41				8	Pt 193 TI 204				8 8
Mn 53				8	Pb 205				8
Mn 54				8	Pb 203 Pb 210				8
Fe 55 Co 60				8	Bi 208				8
Ni 59				8	Bi 210m				8
Ni 63			6.62E-08	8 CC 2	Po 210				8
Zn 65			0.02L-08	8	Ra 223				8
Se 79				8	Ra 225				8
Kr 81				8	Ra 226				8
Kr 85				8	Ra 228				8
Rb 87				8	Ac 227				8
Sr 90			1.7E-05	CC 2	Th 227				8
Zr 93			1.7 L-03	8	Th 228				8
Nb 91				8	Th 229				8
Nb 92				8	Th 230				8
Nb 93m				8	Th 232				8
Nb 94			3.99E-09	CC 2	Th 234				8
Mo 93				8	Pa 231				8
Tc 97				8	Pa 233				8
Tc 99				8	U 232				8
Ru 106				8	U 233				8
Pd 107				8	U 234			5.39E-09	CC 2
Ag 108m			5.44E-09	CC 2	U 235				8
Ag 110m				8	U 236				8
Cd 109				8	U 238				8
Cd 113m				8	Np 237				8
Sn 119m				8	Pu 236				8
Sn 121m				8	Pu 238			1.88E-06	CC 2
Sn 123				8	Pu 239			2E-06	CC 2
Sn 126				8	Pu 240			2.98E-06	CC 2
Sb 125				8	Pu 241			4.69E-06	CC 2
Sb 126				8	Pu 242				8
Te 125m				8	Am 241			1.14E-05	CC 2
Te 127m				8	Am 242m				8
l 129				8	Am 243				8
Cs 134				8	Cm 242				8
Cs 135				8	Cm 243			5.13E-09	CC 2
Cs 137			2.58E-05	CC 2	Cm 244			3.14E-08	CC 2
Ba 133				8	Cm 245				8
La 137				8	Cm 246				8
La 138				8	Cm 248				8
Ce 144				8	Cf 249				8
Pm 145				8	Cf 250				8
Pm 147				8	Cf 251				8
Sm 147				8	Cf 252				8
Sm 151				8	Other a				
Eu 152				8	Other b/g	_		4 025 05	CC 2
Eu 154				8	Total a	0		1.83E-05	CC 2
Eu 155				8	Total b/g	0		4.80E-05	CC 2

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10

D a factor of 100 E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity