

WASTE STREAM	9R111	Berkeley Centre Decommissioning: LLW Ion Exchange Material
---------------------	--------------	---

SITE Berkeley

SITE OWNER Nuclear Decommissioning Authority

WASTE CUSTODIAN Magnox Limited

WASTE TYPE LLW

Is the waste subject to Scottish Policy: No

WASTE VOLUMES

		Reported
Stocks:	At 1.4.2022.....	0.1 m ³
Total future arisings:		0 m ³
Total waste volume:		0.1 m ³
Comment on volumes:	-	
Uncertainty factors on volumes:	Stock (upper): x 1.2	Arisings (upper) x
	Stock (lower): x 0.8	Arisings (lower) x

WASTE SOURCE Spent ion exchange materials arising from the treatment of pond water and ion exchange material from columns used in sample analysis.

PHYSICAL CHARACTERISTICS

General description: The waste is a mixture of Duolite C3, IRN 150 (IRN77 and 78), AW 500, AG1-X4/X8, Amberjet 1200H, AG50W-X4/X8/X16, TRU resin, TEVA resin, UTEVA resin, Sr resin, Ln resin and Ni resin ion exchange materials. There are no large items which may require special handling. There are no large items which may require special handling.

Physical components (%wt): Ion exchange materials (~77%)

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m³): 1.1

Comment on density: -

CHEMICAL COMPOSITION

General description and components (%wt): Ion exchange materials are Duolite C3, IRN 150 (phenol formaldehyde), AW500 (aluminosilicate), amberjet 1200H, AG1 - X4/ X8, AG50W - X4/X8/X16 (all polystyrene), TRU, TEVA, UTEVA, Sr, Ln and Ni Resins (all acrylic ester polymer).

Chemical state: Acid

Chemical form of radionuclides: H-3: Any tritium is expected to be present as water but could be in the form of other inorganic compounds or as organic compounds.

Metals and alloys (%wt): -

	(%wt)	Type(s) / Grade(s) with proportions	% of total C14 activity
Stainless steel.....	TR		
Other ferrous metals.....	TR		
Iron.....			
Aluminium.....	TR		
Beryllium.....			
Cobalt.....			
Copper.....	TR		
Lead.....	TR		
Magnox/Magnesium.....	TR		
Nickel.....	TR		
Titanium.....			

WASTE STREAM	9R111	Berkeley Centre Decommissioning: LLW Ion Exchange Material
---------------------	--------------	---

Uranium.....
 Zinc..... TR
 Zircaloy/Zirconium..... TR
 Other metals..... TR Not fully assessed but only trace quantities anticipated, if any.

Organics (%wt): Proprietary organic ion-exchange resins will be present.

	(%wt)	Type(s) and comment	% of total C14 activity
Total cellulose.....	0		
Paper, cotton.....	0		
Wood.....	0		
Halogenated plastics	0		
Total non-halogenated plastics.....	0		
Condensation polymers.....	0		
Others.....	0		
Organic ion exchange materials....	~69.0		
Total rubber.....	0		
Halogenated rubber	0		
Non-halogenated rubber.....	0		
Hydrocarbons.....			
Oil or grease			
Fuel.....			
Asphalt/Tarmac (cont.coal tar)...			
Asphalt/Tarmac (no coal tar)....			
Bitumen.....			
Others.....			
Other organics.....	NE		

Other materials (%wt): -

	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials..	~8.0		
Inorganic sludges and flocs.....	NE		
Soil.....	0		
Brick/Stone/Rubble.....	0		
Cementitious material.....	0		
Sand.....			
Glass/Ceramics.....	0		
Graphite.....	0		
Desiccants/Catalysts.....			
Asbestos.....	0		
Non/low friable.....			
Moderately friable.....			
Highly friable.....			
Free aqueous liquids.....	~23.0		

WASTE STREAM	9R111	Berkeley Centre Decommissioning: LLW Ion Exchange Material
---------------------	--------------	---

Free non-aqueous liquids.....	0
Powder/Ash.....	0

Inorganic anions (%wt): -

	(%wt)	Type(s) and comment
Fluoride.....	NE	
Chloride.....	NE	
Iodide.....	NE	
Cyanide.....	0	
Carbonate.....	NE	
Nitrate.....	NE	
Nitrite.....	NE	
Phosphate.....	NE	
Sulphate.....	NE	
Sulphide.....	NE	

Materials of interest for waste acceptance criteria: Ion exchange materials may be combustible when dry.

	(%wt)	Type(s) and comment
Combustible metals.....	0	
Low flash point liquids.....	0	
Explosive materials.....	0	
Phosphorus.....	0	
Hydrides.....	0	
Biological etc. materials.....	0	
Biodegradable materials.....	0	
Putrescible wastes.....	0	
Non-putrescible wastes.....		
Corrosive materials.....	0	
Pyrophoric materials.....	0	
Generating toxic gases.....	0	
Reacting with water.....	0	
Higher activity particles.....		
Soluble solids as bulk chemical compounds.....		

Hazardous substances / non hazardous pollutants: May be present in trace quantities.

	(%wt)	Type(s) and comment
Acrylamide.....		
Benzene.....		
Chlorinated solvents.....		
Formaldehyde.....		
Organometallics.....		
Phenol.....		

WASTE STREAM

9R111

Berkeley Centre Decommissioning: LLW Ion Exchange Material

Styrene.....
 Tri-butyl phosphate.....
 Other organophosphates.....
 Vinyl chloride.....
 Arsenic.....
 Barium.....
 Boron..... 0
 Boron (in Boral).....
 Boron (non-Boral).....
 Cadmium.....
 Caesium.....
 Selenium.....
 Chromium.....
 Molybdenum.....
 Thallium.....
 Tin.....
 Vanadium.....
 Mercury compounds.....
 Others.....
 Electronic Electrical Equipment (EEE)
 EEE Type 1.....
 EEE Type 2.....
 EEE Type 3.....
 EEE Type 4.....
 EEE Type 5.....

Complexing agents (%wt): Yes

(%wt) Type(s) and comment

EDTA.....
 DPTA.....
 NTA.....
 Polycarboxylic acids.....
 Other organic complexants..... TR Possibly in trace quantities.
 Total complexing agents..... TR

Potential for the waste to contain discrete items: No. In & of itself not a DI; assumed not likely to contain any "rogue" items that could be.

TREATMENT, PACKAGING AND DISPOSAL

WASTE STREAM**9R111****Berkeley Centre Decommissioning: LLW Ion Exchange Material**

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction Supercompaction (HFC) Incineration Solidification Decontamination Metal treatment Size reduction Decay storage Recycling / reuse Other / various None	On-site	100.0

Comment on planned treatments:

-

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	2.4

Classification codes for waste expected to be consigned to a landfill facility:

-

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %		
	2022/23	2023/24	2024/25
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known			

Opportunities for alternative disposal routing:

-

Baseline Management Route	Opportunity Management Route	Stream volume (%)	Estimated Date that Opportunity will be realised	Opportunity Confidence	Comment
-	-	-	-	-	-

Waste Packaging for Disposal:

WASTE STREAM**9R111****Berkeley Centre Decommissioning: LLW Ion Exchange Material**

Container	Stream volume %	Waste loading m ³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	~3.6	< 1

Other information: -

Waste Planned for Disposal at the LLW Repository:

Container voidage: Significant inaccessible voidage is not expected to be present.

Waste Characterisation Form (WCH): The waste meets the LLWR's Waste Acceptance Criteria (WAC).
The waste does not have a current WCH.

Waste consigned for disposal to LLWR in year of generation: No. The waste is held in the raw state. It is intended that it will be conditioned prior to disposal. Processing of the waste would be undertaken as a batch and therefore it is unlikely that disposal would be in the same year as waste generation.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%): -

Waste stream variation: -

Bounding cuboidal volume:

Inaccessible voidage: -

Other information: -

RADIOACTIVITY

Source: Contamination by activation products will be the main source of activity.

Uncertainty: Activity values are current estimates of average specific activities. The waste will fall into the LLW category. The values are indicative of the activities that might be expected.

Definition of total alpha and total beta/gamma: Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities: The specific activities have been estimated from waste stream fingerprint.

Other information: Specific activity is a function of operating history. It is thought that the alpha activity will be insignificant but this remains to be confirmed.

WASTE STREAM 9R111 Berkeley Centre Decommissioning: LLW Ion Exchange Material

Nuclide	Mean radioactivity, TBq/m ³				Nuclide	Mean radioactivity, TBq/m ³			
	Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code		Waste at 1.4.2022	Bands and Code	Future arisings	Bands and Code
H 3		8			Gd 153		8		
Be 10		8			Ho 163		8		
C 14		8			Ho 166m		8		
Na 22		8			Tm 170		8		
Al 26		8			Tm 171		8		
Cl 36		8			Lu 174		8		
Ar 39		8			Lu 176		8		
Ar 42		8			Hf 178n		8		
K 40		8			Hf 182		8		
Ca 41		8			Pt 193		8		
Mn 53		8			Tl 204		8		
Mn 54		8			Pb 205		8		
Fe 55	8.74E-06	CC 2			Pb 210		8		
Co 60	1.25E-04	CC 2			Bi 208		8		
Ni 59		8			Bi 210m		8		
Ni 63	3.61E-04	CC 2			Po 210		8		
Zn 65		8			Ra 223		8		
Se 79		8			Ra 225		8		
Kr 81		8			Ra 226		8		
Kr 85		8			Ra 228		8		
Rb 87		8			Ac 227		8		
Sr 90	2.79E-07	CC 2			Th 227		8		
Zr 93		8			Th 228		8		
Nb 91		8			Th 229		8		
Nb 92		8			Th 230		8		
Nb 93m		8			Th 232		8		
Nb 94		8			Th 234		8		
Mo 93		8			Pa 231		8		
Tc 97		8			Pa 233		8		
Tc 99		8			U 232		8		
Ru 106		8			U 233		8		
Pd 107		8			U 234		8		
Ag 108m		8			U 235		8		
Ag 110m		8			U 236		8		
Cd 109		8			U 238		8		
Cd 113m		8			Np 237		8		
Sn 119m		8			Pu 236		8		
Sn 121m		8			Pu 238		8		
Sn 123		8			Pu 239		8		
Sn 126		8			Pu 240		8		
Sb 125		8			Pu 241		8		
Sb 126		8			Pu 242		8		
Te 125m		8			Am 241		8		
Te 127m		8			Am 242m		8		
I 129		8			Am 243		8		
Cs 134		8			Cm 242		8		
Cs 135		8			Cm 243		8		
Cs 137	7.08E-04	CC 2			Cm 244		8		
Ba 133		8			Cm 245		8		
La 137		8			Cm 246		8		
La 138		8			Cm 248		8		
Ce 144		8			Cf 249		8		
Pm 145		8			Cf 250		8		
Pm 147		8			Cf 251		8		
Sm 147		8			Cf 252		8		
Sm 151		8			Other a				
Eu 152		8			Other b/g				
Eu 154		8			Total a	0			0
Eu 155		8			Total b/g	1.20E-03	CC 2		0

Bands (Upper and Lower)

- A a factor of 1.5
- B a factor of 3
- C a factor of 10
- D a factor of 100
- E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined
- 8 Not expected to be present in significant quantity