SITE Hinkley Point A

SITE OWNER **Nuclear Decommissioning Authority**

WASTE CUSTODIAN Magnox Limited

LLW **WASTE TYPE**

Is the waste subject to

Scottish Policy:

Nο

WASTE VOLUMES

Reported At 1.4.2022..... Stocks: $0 \, \text{m}^3$ 1.4.2085 - 31.3.2088...... $0.1 \, \text{m}^3$ Future arisings - $0.1 \, \text{m}^3$ Total future arisings: Total waste volume: $0.1 \, \text{m}^3$

Comment on volumes: For inventory purposes the arisings are assumed to arise at a uniform rate over three years.

Final Dismantling & Site Clearance is assumed to commence in 2081 and end in 2090. Reactor dismantling will commence in 2085 and last for three years. Volumes and radioactivity have been calculated for 85 years after reactor shutdown, i.e. 2085.

Uncertainty factors on

Stock (upper): volumes: Stock (lower):

Arisings (upper)

Arisings (lower) x 0.8

WASTE SOURCE

Stainless steel items from reactor dismantling.

PHYSICAL CHARACTERISTICS

General description: A variety of stainless steel items. Waste can be packaged in standard LLW packages.

Stainless steel items (100%). Physical components (%wt):

Sealed sources: The waste does not contain sealed sources.

Bulk density (t/m3):

Comment on density: The density is of the waste as cut for packaging.

CHEMICAL COMPOSITION

General description and components (%wt):

Stainless steels (100%).

Chemical state: Neutral

Chemical form of

H-3: The tritium content is insignificant.

radionuclides: C-14: The carbon 14 will be incorporated in the steel. There also may be some graphite

contamination.

CI-36: The chlorine 36 will be incorporated in the steel.

Se-79: The selenium content is insignificant.

Tc-99: The chemical form of technetium has not been determined.

Ra: The radium content is insignificant. Th: The thorium content is insignificant. U: The uranium content is insignificant. Np: The neptunium content is insignificant. Pu: The plutonium content is insignificant.

Metals and alloys (%wt): Items will have been cut for packaging. Thicknesses are likely to vary from a few mm to

about 25 mm.

(%wt) Type(s) / Grade(s) with proportions % of total C14 activity 100.0 All of the waste included in this 100.0 Stainless steel.....

waste stream is stainless steel. This

is EN58B.

Other ferrous metals..... 0

Iron..... Aluminium...... 0 Beryllium...... 0

Cobalt			
Copper	0		
Lead	0		
Magnox/Magnesium	0		
Nickel			
Titanium			
Uranium			
Zinc	0		
Zircaloy/Zirconium	0		
Other metals	0	There are no "other" metals.	
Organics (%wt): None expected. No	halogena	ted plastics or rubbers will be present.	
	(%wt)	Type(s) and comment	% of total C14
Total cellulosics	0		activity
Paper, cotton	0		
Wood	0		
Halogenated plastics	0		
Total non-halogenated plastics	0		
Condensation polymers	0		
Others	0		
Organic ion exchange materials	0		
Total rubber	0		
Halogenated rubber	0		
Non-halogenated rubber	0		
Hydrocarbons			
Oil or grease			
Fuel			
Asphalt/Tarmac (cont.coal tar)			
Asphalt/Tarmac (no coal tar)			
Bitumen			
Others			
Other organics	0		
Other materials (%wt): Some graphite dus	st may be a	ssociated with reactor materials.	
	(0(4)	Time(a) and assessed	0/ of total C4.4
	(%wt)	Type(s) and comment	% of total C14 activity
Inorganic ion exchange materials	0		
Inorganic sludges and flocs	0		
Soil	0		
Brick/Stone/Rubble	0		
Cementitious material	0		
Sand			
Glass/Ceramics	0		
Graphite	TR		

Desiccants/Catalysts		
Asbestos	0	
Non/low friable		
Moderately friable		
Highly friable		
Free aqueous liquids	0	
Free non-aqueous liquids	0	
Powder/Ash	0	
Inorganic anions (%wt): Trace quantities of	chloride m	ay be present.
	(%wt)	Type(s) and comment
Fluoride	0	
Chloride	TR	
lodide	0	
Cyanide	0	
Carbonate	0	
Nitrate	0	
Nitrite	0	
Phosphate	0	
Sulphate	0	
Sulphide	0	
Materials of interest for No materials likely twaste acceptance criteria:	to pose a fi	re or other non-radiological hazard have been identified.
	(%wt)	Type(s) and comment
Combustible metals	0	
Low flash point liquids	0	
Explosive materials	0	
Phosphorus	0	
Hydrides	0	
Biological etc. materials	0	
Biodegradable materials		
Putrescible wastes	0	
Non-putrescible wastes		
Corrosive materials	0	
Pyrophoric materials	0	
Generating toxic gases	0	
Reacting with water	0	
Higher activity particles		
Soluble solids as bulk chemical compounds		

Hazardous substances / non hazardous pollutants:

Complexing

None expected

	(%wt)	Type(s) and comment
Acrylamide		
Benzene		
Chlorinated solvents		
Formaldehyde		
Organometallics		
Phenol		
Styrene		
Tri-butyl phosphate		
Other organophosphates		
Vinyl chloride		
Arsenic		
Barium		
Boron		
Boron (in Boral)		
Boron (non-Boral)		
Cadmium		
Caesium		
Selenium		
Chromium		
Molybdenum		
Thallium		
Tin		
Vanadium		
Mercury compounds		
Others		
Electronic Electrical Equipment (EEE)		
EEE Type 1		
EEE Type 2		
EEE Type 3		
EEE Type 4		
EEE Type 5		
agents (%wt): Yes		
	(%wt)	Type(s) and comment
EDTA		
DPTA		
NTA		
Polycarboxylic acids		
Other organic complexants		
Total complexing agents	TR	

Potential for the waste to contain discrete items:

Yes. Large Metal Items (LMIs)/"substantial" thickness items considered "durable" assumed DIs; All stainless items assumed DIs. NB if recycled then DI Limits n/a

TREATMENT, PACKAGING AND DISPOSAL

Planned on-site / off-site treatment(s):

Treatment	On-site / Off site	Stream volume %
Low force compaction		
Supercompaction (HFC)		
Incineration		
Solidification		
Decontamination		
Metal treatment		
Size reduction		
Decay storage		
Recyling / reuse		
Other / various		
None		100.0

Comment on planned treatments:

Disposal Routes:

Disposal Route	Stream volume %	Disposal density t/m3
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known	100.0	1.4

Classification codes for waste expected to be consigned to a landfill facility:

Upcoming (2022/23-2024/25) Waste Routing (if expected to change from above):

Disposal Route	Stream volume %			
Disposal Noute	2022/23	2023/24	2024/25	
Expected to be consigned to the LLW Repository Expected to be consigned to a Landfill Facility Expected to be consigned to an On-Site Disposal Facility Expected to be consigned to an Incineration Facility Expected to be consigned to a Metal Treatment Facility Expected to be consigned as Out of Scope Expected to be recycled / reused Disposal route not known				

Opportunities for alternative disposal routing:

Baseline Opportunity Stream Opportunity Opportunity Opportunity Confidence Will be realised	tream Date that Opportunity Confidence Comment
---	--

Waste Packaging for Disposal:

Container	Stream volume %	Waste loading m³	Number of packages
1/3 Height IP-1 ISO 2/3 Height IP-2 ISO 1/2 Height WAMAC IP-2 ISO 1/2 Height IP-2 Disposal/Re-usable ISO 2m box (no shielding) 4m box (no shielding) Other	100.0	10	< 1

Other information: It is likely that the waste will be placed in a container with other LLW.

Waste Planned for Disposal at the LLW Repository:

Container voidage: Not yet determined.

Waste Characterisation

The waste meets the LLWR's Waste Acceptance Criteria (WAC).

Form (WCH): The waste does not have a current WCH.

Waste consigned for disposal to LLWR in year of generation:

The timing of consignment of the waste for disposal cannot be determined at

present.

Non-Containerised Waste for In-Vault Grouting: (Not applicable to this waste stream)

Stream volume (%):

Waste stream variation:

Bounding cuboidal volume:

Inaccessible voidage: -

Other information:

RADIOACTIVITY

Source: Activation of the stainless steel and impurities.

Uncertainty: The values quoted were derived by calculation from available material specification and

are indicative of the activities that are expected. The major source of uncertainty is the

impurity levels.

Definition of total alpha and total beta/gamma:

Where totals are shown on the table of radionuclide activities they are the sums of the listed alpha or beta/gamma emitting radionuclides plus 'other alpha' or 'other beta/gamma'.

Measurement of radioactivities:

The specific activities have been estimated using a neutron activation calculation.

Other information: The activities quoted are those at 85 years after reactor shutdown, i.e. in 2085. There may

be some contamination by Cs137.

	Mean radioactivity, TBq/m³			Mean radioactivity, TBq/m³				
Niceliala	Waste at Bands a		Bands and	Ni ali al a	Waste at Bands and	Future	Bands and	
Nuclide	1.4.2022 Code	e arisings	Code	Nuclide	1.4.2022 Code	arisings	Code	
H 3			8	Gd 153			8	
Be 10			8	Ho 163			8	
C 14		6.9E-05	CC 2	Ho 166m			8	
Na 22			8	Tm 170			8	
AI 26			8	Tm 171			8	
CI 36		3E-09	CC 2	Lu 174			8	
Ar 39			8	Lu 176			8	
Ar 42			8	Hf 178n			8	
K 40			8	Hf 182			8	
Ca 41			8	Pt 193			8	
Mn 53			8	TI 204			8	
Mn 54			8	Pb 205			8	
Fe 55			8	Pb 210			8	
Co 60		3.15E-07	CC 2	Bi 208			8	
Ni 59		1.9E-04	CC 2	Bi 210m			8	
Ni 63		1.11E-02	CC 2	Po 210			8	
Zn 65			8	Ra 223			8	
Se 79			8	Ra 225			8	
Kr 81			8	Ra 226			8	
Kr 85			8	Ra 228			8	
Rb 87			8	Ac 227			8	
Sr 90			8	Th 227			8	
Zr 93			8	Th 228			8	
Nb 91			8	Th 229			8	
Nb 92			8	Th 230			8	
Nb 93m			6	Th 232			8	
Nb 94		3.12E-07	CC 2	Th 234			8	
Mo 93		1.29E-07	CC 2	Pa 231			8	
Tc 97			8	Pa 233			8	
Tc 99		2.56E-08	CC 2	U 232			8	
Ru 106			8	U 233			8	
Pd 107			8	U 234			8	
Ag 108m		2.26E-08	CC 2	U 235			8	
Ag 110m			8	U 236			8	
Cd 109			8	U 238			8	
Cd 113m			8	Np 237			8	
Sn 119m			8	Pu 236			8	
Sn 121m			8	Pu 238			8	
Sn 123			8	Pu 239 Pu 240			8	
Sn 126			8				8	
Sb 125			8	Pu 241 Pu 242			8 8	
Sb 126			8	Am 241			8	
Te 125m			8	Am 241 Am 242m			8	
Te 127m			8	Am 242m Am 243			8	
l 129			8	Cm 242			8	
Cs 134			8	Cm 242			8	
Cs 135			8	Cm 244			8	
Cs 137			6	Cm 244			8	
Ba 133			8	Cm 246			8	
La 137			8	Cm 248			8	
La 138			8	Cff 249			8	
Ce 144			8	Cf 250			8	
Pm 145			8	Cf 251			8	
Pm 147			8	Cf 252			8	
Sm 147			8	Other a			3	
Sm 151			8	Other b/g				
Eu 152			8	Total a	0	0		
Eu 154			8	Total b/g	0	1.14E-02	CC 2	
Eu 155			8	i otai b/g	!	1.146-02	00 2	

Bands (Upper and Lower)

A a factor of 1.5 B a factor of 3 C a factor of 10 D a factor of 100

E a factor of 1000

Note: Bands quantify uncertainty in mean radioactivity.

Code

- 1 Measured activity
- 2 Derived activity (best estimate)
- 3 Derived activity (upper limit)
- 4 Not present
- 5 Present but not significant
- 6 Likely to be present but not assessed
- 7 Present in significant quantities but not determined 8 Not expected to be present in significant quantity